



UCLA Health Medicare Advantage Plan

Principal Plan (HMO)

y

Prestige Plan (HMO)

Formulario de 2026

Lista de Medicamentos Cubiertos o “Lista de Medicamentos”

**POR FAVOR LEA: ESTE DOCUMENTO CONTIENE INFORMACIÓN
ACERCA DE LOS MEDICAMENTOS QUE CUBRIMOS EN ESTE PLAN**

HPMS Approved Formulary File Submission ID 00026361

Este formulario fue actualizado el 9/01/2026. Para obtener información más reciente y si tiene otras preguntas, comuníquese con los Servicios para Miembros del UCLA Health Medicare Advantage Plan al 1-833-627-8252 (los usuarios de TTY deben llamar al 711). El horario de atención en nuestras oficinas es de 8:00 a.m. a 8 p.m., de lunes a viernes, del 1 de abril al 30 de septiembre, excepto los días feriados federales. El horario es de 8 a.m. a 8 p.m., los 7 días a la semana, del 1 de octubre al 31 de marzo, excepto el Día de Acción de Gracias y el Día de Navidad, o visite UCLAHealthMedicareAdvantage.org.

Nota para los miembros actuales: Este formulario ha cambiado desde el año pasado. Por favor, revise este documento para asegurarse de que todavía incluye los medicamentos que usted toma.

Cuando en esta Lista de Medicamentos (Formulario) se refiere a “nosotros,” “nos” o “nuestro,” significa el UCLA Health Medicare Advantage Plan. Cuando se refiere al “plan” o “nuestro plan,” significa el UCLA Health Medicare Advantage Principal Plan y el UCLA Health Medicare Advantage Prestige Plan.

Este documento incluye una Lista de Medicamentos (Formulario) para nuestro plan que está actualizado al 09/01/2026. Para obtener una Lista de Medicamentos (Formulario) actualizado, por favor contáctenos. Nuestra información de contacto, junto con la fecha en que actualizamos por última vez la Lista de Medicamentos (Formulario), aparece en las páginas de la portada y contraportada.

Generalmente debe usar farmacias de la red para aprovechar su beneficio de medicamentos recetados. Los beneficios, el formulario, la red de farmacias y/o los copagos/coseguros pueden cambiar el 1 de enero de 2026 y de vez en cuando durante el año.

¿Qué es el formulario del UCLA Health Medicare Advantage Plan?

En este documento, utilizamos los términos “Lista de Medicamentos” y “Formulario” para significar lo mismo. Un formulario es una lista de medicamentos cubiertos seleccionados por el UCLA Health Medicare Advantage Plan en consulta con un equipo de proveedores de atención médica, que representa las terapias recetadas consideradas una parte necesaria de un programa de tratamiento de calidad. El UCLA Health Medicare Advantage Plan generalmente cubrirá los medicamentos incluidos en nuestro formulario siempre que el medicamento sea médicamente necesario, la receta se surta en una farmacia de la red del UCLA Health Medicare Advantage Plan y se sigan las demás reglas del plan. Para obtener más información sobre cómo surtir sus recetas, por favor revise su Evidencia de Cobertura.

¿Puede cambiar el formulario?

La mayoría de los cambios en la cobertura de medicamentos ocurren el 1 de enero, pero el UCLA Health Medicare Advantage Plan puede agregar o eliminar medicamentos del formulario durante el año, moverlos a diferentes niveles de costos compartidos o agregar nuevas restricciones. Debemos seguir las reglas de Medicare al realizar estos cambios. Las actualizaciones del formulario se publican mensualmente en nuestro sitio web aquí: UCLAHealthMedicareAdvantage.org/resources.

Cambios que pueden afectarle este año: En los siguientes casos, se verá afectado por cambios en la cobertura durante el año:

- **Sustituciones inmediatas de ciertas nuevas versiones de medicamentos de marca y productos biológicos originales.** Podemos eliminar inmediatamente un medicamento de nuestro formulario si lo reemplazamos con una nueva versión específica de ese medicamento que aparecerá en el mismo nivel de costos compartidos o en uno inferior, y con las mismas o menos restricciones. Cuando agregamos una nueva versión de un medicamento a nuestro formulario, podemos decidir mantener el medicamento de marca o el producto biológico original en nuestro

formulario, pero moverlo inmediatamente a un nivel de costos compartidos diferente o agregar nuevas restricciones.

Podemos realizar estos cambios inmediatos solo si estamos agregando una nueva versión genérica de un medicamento de marca o ciertas nuevas versiones biosimilares de un producto biológico original que ya estaba en el formulario (por ejemplo, agregar un biosimilar intercambiable que puede ser sustituido por un producto biológico original en una farmacia sin una nueva receta).

Si actualmente está tomando el medicamento de marca o el producto biológico original, es posible que no le informemos con anticipación antes de realizar un cambio inmediato, pero posteriormente le proporcionaremos información sobre los cambios específicos que hemos realizado.

Si realizamos dicho cambio, usted o su médico pueden solicitar una excepción para que continuemos cubriendo el medicamento que está siendo modificado. Para obtener más información, consulte la sección a continuación titulada “¿Cómo solicito una excepción al formulario del UCLA Health Medicare Advantage Plan?”

Es posible que algunos de estos tipos de medicamentos sean nuevos para usted. Para obtener más información, consulte la sección a continuación titulada “¿Qué son los productos biológicos originales y cómo están relacionados con los biosimilares?”

- **Medicamentos retirados del mercado.** Si un medicamento es retirado de la venta por el fabricante o la Administración de Alimentos y Medicamentos (FDA) determina que debe ser retirado por razones de seguridad o efectividad, podemos eliminarlo inmediatamente de nuestro formulario y posteriormente notificar a los miembros que lo estén tomando.
- **Otros cambios.** Podemos realizar otros cambios que afecten a los miembros que actualmente estén tomando un medicamento. Por ejemplo, podemos eliminar un medicamento de marca del formulario al agregar un equivalente genérico o eliminar un producto biológico original al agregar un biosimilar. También podemos aplicar nuevas restricciones al medicamento de marca o producto biológico original, moverlo a un nivel de costos compartidos diferente, o ambas cosas. Podemos realizar cambios basados en nuevas guías clínicas. Si eliminamos medicamentos de nuestro formulario, agregamos autorización previa, límites de cantidad y/o restricciones de terapia escalonada a un medicamento, o movemos un medicamento a un nivel de costos compartidos más alto, debemos notificar a los miembros afectados sobre el cambio al menos 30 días antes de que el cambio entre en vigencia. Alternativamente, cuando un miembro solicite un reabastecimiento del medicamento, pueden recibir un suministro de 30 días del medicamento junto con la notificación del cambio.

Si realizamos estos otros cambios, usted o su médico pueden solicitarnos una excepción para que continuemos cubriendo el medicamento que ha estado tomando. La notificación que le proporcionemos también incluirá información sobre cómo solicitar una excepción, y también

puede encontrar información en la sección a continuación titulada “¿Cómo solicito una excepción al formulario del UCLA Health Medicare Advantage Plan?”

Cambios que no le afectarán si actualmente está tomando el medicamento. Generalmente, si está tomando un medicamento incluido en nuestro formulario de 2026 que estaba cubierto al comienzo del año, no descontinuaremos ni reduciremos la cobertura del medicamento durante el año de cobertura 2026, excepto en los casos descritos anteriormente. Esto significa que estos medicamentos permanecerán disponibles al mismo costo compartido y sin nuevas restricciones para los miembros que los estén tomando durante el resto del año de cobertura. No recibirá una notificación directa este año sobre cambios que no le afecten. Sin embargo, el 1 de enero del próximo año, dichos cambios podrían afectarle, por lo que es importante revisar el formulario para el nuevo año de beneficios y verificar cualquier cambio en los medicamentos.

El formulario adjunto está actualizado al 09/01/2026. Para obtener información actualizada sobre los medicamentos cubiertos por el UCLA Health Medicare Advantage Plan, por favor contáctenos. Nuestra información de contacto aparece en las páginas de portada y contraportada. El UCLA Health Medicare Advantage Plan actualizará los formularios impresos en caso de cambios en el formulario que no sean de mantenimiento durante el año.

¿Cómo utilizo el formulario?

Hay dos formas de encontrar su medicamento dentro del formulario:

Condición Médica

El formulario comienza en la página 12. Los medicamentos en este formulario están agrupados en categorías según el tipo de condiciones médicas que tratan. Por ejemplo, los medicamentos utilizados para tratar una afección cardíaca están listados bajo la categoría de Agentes Cardiovasculares. Si sabe para qué se utiliza su medicamento, busque el nombre de la categoría en la lista que comienza en la página 9. Luego, busque su medicamento bajo el nombre de la categoría correspondiente.

Listado Alfabético

Si no está seguro bajo qué categoría buscar, debe buscar su medicamento en el Índice que comienza en la página 9. El Índice proporciona una lista alfabética de todos los medicamentos incluidos en este documento. Tanto los medicamentos de marca como los genéricos están listados en el Índice. Busque su medicamento en el Índice. Junto al nombre de su medicamento, verá el número de página donde puede encontrar información sobre la cobertura. Vaya a la página indicada en el Índice y busque el nombre de su medicamento en la primera columna de la lista.

¿Qué son los medicamentos genéricos?

El UCLA Health Medicare Advantage Plan cubre tanto medicamentos de marca como genéricos. Un medicamento genérico está aprobado por la FDA y contiene el mismo ingrediente activo que el medicamento de marca. Generalmente, los medicamentos genéricos funcionan igual de bien y suelen costar menos que los medicamentos de marca. Existen sustitutos genéricos disponibles para muchos medicamentos de marca. Por

lo general, los medicamentos genéricos pueden ser sustituidos por los de marca en la farmacia sin necesidad de una nueva receta, dependiendo de las leyes estatales.

¿Qué son los productos biológicos originales y cómo están relacionados con los biosimilares?

En el formulario, cuando nos referimos a medicamentos, esto puede significar un medicamento o un producto biológico. Los productos biológicos son medicamentos más complejos que los típicos medicamentos. Debido a su complejidad, en lugar de tener una forma genérica, tienen alternativas llamadas biosimilares. Generalmente, los biosimilares funcionan igual de bien que el producto biológico original y pueden costar menos. Existen alternativas biosimilares para algunos productos biológicos originales. Algunos biosimilares son intercambiables y, dependiendo de las leyes estatales, pueden sustituirse por el producto biológico original en la farmacia sin necesidad de una nueva receta, al igual que los medicamentos genéricos pueden sustituir a los medicamentos de marca.

Para obtener información sobre los tipos de medicamentos, consulte la Evidencia de Cobertura, Capítulo 5, Sección 3.1, “La ‘Lista de Medicamentos’ indica qué medicamentos de la Parte D están cubiertos.”

¿Existen restricciones en mi cobertura?

Algunos medicamentos cubiertos pueden tener requisitos adicionales o límites en la cobertura. Estos requisitos y límites pueden incluir:

- **Autorización Previa:** El UCLA Health Medicare Advantage Plan requiere que usted o su médico obtengan una autorización previa para ciertos medicamentos. Esto significa que deberá obtener la aprobación del UCLA Health Medicare Advantage Plan antes de surtir sus recetas. Si no obtiene la aprobación, el UCLA Health Medicare Advantage Plan puede no cubrir el medicamento.
- **Límites de Cantidad:** Para ciertos medicamentos, el UCLA Health Medicare Advantage Plan limita la cantidad del medicamento que cubrirá. Por ejemplo, el UCLA Health Medicare Advantage Plan proporciona 4 unidades por receta para el autoinyector de epinefrina. Esto puede ser adicional a un suministro estándar de uno o tres meses.
- **Terapia Escalonada:** En algunos casos, el UCLA Health Medicare Advantage Plan requiere que primero intente ciertos medicamentos para tratar su condición médica antes de que cubramos otro medicamento para esa condición. Por ejemplo, si el Medicamento A y el Medicamento B tratan su condición médica, el UCLA Health Medicare Advantage Plan puede no cubrir el Medicamento B a menos que primero intente con el Medicamento A. Si el Medicamento A no funciona para usted, el UCLA Health Medicare Advantage Plan entonces cubrirá el Medicamento B.

Puede averiguar si su medicamento tiene requisitos adicionales o límites consultando el formulario que comienza en la página 12. También puede obtener más información sobre las restricciones aplicadas a los medicamentos específicos cubiertos visitando nuestro sitio web. Hemos publicado en línea un documento que explica nuestras restricciones de autorización previa y terapia escalonada. También puede solicitarnos que le enviemos una copia. Nuestra información de contacto, junto con la fecha en que actualizamos por última vez el formulario, aparece en las páginas de portada y contraportada.

Puede pedirle al UCLA Health Medicare Advantage Plan que haga una excepción a estas restricciones o límites, o solicitar una lista de otros medicamentos similares que puedan tratar su condición médica. Consulte la sección “¿Cómo solicito una excepción al formulario del UCLA Health Medicare Advantage Plan?” en la página 6 para obtener información sobre cómo solicitar una excepción.

¿Qué son los medicamentos de venta libre (OTC)?

Los medicamentos OTC son medicamentos recetados que normalmente no están cubiertos por el plan de medicamentos con receta de Medicare.

¿Qué pasa si mi medicamento no está en el formulario?

Si su medicamento no está incluido en este formulario (lista de medicamentos cubiertos), primero debe comunicarse con Servicios para Miembros y preguntar si su medicamento está cubierto.

Si descubre que el UCLA Health Medicare Advantage Plan no cubre su medicamento, tiene dos opciones:

- Puede pedir a Servicios para Miembros una lista de medicamentos similares que estén cubiertos por el UCLA Health Medicare Advantage Plan. Cuando reciba la lista, muéstrasela a su médico y pídale que le recete un medicamento similar que esté cubierto por el UCLA Health Medicare Advantage Plan.
- Puede pedir al UCLA Health Medicare Advantage Plan que haga una excepción y cubra su medicamento. Consulte a continuación para obtener información sobre cómo solicitar una excepción.

¿Cómo solicito una excepción al formulario del UCLA Health Medicare Advantage Plan?

Puede pedir al UCLA Health Medicare Advantage Plan que haga una excepción a nuestras reglas de cobertura. Hay varios tipos de excepciones que puede solicitar.

- Puede pedirnos que cubramos un medicamento, aunque no esté en nuestro formulario. Si se aprueba, este medicamento será cubierto a un nivel de costos compartidos preestablecido, y no podrá solicitarnos que proporcionemos el medicamento a un nivel de costos compartidos más bajo.
- Puede pedirnos que eliminemos una restricción de cobertura, incluyendo autorización previa, terapia escalonada o un límite de cantidad en su medicamento. Por ejemplo, para ciertos medicamentos, el UCLA Health Medicare Advantage Plan limita la cantidad del medicamento que cubriremos. Si su medicamento tiene un límite de cantidad, puede solicitarnos que eliminemos el límite y cubramos una mayor cantidad.
- Puede pedirnos que cubramos un medicamento del formulario a un nivel de costos compartidos más bajo, a menos que el medicamento esté en el nivel de especialidad.

Generalmente, el UCLA Health Medicare Advantage Plan solo aprobará su solicitud de excepción si los medicamentos alternativos incluidos en el formulario del plan, el medicamento de menor costo compartido o la aplicación de la restricción no serían tan efectivos para usted y/o le causarían efectos adversos.

Usted o su médico deben contactarnos para solicitar una excepción de nivel o una excepción al formulario, incluyendo una excepción a una restricción de cobertura. **Cuando solicite una excepción, su médico deberá explicar las razones médicas por las cuales necesita la excepción.** Generalmente, debemos tomar nuestra decisión dentro de las 72 horas posteriores a la recepción de la declaración de apoyo de su médico. Puede solicitar una decisión acelerada (rápida) si cree, y estamos de acuerdo, que su salud podría verse gravemente afectada al esperar hasta 72 horas por una decisión. Si estamos de acuerdo, o si su médico solicita una decisión rápida, debemos darle una decisión a más tardar 24 horas después de recibir la declaración de apoyo de su médico.

¿Qué puedo hacer si mi medicamento no está en el formulario o tiene una restricción?

Como nuevo miembro o miembro continuo de nuestro plan, es posible que esté tomando medicamentos que no están en nuestro formulario. O, puede estar tomando un medicamento que está en nuestro formulario, pero tiene una restricción de cobertura, como autorización previa. Debe hablar con su médico sobre la posibilidad de solicitar una decisión de cobertura para demostrar que cumple con los criterios para su aprobación, cambiar a un medicamento alternativo que cubramos o solicitar una excepción al formulario para que cubramos el medicamento que toma. Mientras usted y su médico determinan el curso de acción adecuado, podemos cubrir su medicamento en ciertos casos durante los primeros 90 días de su membresía en nuestro plan.

Para cada uno de sus medicamentos que no está en nuestro formulario o tiene una restricción de cobertura, cubriremos un suministro temporal de 30 días. Si su receta es para menos días, permitiremos recargas para proporcionar un suministro máximo de 30 días de medicamento. Si no se aprueba la cobertura, después de su primer suministro de 30 días, no pagaremos por estos medicamentos, incluso si ha sido miembro del plan por menos de 90 días.

Si usted es residente de un centro de cuidado a largo plazo y necesita un medicamento que no está en nuestro formulario o si su capacidad para obtener sus medicamentos es limitada, pero ya pasaron los primeros 90 días de membresía en nuestro plan, cubriremos un suministro de emergencia de 31 días de ese medicamento mientras solicita una excepción al formulario.

Para más información

Para obtener más información detallada sobre la cobertura de medicamentos recetados de su UCLA Health Medicare Advantage Plan, por favor revise su Evidencia de Cobertura y otros materiales del plan.

Si tiene preguntas sobre el UCLA Health Medicare Advantage Plan, por favor contáctenos. Nuestra información de contacto, junto con la fecha en que actualizamos por última vez el formulario, aparece en las páginas de portada y contraportada.

Si tiene preguntas generales sobre la cobertura de medicamentos recetados de Medicare, por favor llame a Medicare al 1-800-MEDICARE (1-800-633-4227), disponible las 24 horas del día, los 7 días de la semana. Los usuarios de TTY deben llamar al 1-877-486-2048. O visite <http://www.medicare.gov>.

Formulario del UCLA Health Medicare Advantage Plan

El formulario a continuación proporciona información acerca de ciertos medicamentos incluidos en la cobertura del UCLA Health Medicare Advantage Plan. Si tiene problemas para encontrar su medicamento en la lista, consulte el Índice que comienza en la página 9.

La primera columna de la tabla enumera el nombre del medicamento. Los medicamentos de marca están en mayúsculas (por ejemplo, ENTRESTO), y los medicamentos genéricos se enumeran en cursiva y en minúsculas (por ejemplo, *inbesartan*).

La información en la columna de Requisitos/Límites le indica si el UCLA Health Medicare Advantage Plan tiene requisitos especiales para la cobertura de su medicamento.

- El símbolo [EX] indica que este medicamento recetado no está normalmente cubierto en un Plan de Medicamentos Recetados de Medicare. El monto que paga cuando surte una receta para este medicamento no cuenta para el total de sus costos de medicamentos (es decir, la cantidad que paga no le ayuda a calificar para la cobertura catastrófica). Además, si está recibiendo ayuda adicional para pagar sus medicamentos recetados, no recibirá ninguna ayuda adicional para pagar este medicamento.
- El símbolo [QL] indica límites de cantidad para ciertos medicamentos y especifica la cantidad que el plan cubrirá (suministro en días o cantidad dispensada). Si su médico prescribe más que esta cantidad o considera que el límite no es adecuado para su condición, usted o su médico pueden solicitar al plan que cubra una cantidad mayor.
- El símbolo [HI] indica que este medicamento recetado puede estar cubierto bajo nuestro beneficio médico. Para más información, llame a Servicios para Miembros al 1-833-627-8252 (los usuarios de TTY deben llamar al 711). Horas de operación: 8:00 a.m. a 8p.m., de lunes a viernes, del 1 de abril al 30 de septiembre, excepto los días feriados federales. El horario es de 8 a.m. a 8 p.m., 7 días a la semana, del 1 de octubre al 31 de marzo, excepto el Día de Acción de Gracias y el Día de Navidad, o visite UCLAHealthMedicareAdvantage.org.
- El símbolo [ST] indica que, antes de que se proporcione cobertura para este medicamento, primero debe probar otro(s) medicamento(s) para tratar su condición médica. Este medicamento solo puede estar cubierto si el/los otro(s) medicamento(s) no funcionan para usted.
- El símbolo [PA] indica que usted (o su médico) debe obtener una autorización previa del UCLA Health Medicare Advantage Plan antes de surtir su receta para este medicamento. Sin la aprobación previa, el UCLA Health Medicare Advantage Plan puede no cubrir este medicamento.
- El símbolo [PA NSO] indica Autorización Previa para Nuevos Comienzos únicamente para un miembro nuevo en una terapia con medicamentos. Esto significa que la primera vez que un miembro toma ese medicamento específico con gestión de utilización (UM), se requiere un proceso que especifica que los miembros obtengan aprobación anticipada para la cobertura del plan antes de que se brinde un servicio o se surta una receta.
- El símbolo [PA BvD] indica que este medicamento recetado puede estar cubierto bajo la Parte B o D de Medicare, dependiendo de las circunstancias. Usted (o su médico) debe obtener una autorización

previa antes de surtir su receta para este medicamento. Sin la aprobación previa, es posible que no cubramos este medicamento.

- El símbolo [CB] indica un Beneficio Limitado, lo que significa que este medicamento tiene un monto límite específico por mes y no permite recargas anticipadas.
- El símbolo [NDS] indica que no se permite un suministro extendido de días.

Tabla de Contenido

Agentes Anti Cáncer	12
Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias	30
Agentes Antiansiedad.....	31
Agentes Antidemencia.....	33
Agentes Antidiabetico	33
Agentes Antigota	39
Agentes Antimigraña	39
Agentes Antinausea	40
Agentes Antiparasitarios	41
Agentes Antiparkinson	42
Agentes Antipsicóticos	43
Agentes Calóricos	50
Agentes Cardiovasculares.....	51
Agentes De Enfermedad Intestinal Inflamatoria	61
Agentes De Enfermedad Ósea Metabólica.....	62
Agentes De Trastorno De Sueño	62
Agentes Del Sistema Nervioso Central.....	63
Agentes Del Tracto Respiratorio	66
Agentes Dentales Y Orales	71
Agentes Dermatológicos.....	71
Agentes Gastrointestinales	75
Agentes Genitourinarios	78
Agentes Hormonales, Estimulante/Reemplazo/Modificador	79
Agentes Inmunológicos	84
Agentes Oftálmicos.....	96
Agentes Para Los Ojos, Oídos, Nariz, Garganta.....	97
Agentes Terapeuticos Misceláneos	101

Agentes Vasodilatadores.....	102
Analgésicos.....	103
Anestésicos	107
Antagonistas De Metales Pesados	107
Anti Infecciosos (Membrana Cutánea Y Mucosa)	107
Antibacterianos.....	108
Anticonceptivos.....	115
Anticonvulsivos.....	122
Antidepresivos	128
Antifúngicos	131
Antihistamínicos	133
Antimicobacteriales.....	133
Antivirales (Sitémico).....	134
Cofactores Enzimáticos/Otros.....	140
Dispositivos	140
Preparaciones De Reemplazo.....	185
Productos Sanguíneos/Modificadores/Expansores De Volumen	186
Reemplazo/Modificadores De Enzima	189
Relajantes Musculares Esqueléticos	190
Vitaminas Y Minerales	190

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
Agentes Anti Cáncer		
Agentes Anti Cáncer		
<i>abiraterone oral tablet 250 mg</i> (Zytiga)	5	PA NSO; NDS; QL (120 per 30 days)
<i>abiraterone oral tablet 500 mg</i> (Zytiga)	5	PA NSO; NDS; QL (120 per 30 days)
<i>abiraterone, submicronized oral tablet 125 mg</i> (Abiraterone Acet,Submicronized)	5	PA NSO; NDS; QL (120 per 30 days)
<i>abirtega oral tablet 250 mg</i> (Zytiga)	2	PA NSO; QL (120 per 30 days)
<i>adrucil intravenous solution 2.5 gram/50 ml</i> (Fluorouracil)	2	PA BvD
AKEEGA ORAL TABLET 100-500 MG, 50-500 MG	5	PA NSO; NDS; QL (60 per 30 days)
ALECENSA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (240 per 30 days)
ALUNBRIG ORAL TABLET 180 MG, 90 MG	5	PA NSO; NDS; QL (30 per 30 days)
ALUNBRIG ORAL TABLET 30 MG	5	PA NSO; NDS; QL (120 per 30 days)
ALUNBRIG ORAL TABLETS,DOSE PACK 90 MG (7)-180 MG (23)	5	PA NSO; NDS
<i>anastrozole oral tablet 1 mg</i> (Arimidex)	1	
ANKTIVA INTRAVESICAL SOLUTION 400 MCG/0.4 ML	5	PA NSO; NDS; QL (1.6 per 28 days)
AUGTYRO ORAL CAPSULE 160 MG	5	PA NSO; NDS; QL (60 per 30 days)
AUGTYRO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (240 per 30 days)
AVMAPKI ORAL CAPSULE 0.8 MG	5	PA NSO; NDS; QL (24 per 28 days)
AVMAPKI-FAKZYNJA ORAL COMBO PACK 0.8-200 MG	5	PA NSO; NDS; QL (66 per 28 days)
AXTLE INTRAVENOUS RECON SOLN 100 MG, 500 MG	5	HI; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
AYVAKIT ORAL TABLET 100 MG, 200 MG, 25 MG, 300 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>azacitidine injection recon soln 100 mg</i> (Vidaza)	5	NDS
BALVERSA ORAL TABLET 3 MG	5	PA NSO; NDS; QL (84 per 28 days)
BALVERSA ORAL TABLET 4 MG	5	PA NSO; NDS; QL (56 per 28 days)
BALVERSA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (28 per 28 days)
<i>bendamustine intravenous recon soln 100 mg, 25 mg</i> (Treanda)	5	PA NSO; NDS
BENDAMUSTINE INTRAVENOUS SOLUTION 25 MG/ML (Bendeka)	5	PA NSO; NDS
BENDEKA INTRAVENOUS SOLUTION 25 MG/ML (bendamustine)	5	PA NSO; NDS
BESREMI PEN SUBCUTANEOUS PEN INJECTOR 500 MCG/0.5 ML	5	PA NSO; NDS; QL (1 per 28 days)
<i>bexarotene oral capsule 75 mg</i> (Targretin)	5	PA NSO; NDS
<i>bexarotene topical gel 1 %</i> (Targretin)	5	PA NSO; NDS
<i>bicalutamide oral tablet 50 mg</i> (Casodex)	2	
BIZENGRI INTRAVENOUS SOLUTION 375 MG/18.75 ML (20 MG/ML)	5	PA NSO; NDS; QL (75 per 28 days)
<i>bleomycin injection recon soln 15 unit, 30 unit</i> (Bleomycin Sulfate)	2	
<i>bortezomib injection recon soln 1 mg, 2.5 mg</i> (Velcade)	4	PA NSO; HI
<i>bortezomib injection recon soln 3.5 mg</i> (Velcade)	5	PA NSO; HI; NDS
BORUZU INJECTION SOLUTION 2.5 MG/ML	4	PA NSO; HI
BOSULIF ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
BOSULIF ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
BOSULIF ORAL TABLET 100 MG (bosutinib)	5	PA NSO; NDS; QL (180 per 30 days)
BOSULIF ORAL TABLET 500 MG (bosutinib)	5	PA NSO; NDS; QL (30 per 30 days)
<i>bosutinib oral tablet 100 mg</i> (Bosutinib)	5	PA NSO; NDS; QL (180 per 30 days)
<i>bosutinib oral tablet 400 mg, 500 mg</i> (Bosutinib)	5	PA NSO; NDS; QL (30 per 30 days)
BRAFTOVI ORAL CAPSULE 75 MG	5	PA NSO; NDS; QL (180 per 30 days)
BRUKINSA ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
BRUKINSA ORAL TABLET 160 MG	5	PA NSO; NDS; QL (60 per 30 days)
CABOMETYX ORAL TABLET 20 MG, 60 MG	5	PA NSO; NDS; QL (30 per 30 days)
CABOMETYX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (60 per 30 days)
CALQUENCE (ACALABRUTINIB MAL) ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
CAMCEVI (6 MONTH) SUBCUTANEOUS SYRINGE 42 MG	4	PA NSO
CAPRELSA ORAL TABLET 100 MG (vandetanib)	5	PA NSO; NDS; QL (60 per 30 days)
CAPRELSA ORAL TABLET 300 MG (vandetanib)	5	PA NSO; NDS; QL (30 per 30 days)
COMETRIQ ORAL CAPSULE 100 MG/DAY(80 MG X1-20 MG X1), 60 MG/DAY (20 MG X 3/DAY)	5	PA NSO; NDS
COMETRIQ ORAL CAPSULE 140 MG/DAY(80 MG X1-20 MG X3)	5	PA NSO; NDS; QL (112 per 28 days)
COPIKTRA ORAL CAPSULE 15 MG, 25 MG	5	PA NSO; NDS; QL (56 per 28 days)
COTELLIC ORAL TABLET 20 MG	5	PA NSO; LA; NDS; QL (63 per 28 days)
<i>cyclophosphamide intravenous recon soln 1 gram, 2 gram, 500 mg</i> (Cyclophosphamide)	5	PA BvD; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>cyclophosphamide intravenous solution 100 mg/ml, 200 mg/ml</i> (Cyclophosphamide)	5	PA BvD; NDS
<i>cyclophosphamide intravenous solution 500 mg/ml</i> (Cyclophosphamide)	5	PA BvD; NDS
<i>cyclophosphamide oral capsule 25 mg, 50 mg</i> (Cyclophosphamide)	2	PA BvD; ST
<i>cyclophosphamide oral tablet 25 mg, 50 mg</i> (Cyclophosphamide)	3	PA BvD; ST
DANYELZA INTRAVENOUS SOLUTION 4 MG/ML	5	PA NSO; NDS; QL (120 per 28 days)
DANZITEN ORAL TABLET 71 MG, 95 MG	5	PA NSO; NDS; QL (112 per 28 days)
<i>dasatinib oral tablet 100 mg, 140 mg, 50 mg, 70 mg, 80 mg</i> (Sprycel)	5	PA NSO; NDS; QL (30 per 30 days)
<i>dasatinib oral tablet 20 mg</i> (Sprycel)	5	PA NSO; NDS; QL (90 per 30 days)
DATROWAY INTRAVENOUS RECON SOLN 100 MG	5	PA NSO; NDS
DAURISMO ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)
DAURISMO ORAL TABLET 25 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>decitabine intravenous recon soln 50 mg</i> (Decitabine)	5	HI; NDS
<i>doxorubicin, peg-liposomal intravenous suspension 2 mg/ml</i> (Doxil)	5	PA BvD; NDS
ELAHERE INTRAVENOUS SOLUTION 5 MG/ML	5	PA NSO; NDS
ELIGARD (3 MONTH) SUBCUTANEOUS SYRINGE 22.5 MG	4	PA NSO
ELIGARD (4 MONTH) SUBCUTANEOUS SYRINGE 30 MG	4	PA NSO
ELIGARD (6 MONTH) SUBCUTANEOUS SYRINGE 45 MG	4	PA NSO
ELIGARD SUBCUTANEOUS SYRINGE 7.5 MG (1 MONTH)	4	PA NSO

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ELREXFIO 44 MG/1.1 ML VIAL INNER, SUV, P/F 40 MG/ML	5	PA NSO; NDS
ELREXFIO SUBCUTANEOUS SOLUTION 40 MG/ML	5	PA NSO; NDS; QL (9.5 per 28 days)
EMCYT ORAL CAPSULE 140 MG	5	NDS
EMRELIS INTRAVENOUS RECON SOLN 100 MG, 20 MG	5	PA NSO; NDS
ENSACOVE ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
ENSACOVE ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (270 per 30 days)
EPKINLY SUBCUTANEOUS SOLUTION 4 MG/0.8 ML, 48 MG/0.8 ML	5	PA NSO; NDS
ERBITUX INTRAVENOUS SOLUTION 100 MG/50 ML, 200 MG/100 ML	5	PA NSO; HI; NDS
ERIVEDGE ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (28 per 28 days)
ERLEADA ORAL TABLET 240 MG	5	PA NSO; NDS; QL (30 per 30 days)
ERLEADA ORAL TABLET 60 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>erlotinib oral tablet 100 mg, 25 mg</i> (Tarceva)	5	PA NSO; NDS; QL (60 per 30 days)
<i>erlotinib oral tablet 150 mg</i> (Tarceva)	5	PA NSO; NDS; QL (90 per 30 days)
ETOPOPHOS INTRAVENOUS RECON SOLN 100 MG	4	HI
<i>etoposide intravenous solution 20 mg/ml</i> (Avopef)	2	HI
EULEXIN ORAL CAPSULE 125 (flutamide) MG	5	NDS
<i>everolimus (antineoplastic) oral tablet 10 mg</i> (Afinitor)	5	PA NSO; NDS; QL (56 per 28 days)
<i>everolimus (antineoplastic) oral tablet 2.5 mg</i> (Afinitor)	5	PA NSO; NDS; QL (28 per 28 days)
<i>everolimus (antineoplastic) oral tablet 5 mg</i> (Afinitor)	5	PA NSO; NDS; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>everolimus (antineoplastic) oral tablet 7.5 mg</i> (Afinitor)	5	PA NSO; NDS; QL (60 per 30 days)
<i>everolimus (antineoplastic) oral tablet for suspension 2 mg, 3 mg, 5 mg</i> (Afinitor Disperz)	5	PA NSO; NDS; QL (112 per 28 days)
<i>exemestane oral tablet 25 mg</i> (Aromasin)	2	
FAKZYNJA ORAL TABLET 200 MG	5	PA NSO; NDS; QL (42 per 28 days)
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 120 MG	5	PA BvD; NDS
FIRMAGON KIT W DILUENT SYRINGE SUBCUTANEOUS RECON SOLN 80 MG	3	PA BvD
<i>floxuridine injection recon soln 0.5 gram</i> (Floxuridine)	2	PA BvD
<i>fluorouracil intravenous solution 1 gram/20 ml, 5 gram/100 ml, 500 mg/10 ml</i> (Fluorouracil)	2	PA BvD
FOTIVDA ORAL CAPSULE 0.89 MG, 1.34 MG	5	PA NSO; NDS; QL (21 per 28 days)
FRUZAQLA ORAL CAPSULE 1 MG	5	PA NSO; NDS; QL (84 per 28 days)
FRUZAQLA ORAL CAPSULE 5 MG	5	PA NSO; NDS; QL (21 per 28 days)
<i>fulvestrant intramuscular syringe 250 mg/5 ml</i> (Faslodex)	5	NDS
FYARRO INTRAVENOUS SUSPENSION FOR RECONSTITUTION 100 MG	5	PA NSO; NDS
GAVRETO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
<i>gefitinib oral tablet 250 mg</i> (Iressa)	5	PA NSO; NDS; QL (60 per 30 days)
GILOTRIF ORAL TABLET 20 MG, 30 MG, 40 MG	5	PA NSO; NDS; QL (30 per 30 days)
GOMEKLI ORAL CAPSULE 1 MG	5	PA NSO; NDS; QL (224 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
GOMEKLI ORAL CAPSULE 2 MG	5	PA NSO; NDS; QL (112 per 28 days)
GOMEKLI ORAL TABLET FOR SUSPENSION 1 MG	5	PA NSO; NDS; QL (224 per 28 days)
HERCEPTIN HYLECTA SUBCUTANEOUS SOLUTION 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS; QL (5 per 21 days)
HERNEXEOS ORAL TABLET 60 MG	5	PA NSO; NDS; QL (90 per 30 days)
<i>hydroxyurea oral capsule 500 mg</i> (Hydrea)	2	
HYRNUO ORAL TABLET 10 MG	5	PA NSO; NDS; QL (120 per 30 days)
IBRANCE ORAL CAPSULE 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBRANCE ORAL TABLET 100 MG, 125 MG, 75 MG	5	PA NSO; NDS; QL (21 per 28 days)
IBTROZI ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
ICLUSIG ORAL TABLET 10 MG, 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
IDHIFA ORAL TABLET 100 MG, 50 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>ifosfamide intravenous recon soln 1 gram</i> (Ifex)	2	
<i>ifosfamide intravenous solution 1 gram/20 ml, 3 gram/60 ml</i> (Ifex)	2	
<i>imatinib oral tablet 100 mg</i> (Gleevec)	2	PA NSO; QL (180 per 30 days)
<i>imatinib oral tablet 400 mg</i> (Gleevec)	2	PA NSO; QL (60 per 30 days)
IMBRUVICA ORAL CAPSULE 140 MG	5	PA NSO; NDS; QL (120 per 30 days)
IMBRUVICA ORAL CAPSULE 70 MG	5	PA NSO; NDS; QL (28 per 28 days)
IMBRUVICA ORAL SUSPENSION 70 MG/ML	5	PA NSO; NDS; QL (216 per 30 days)
IMBRUVICA ORAL TABLET 140 MG, 280 MG, 420 MG	5	PA NSO; NDS; QL (28 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
IMDELLTRA INTRAVENOUS RECON SOLN 1 MG, 10 MG	5	PA NSO; NDS
IMJUDO INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS
IMKELDI ORAL SOLUTION 80 MG/ML	5	PA NSO; NDS; QL (280 per 28 days)
INLEXZO INTRAVESICAL IMPLANT 225 MG	5	PA BvD; NDS
INLURIYO ORAL TABLET 200 MG	5	PA NSO; NDS; QL (60 per 30 days)
INLYTA ORAL TABLET 1 MG	5	PA NSO; NDS; QL (180 per 30 days)
INLYTA ORAL TABLET 5 MG	5	PA NSO; NDS; QL (120 per 30 days)
INQOVI ORAL TABLET 35-100 MG	5	PA NSO; NDS; QL (5 per 28 days)
INREBIC ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
ITOVEBI ORAL TABLET 3 MG	5	PA NSO; NDS; QL (60 per 30 days)
ITOVEBI ORAL TABLET 9 MG	5	PA NSO; NDS; QL (30 per 30 days)
IWILFIN ORAL TABLET 192 MG	5	PA NSO; NDS; QL (240 per 30 days)
JAKAFI ORAL TABLET 10 MG, 15 MG, 20 MG, 25 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAKAFI XR ORAL TABLET EXTENDED RELEASE 24 HR 11 MG, 22 MG, 33 MG, 44 MG, 55 MG	5	PA NSO; NDS; QL (30 per 30 days)
JAYPIRCA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
JAYPIRCA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
JEMPERLI INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
JYLAMVO ORAL SOLUTION 2 MG/ML	4	PA BvD; ST
KEYTRUDA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
KEYTRUDA QLEX SUBCUTANEOUS SOLUTION 395 MG-4,800 UNIT/2.4 ML, 790 MG- 9,600 UNIT/4.8 ML	5	PA NSO; NDS
KIMMTRAK INTRAVENOUS SOLUTION 100 MCG/0.5 ML	5	PA NSO; NDS; QL (2 per 28 days)
KISQALI 200 MG DAILY DOSE 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 200 MG/DAY(200 MG X 1)-2.5 MG	5	PA NSO; NDS; QL (49 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 400 MG/DAY(200 MG X 2)-2.5 MG	5	PA NSO; NDS; QL (70 per 28 days)
KISQALI FEMARA CO-PACK ORAL TABLET 600 MG/DAY(200 MG X 3)-2.5 MG	5	PA NSO; NDS; QL (91 per 28 days)
KISQALI ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (21 per 28 days)
KISQALI ORAL TABLET 400 MG/DAY (200 MG X 2)	5	PA NSO; NDS; QL (42 per 28 days)
KISQALI ORAL TABLET 600 MG/DAY (200 MG X 3)	5	PA NSO; NDS; QL (63 per 28 days)
KOMZIFTI ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (30 per 30 days)
KOSELUGO ORAL CAPSULE 10 MG	5	PA NSO; NDS; QL (300 per 30 days)
KOSELUGO ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (120 per 30 days)
KOSELUGO ORAL CAPSULE, SPRINKLE 5 MG	5	PA NSO; NDS; QL (600 per 30 days)
KOSELUGO ORAL CAPSULE, SPRINKLE 7.5 MG	5	PA NSO; NDS; QL (390 per 30 days)
KRAZATI ORAL TABLET 200 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>lapatinib oral tablet 250 mg</i> (Tykerb)	5	PA NSO; NDS
LAZCLUZE ORAL TABLET 240 MG	5	PA NSO; NDS; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
LAZCLUZE ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>lenalidomide oral capsule 10 mg, 15 mg, 2.5 mg, 20 mg, 25 mg, 5 mg</i> (Revlimid)	5	PA NSO; NDS; QL (28 per 28 days)
LENVIMA ORAL CAPSULE 10 MG/DAY (10 MG X 1), 12 MG/DAY (4 MG X 3), 14 MG/DAY(10 MG X 1-4 MG X 1), 18 MG/DAY (10 MG X 1-4 MG X2), 20 MG/DAY (10 MG X 2), 24 MG/DAY(10 MG X 2-4 MG X 1), 4 MG, 8 MG/DAY (4 MG X 2)	5	PA NSO; NDS
<i>letrozole oral tablet 2.5 mg</i> (Femara)	2	
LEUKERAN ORAL TABLET 2 MG	5	NDS
<i>leuprolide acetate (3 month) intramuscular suspension for reconstitution 22.5 mg</i> (Leuprolide Acetate)	4	PA NSO
<i>leuprolide subcutaneous kit 1 mg/0.2 ml</i> (Leuprolide Acetate)	2	PA NSO
LIFYORLI ORAL CAPSULE 125 MG/DAY(100 MG X1-25MG X1), 125 MG/DAY(100 MG X1-25MG X3), 125 MG/DAY(100 MG X1-25MG X9), 150 MG/DAY(100 MG X1-25MG X2), 150 MG/DAY(100 MG X1-25MG X3), 150 MG/DAY(100 MG X1-25MG X9)	5	PA NSO; NDS
<i>lomustine oral capsule 10 mg</i> (Gleostine)	2	
<i>lomustine oral capsule 100 mg, 40 mg</i> (Gleostine)	5	NDS
LONSURF ORAL TABLET 15-6.14 MG	5	PA NSO; NDS; QL (100 per 28 days)
LONSURF ORAL TABLET 20-8.19 MG	5	PA NSO; NDS; QL (80 per 28 days)
LOQTORZI INTRAVENOUS SOLUTION 240 MG/6 ML (40 MG/ML)	5	PA NSO; NDS
LORBRENA ORAL TABLET 100 MG	5	PA NSO; NDS; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
LORBRENA ORAL TABLET 25 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUMAKRAS ORAL TABLET 120 MG	5	PA NSO; NDS; QL (240 per 30 days)
LUMAKRAS ORAL TABLET 240 MG	5	PA NSO; NDS; QL (120 per 30 days)
LUMAKRAS ORAL TABLET 320 MG	5	PA NSO; NDS; QL (90 per 30 days)
LUNSUMIO INTRAVENOUS SOLUTION 1 MG/ML	5	PA NSO; NDS
LUNSUMIO VELO SUBCUTANEOUS SOLUTION 45 MG/ML, 5 MG/0.5 ML	5	PA NSO; NDS
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 22.5 MG	5	PA NSO; NDS
LUPRON DEPOT (4 MONTH) INTRAMUSCULAR SYRINGE KIT 30 MG	5	PA NSO; NDS
LUPRON DEPOT (6 MONTH) INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 7.5 MG	5	PA NSO; NDS
LUTRATE DEPOT (3 MONTH) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 22.5 MG (leuprolide acetate (3 month))	4	PA NSO
LYNOZYFIC INTRAVENOUS SOLUTION 2 MG/ML	5	PA NSO; NDS; QL (15 per 8 days)
LYNOZYFIC INTRAVENOUS SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (40 per 28 days)
LYNPARZA ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
LYSODREN ORAL TABLET 500 MG	5	NDS
LYTGOBI ORAL TABLET 12 MG/DAY (4 MG X 3), 16 MG/DAY (4 MG X 4), 20 MG/DAY (4 MG X 5)	5	PA NSO; NDS; QL (140 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
MARGENZA INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; NDS
MATULANE ORAL CAPSULE 50 MG	5	NDS
<i>megestrol oral tablet 20 mg, 40 mg</i> (Megestrol Acetate)	2	
MEKINIST ORAL RECON SOLN 0.05 MG/ML	5	PA NSO; NDS; QL (1260 per 30 days)
MEKINIST ORAL TABLET 0.5 MG	5	PA NSO; NDS; QL (90 per 30 days)
MEKINIST ORAL TABLET 2 MG	5	PA NSO; NDS; QL (30 per 30 days)
MEKTOVI ORAL TABLET 15 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>mercaptopurine oral suspension 20 mg/ml</i> (Purixan)	5	NDS
<i>mercaptopurine oral tablet 50 mg</i> (Mercaptopurine)	2	
<i>methotrexate sodium (pf) injection recon soln 1 gram</i> (Methotrexate Sodium/PF)	2	
<i>methotrexate sodium (pf) injection solution 25 mg/ml</i> (Methotrexate Sodium/PF)	2	
<i>methotrexate sodium injection solution 25 mg/ml</i> (Methotrexate Sodium)	2	
<i>methotrexate sodium oral tablet 2.5 mg</i> (Methotrexate Sodium)	2	PA BvD; ST
<i>mitoxantrone intravenous concentrate 2 mg/ml</i> (Mitoxantrone HCl)	2	HI
MODEYSO ORAL CAPSULE 125 MG	5	PA NSO; NDS; QL (20 per 28 days)
NERLYNX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>nilotinib hcl oral capsule 150 mg, 200 mg</i> (Tasigna)	5	PA NSO; NDS; QL (112 per 28 days)
<i>nilotinib hcl oral capsule 50 mg</i> (Tasigna)	5	PA NSO; NDS; QL (120 per 30 days)
<i>nilutamide oral tablet 150 mg</i> (Nilandron)	5	NDS
NINLARO ORAL CAPSULE 2.3 MG, 3 MG, 4 MG	5	PA NSO; NDS; QL (3 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
NUBEQA ORAL TABLET 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
ODOMZO ORAL CAPSULE 200 MG	5	PA NSO; LA; NDS
OGIVRI INTRAVENOUS RECON SOLN 150 MG, 420 MG	5	PA NSO; NDS
OGSIVEO ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
OGSIVEO ORAL TABLET 50 MG	5	PA NSO; NDS; QL (180 per 30 days)
OJEMDA ORAL SUSPENSION FOR RECONSTITUTION 25 MG/ML	5	PA NSO; NDS; QL (96 per 28 days)
OJEMDA ORAL TABLET 400 MG/WEEK (100 MG X 4), 500 MG/WEEK (100 MG X 5), 600 MG/WEEK (100 MG X 6)	5	PA NSO; NDS; QL (24 per 28 days)
OJJAARA ORAL TABLET 100 MG, 150 MG, 200 MG	5	PA NSO; NDS; QL (30 per 30 days)
ONUREG ORAL TABLET 200 MG, 300 MG	5	PA NSO; NDS; QL (14 per 28 days)
OPDIVO INTRAVENOUS SOLUTION 100 MG/10 ML, 120 MG/12 ML, 240 MG/24 ML, 40 MG/4 ML	5	PA NSO; NDS
OPDIVO QVANTIG SUBCUTANEOUS SOLUTION 300 MG-5,000 UNIT/2.5 ML, 600 MG-10,000 UNIT/5 ML	5	PA NSO; NDS
OPDUALAG INTRAVENOUS SOLUTION 240-80 MG/20 ML	5	PA NSO; NDS
ORSERDU ORAL TABLET 345 MG	5	PA NSO; NDS; QL (30 per 30 days)
ORSERDU ORAL TABLET 86 MG	5	PA NSO; NDS; QL (90 per 30 days)
<i>paclitaxel protein-bound intravenous suspension for reconstitution 100 mg</i> (Abraxane)	5	PA BvD; HI; NDS
<i>pazopanib oral tablet 200 mg</i> (Votrient)	5	PA NSO; NDS; QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>pazopanib oral tablet 400 mg</i> (Votrient)	5	PA NSO; NDS; QL (60 per 30 days)
PEMAZYRE ORAL TABLET 13.5 MG, 4.5 MG, 9 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>pemetrexed disodium intravenous recon soln 1,000 mg, 100 mg, 500 mg, 750 mg</i> (Alimta)	5	HI; NDS
<i>pemetrexed disodium intravenous solution 25 mg/ml</i> (Alimta)	5	HI; NDS
PEMRYDI RTU INTRAVENOUS SOLUTION 10 MG/ML	5	HI; NDS
PIQRAY ORAL TABLET 200 MG/DAY (200 MG X 1)	5	PA NSO; NDS; QL (28 per 28 days)
PIQRAY ORAL TABLET 250 MG/DAY (200 MG X1-50 MG X1), 300 MG/DAY (150 MG X 2)	5	PA NSO; NDS; QL (56 per 28 days)
<i>pomalidomide oral capsule 1 mg, 2 mg, 3 mg, 4 mg</i> (Pomalyst)	5	PA NSO; NDS; QL (21 per 28 days)
POMALYST ORAL CAPSULE 1 MG, 2 MG, 3 MG, 4 MG (pomalidomide)	5	PA NSO; NDS; QL (21 per 28 days)
QINLOCK ORAL TABLET 50 MG	5	PA NSO; NDS; QL (90 per 30 days)
RETEVMO ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (180 per 30 days)
RETEVMO ORAL CAPSULE 80 MG	5	PA NSO; NDS; QL (120 per 30 days)
RETEVMO ORAL TABLET 120 MG, 160 MG, 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
RETEVMO ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
REVUFORJ ORAL TABLET 110 MG	5	PA NSO; NDS; QL (120 per 30 days)
REVUFORJ ORAL TABLET 160 MG	5	PA NSO; NDS; QL (60 per 30 days)
REVUFORJ ORAL TABLET 25 MG	5	PA NSO; NDS; QL (240 per 30 days)
REZLIDHIA ORAL CAPSULE 150 MG	5	PA NSO; NDS; QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
RITUXAN HYCELA SUBCUTANEOUS SOLUTION 1400 MG/11.7 ML (120 MG/ML), 1600 MG/13.4 ML (120 MG/ML)	5	PA NSO; NDS
ROMVIMZA ORAL CAPSULE 14 MG, 20 MG, 30 MG	5	PA NSO; NDS; QL (8 per 28 days)
ROZLYTREK ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (180 per 30 days)
ROZLYTREK ORAL CAPSULE 200 MG	5	PA NSO; NDS; QL (90 per 30 days)
ROZLYTREK ORAL PELLETS IN PACKET 50 MG	5	PA NSO; NDS; QL (360 per 30 days)
RUBRACA ORAL TABLET 200 MG, 250 MG, 300 MG	5	PA NSO; NDS; QL (120 per 30 days)
RYBREVAANT FASPRO SUBCUTANEOUS SOLUTION 1,600 MG-20,000 UNIT/10 ML, 2,240 MG-28,000 UNIT/14 ML, 2,400 MG-30,000 UNIT/15 ML, 3,520 MG-44,000 UNIT/22 ML	5	PA NSO; NDS
RYBREVAANT INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS
RYDAPT ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (224 per 28 days)
RYTELO INTRAVENOUS RECON SOLN 188 MG, 47 MG	5	PA NSO; NDS
SCSEMBLIX ORAL TABLET 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
SCSEMBLIX ORAL TABLET 20 MG	5	PA NSO; NDS; QL (60 per 30 days)
SCSEMBLIX ORAL TABLET 40 MG	5	PA NSO; NDS; QL (300 per 30 days)
SOLTAMOX ORAL SOLUTION 20 MG/10 ML	5	NDS
<i>sorafenib oral tablet 200 mg</i> (Nexavar)	5	PA NSO; NDS; QL (120 per 30 days)
STIVARGA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (84 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>sunitinib malate oral capsule 12.5 mg, 25 mg, 37.5 mg, 50 mg</i> (Sutent)	5	PA NSO; NDS; QL (28 per 28 days)
SYNRIBO SUBCUTANEOUS RECON SOLN 3.5 MG	5	PA NSO; NDS
TABLOID ORAL TABLET 40 MG (thioguanine)	5	NDS
TABRECTA ORAL TABLET 150 MG, 200 MG	5	PA NSO; NDS; QL (112 per 28 days)
TAFINLAR ORAL CAPSULE 50 MG, 75 MG	5	PA NSO; NDS; QL (120 per 30 days)
TAFINLAR ORAL TABLET FOR SUSPENSION 10 MG	5	PA NSO; NDS; QL (900 per 30 days)
TAGRISSO ORAL TABLET 40 MG, 80 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
TALVEY SUBCUTANEOUS SOLUTION 2 MG/ML, 40 MG/ML	5	PA NSO; NDS
TALZENNA ORAL CAPSULE 0.1 MG, 0.25 MG, 0.35 MG, 0.5 MG, 0.75 MG, 1 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>tamoxifen oral tablet 10 mg, 20 mg</i> (Tamoxifen Citrate)	2	
TECVAYLI SUBCUTANEOUS SOLUTION 10 MG/ML, 90 MG/ML	5	PA NSO; NDS
TEPMETKO ORAL TABLET 225 MG	5	PA NSO; NDS; QL (60 per 30 days)
TEVIMBRA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; NDS
TIBSOVO ORAL TABLET 250 MG	5	PA NSO; NDS; QL (60 per 30 days)
TICE BCG INTRAVESICAL SUSPENSION FOR RECONSTITUTION 50 MG	4	
TIVDAK INTRAVENOUS RECON SOLN 40 MG	5	PA NSO; NDS; QL (5 per 21 days)
<i>toremifene oral tablet 60 mg</i> (Fareston)	5	NDS
<i>torpenz oral tablet 10 mg</i> (Afinitor)	5	PA NSO; NDS; QL (60 per 30 days)
<i>torpenz oral tablet 2.5 mg, 5 mg, 7.5 mg</i> (Afinitor)	5	PA NSO; NDS; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TRELSTAR INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 11.25 MG, 22.5 MG, 3.75 MG	4	PA NSO
<i>tretinoin (antineoplastic) oral</i> (Tretinoin) <i>capsule 10 mg</i>	5	NDS
TRUQAP ORAL TABLET 160 MG, 200 MG	5	PA NSO; NDS; QL (64 per 28 days)
TRUXIMA INTRAVENOUS SOLUTION 10 MG/ML	5	PA NSO; HI; NDS
TUKYSA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (120 per 30 days)
TUKYSA ORAL TABLET 50 MG	5	PA NSO; NDS; QL (300 per 30 days)
TURALIO ORAL CAPSULE 125 MG	5	PA NSO; NDS; QL (120 per 30 days)
VANFLYTA ORAL TABLET 17.7 MG, 26.5 MG	5	PA NSO; NDS
VENCLEXTA ORAL TABLET 10 MG	3	PA NSO; LA; QL (60 per 30 days)
VENCLEXTA ORAL TABLET 100 MG	5	PA NSO; LA; NDS; QL (180 per 30 days)
VENCLEXTA ORAL TABLET 50 MG	5	PA NSO; LA; NDS; QL (30 per 30 days)
VENCLEXTA STARTING PACK ORAL TABLETS,DOSE PACK 10 MG-50 MG- 100 MG	5	PA NSO; LA; NDS
VERZENIO ORAL TABLET 100 MG, 150 MG, 200 MG, 50 MG	5	PA NSO; NDS; QL (56 per 28 days)
<i>vinorelbine intravenous solution 10</i> (Vinorelbine Tartrate) <i>mg/ml, 50 mg/5 ml</i>	2	HI
VITRAKVI ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (60 per 30 days)
VITRAKVI ORAL CAPSULE 25 MG	5	PA NSO; NDS; QL (180 per 30 days)
VITRAKVI ORAL SOLUTION 20 MG/ML	5	PA NSO; NDS; QL (300 per 30 days)
VIVIMUSTA INTRAVENOUS (bendamustine) SOLUTION 25 MG/ML	5	PA NSO; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
VIZIMPRO ORAL TABLET 15 MG, 30 MG, 45 MG	5	PA NSO; NDS; QL (30 per 30 days)
VONJO ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
VORANIGO ORAL TABLET 10 MG, 40 MG	5	PA NSO; NDS
VYLOY INTRAVENOUS RECON SOLN 100 MG, 300 MG	5	PA NSO; NDS
WELIREG ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XALKORI ORAL CAPSULE 200 MG, 250 MG	5	PA NSO; NDS; QL (120 per 30 days)
XALKORI ORAL PELLET 150 MG	5	PA NSO; NDS; QL (180 per 30 days)
XALKORI ORAL PELLET 20 MG	5	PA NSO; NDS; QL (240 per 30 days)
XALKORI ORAL PELLET 50 MG	5	PA NSO; NDS; QL (120 per 30 days)
XATMEP ORAL SOLUTION 2.5 MG/ML	4	PA BvD; ST
XOSPATA ORAL TABLET 40 MG	5	PA NSO; NDS; QL (90 per 30 days)
XPOVIO ORAL TABLET 100 MG/WEEK (50 MG X 2), 40MG TWICE WEEK (40 MG X 2), 80 MG/WEEK (40 MG X 2), 80 MG/WEEK (80 MG X 1)	5	PA NSO; NDS; QL (8 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (10 MG X 4)	5	PA NSO; NDS; QL (16 per 28 days)
XPOVIO ORAL TABLET 40 MG/WEEK (40 MG X 1), 60 MG/WEEK (60 MG X 1)	5	PA NSO; NDS; QL (4 per 28 days)
XPOVIO ORAL TABLET 60MG TWICE WEEK (120 MG/WEEK)	5	PA NSO; NDS; QL (24 per 28 days)
XPOVIO ORAL TABLET 80MG TWICE WEEK (160 MG/WEEK)	5	PA NSO; NDS; QL (32 per 28 days)
XTANDI ORAL CAPSULE 40 MG	5	PA NSO; NDS; QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
XTANDI ORAL TABLET 40 MG	5	PA NSO; NDS; QL (120 per 30 days)
XTANDI ORAL TABLET 80 MG	5	PA NSO; NDS; QL (60 per 30 days)
YERVOY INTRAVENOUS SOLUTION 200 MG/40 ML (5 MG/ML), 50 MG/10 ML (5 MG/ML)	5	PA NSO; NDS
YONSA ORAL TABLET 125 MG (abiraterone, submicronized)	5	PA NSO; NDS; QL (120 per 30 days)
yulithira oral tablet 10 mg, 7.5 mg (Afinitor)	2	PA NSO; QL (60 per 30 days)
yulithira oral tablet 2.5 mg, 5 mg (Afinitor)	2	PA NSO; QL (30 per 30 days)
ZEJULA ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (90 per 30 days)
ZEJULA ORAL TABLET 100 MG, 200 MG, 300 MG	5	PA NSO; NDS; QL (30 per 30 days)
ZELBORAF ORAL TABLET 240 MG	5	PA NSO; NDS; QL (240 per 30 days)
ZIIHERA INTRAVENOUS RECON SOLN 300 MG	5	PA NSO; NDS
ZIRABEV INTRAVENOUS SOLUTION 25 MG/ML	5	PA NSO; HI; NDS
ZOLADEX SUBCUTANEOUS IMPLANT 10.8 MG, 3.6 MG	4	PA NSO
ZOLINZA ORAL CAPSULE 100 MG	5	NDS
ZYDELIG ORAL TABLET 100 MG, 150 MG	5	PA NSO; NDS; QL (60 per 30 days)
ZYKADIA ORAL TABLET 150 MG	5	PA NSO; NDS; QL (84 per 28 days)
ZYNLONTA INTRAVENOUS RECON SOLN 10 MG	5	PA NSO; NDS
ZYNYZ INTRAVENOUS SOLUTION 500 MG/20 ML	5	PA NSO; NDS; QL (20 per 28 days)
Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias		

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
Agentes Anti-Adicción/De Tratamiento De Abuso De Sustancias		
<i>acamprosate oral tablet, delayed release (dr/ec) 333 mg</i> (Acamprosate Calcium)	2	
<i>buprenorphine hcl sublingual tablet 2 mg, 8 mg</i> (Buprenorphine HCl)	2	
<i>buprenorphine-naloxone sublingual film 12-3 mg, 2-0.5 mg, 4-1 mg, 8-2 mg</i> (Suboxone)	4	
<i>buprenorphine-naloxone sublingual tablet 2-0.5 mg, 8-2 mg</i> (Buprenorphine HCl/Naloxone HCl)	2	
<i>bupropion hcl (smoking deter) oral tablet extended release 12 hr 150 mg</i> (Bupropion HCl)	2	
<i>disulfiram oral tablet 250 mg, 500 mg</i> (Disulfiram)	2	
KLOXXADO NASAL SPRAY, NON-AEROSOL 8 MG/ACTUATION	3	QL (4 per 30 days)
<i>naloxone injection solution 0.4 mg/ml</i> (Naloxone HCl)	2	
<i>naloxone injection syringe 0.4 mg/ml, 0.4 mg/ml (prefilled syringe), 1 mg/ml</i> (Naloxone HCl)	2	
<i>naloxone nasal spray, non-aerosol 4 mg/actuation</i> (Narcan)	2	QL (4 per 30 days)
<i>naltrexone oral tablet 50 mg</i> (Naltrexone HCl)	2	
NICOTROL NS NASAL SPRAY, NON-AEROSOL 10 MG/ML	4	QL (240 per 180 days)
<i>varenicline tartrate oral tablet 0.5 mg, 1 mg</i> (Chantix)	2	QL (336 per 365 days)
<i>varenicline tartrate oral tablet 1 mg (56 pack)</i> (Chantix)	2	QL (336 per 365 days)
<i>varenicline tartrate oral tablets, dose pack 0.5 mg (11)- 1 mg (42)</i> (Chantix)	2	
Agentes Antiansiedad		
Benzodiacepinas		
<i>alprazolam oral tablet 0.25 mg, 0.5 mg, 1 mg</i> (Xanax)	1	NDS; QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>alprazolam oral tablet 2 mg</i> (Xanax)	1	NDS; QL (150 per 30 days)
<i>chlordiazepoxide hcl oral capsule 10 mg, 25 mg, 5 mg</i> (Chlordiazepoxide HCl)	2	NDS; QL (120 per 30 days)
<i>clonazepam oral tablet 0.5 mg, 1 mg</i> (Klonopin)	1	QL (90 per 30 days)
<i>clonazepam oral tablet 2 mg</i> (Klonopin)	1	QL (300 per 30 days)
<i>clonazepam oral tablet,disintegrating 0.125 mg, 0.25 mg, 0.5 mg, 1 mg</i> (Clonazepam)	2	QL (90 per 30 days)
<i>clonazepam oral tablet,disintegrating 2 mg</i> (Clonazepam)	2	QL (300 per 30 days)
<i>clorazepate dipotassium oral tablet 15 mg, 3.75 mg, 7.5 mg</i> (Clorazepate Dipotassium)	4	QL (180 per 30 days)
<i>diazepam injection solution 5 mg/ml</i> (Diazepam)	2	QL (10 per 28 days)
<i>diazepam injection syringe 5 mg/ml</i> (Diazepam)	2	
<i>diazepam intensol oral concentrate 5 mg/ml</i> (Diazepam)	2	QL (1200 per 30 days)
<i>diazepam oral solution 5 mg/5 ml (1 mg/ml)</i> (Diazepam)	2	QL (1200 per 30 days)
<i>diazepam oral tablet 10 mg, 2 mg, 5 mg</i> (Valium)	1	QL (120 per 30 days)
<i>lorazepam 2 mg/ml oral concent</i> (Lorazepam)	2	NDS; QL (150 per 30 days)
<i>lorazepam 4 mg/ml vial inner</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection solution 2 mg/ml</i> (Ativan)	1	QL (2 per 30 days)
<i>lorazepam injection solution 4 mg/ml</i> (Ativan)	4	QL (2 per 30 days)
<i>lorazepam injection syringe 2 mg/ml</i> (Lorazepam)	1	QL (2 per 30 days)
<i>lorazepam intensol oral concentrate 2 mg/ml</i> (Lorazepam)	2	NDS; QL (150 per 30 days)
<i>lorazepam oral tablet 0.5 mg, 1 mg</i> (Ativan)	1	NDS; QL (90 per 30 days)
<i>lorazepam oral tablet 2 mg</i> (Ativan)	1	NDS; QL (150 per 30 days)
<i>temazepam oral capsule 15 mg, 30 mg</i> (Restoril)	1	NDS; QL (30 per 30 days)
<i>temazepam oral capsule 22.5 mg</i> (Restoril)	2	NDS; QL (30 per 30 days)
<i>temazepam oral capsule 7.5 mg</i> (Restoril)	2	NDS; QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
Agentes Antidemencia		
Agentes Antidemencia		
<i>donepezil oral tablet 10 mg, 5 mg</i> (Aricept)	1	QL (30 per 30 days)
<i>donepezil oral tablet 23 mg</i> (Aricept)	2	QL (30 per 30 days)
<i>donepezil oral tablet, disintegrating 10 mg</i> (Donepezil HCl)	2	
<i>donepezil oral tablet, disintegrating 5 mg</i> (Donepezil HCl)	2	QL (30 per 30 days)
<i>ergoloid oral tablet 1 mg</i> (Ergoloid Mesylates)	2	
<i>galantamine oral capsule, ext rel. pellets 24 hr 16 mg, 24 mg, 8 mg</i> (Galantamine Hbr)	2	QL (30 per 30 days)
<i>galantamine oral solution 4 mg/ml</i> (Galantamine Hbr)	2	QL (200 per 30 days)
<i>galantamine oral tablet 12 mg, 4 mg, 8 mg</i> (Galantamine Hbr)	2	QL (60 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 14 mg, 21 mg, 28 mg</i> (Namenda XR)	2	ST; QL (30 per 30 days)
<i>memantine oral capsule, sprinkle, er 24hr 7 mg</i> (Namenda XR)	2	ST; QL (30 per 30 days)
<i>memantine oral solution 2 mg/ml</i> (Memantine HCl)	2	QL (300 per 30 days)
<i>memantine oral tablet 10 mg, 5 mg</i> (Namenda)	2	QL (60 per 30 days)
<i>rivastigmine tartrate oral capsule 1.5 mg, 3 mg, 4.5 mg, 6 mg</i> (Rivastigmine Tartrate)	2	
<i>rivastigmine transdermal patch 24 hour 13.3 mg/24 hour, 4.6 mg/24 hour, 9.5 mg/24 hour</i> (Exelon)	2	QL (30 per 30 days)
Agentes Antidiabetico		
Agentes Antidiabeticos, Varios		
<i>acarbose oral tablet 100 mg, 25 mg, 50 mg</i> (Precose)	2	
<i>dapagliflozin oral tablet 10 mg, 5 mg</i> (Farxiga)	2	QL (30 per 30 days)
<i>dapagliflozin-metformin oral tablet, ir - er, biphasic 24hr 10-1,000 mg, 10-500 mg, 5-1,000 mg, 5-500 mg</i> (Xigduo XR)	2	
GLYXAMBI ORAL TABLET 10-5 MG, 25-5 MG	3	QL (30 per 30 days)
JANUMET XR ORAL TABLET, ER MULTIPHASE 24 HR 100-1,000 MG (sitagliptin phos-metformin)	3	QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
JANUMET XR ORAL TABLET, ER (sitagliptin phos- MULTIPHASE 24 HR 50-1,000 metformin) MG, 50-500 MG	3	QL (60 per 30 days)
JARDIANCE ORAL TABLET 10 MG, 25 MG	3	QL (30 per 30 days)
JENTADUETO ORAL TABLET (linagliptin-metformin) 2.5-1,000 MG, 2.5-500 MG, 2.5-850 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)
JENTADUETO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 5-1,000 MG	3	QL (30 per 30 days)
<i>metformin oral solution 500 mg/5 ml</i> (Riomet)	4	QL (765 per 30 days)
<i>metformin oral tablet 1,000 mg</i> (Metformin HCl)	1	QL (75 per 30 days)
<i>metformin oral tablet 500 mg</i> (Metformin HCl)	1	QL (150 per 30 days)
<i>metformin oral tablet 850 mg</i> (Metformin HCl)	1	QL (90 per 30 days)
<i>metformin oral tablet extended release 24 hr 500 mg</i> (Metformin HCl)	1	QL (120 per 30 days)
<i>metformin oral tablet extended release 24 hr 750 mg</i> (Metformin HCl)	1	QL (60 per 30 days)
<i>mifepristone oral tablet 300 mg</i> (Mifepristone)	5	PA; NDS; QL (112 per 28 days)
MOUNJARO SUBCUTANEOUS PEN INJECTOR 10 MG/0.5 ML, 12.5 MG/0.5 ML, 15 MG/0.5 ML, 2.5 MG/0.5 ML, 5 MG/0.5 ML, 7.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
<i>nateglinide oral tablet 120 mg, 60 mg</i> (Nateglinide)	2	QL (90 per 30 days)
OZEMPIC ORAL TABLET 1.5 MG, 4 MG, 9 MG	3	PA; QL (30 per 30 days)
OZEMPIC SUBCUTANEOUS PEN INJECTOR 0.25 MG OR 0.5 MG (2 MG/3 ML), 1 MG/DOSE (4 MG/3 ML), 2 MG/DOSE (8 MG/3 ML)	3	PA; QL (3 per 28 days)
<i>pioglitazone oral tablet 15 mg, 30 mg, 45 mg</i> (Actos)	1	QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>pioglitazone-metformin oral tablet</i> (Actoplus Met) 15-500 mg	2	QL (90 per 30 days)
<i>pioglitazone-metformin oral tablet</i> (Actoplus Met) 15-850 mg	2	QL (90 per 30 days)
<i>repaglinide oral tablet 0.5 mg, 1 mg</i> (Repaglinide)	2	QL (120 per 30 days)
<i>repaglinide oral tablet 2 mg</i> (Repaglinide)	2	QL (240 per 30 days)
RYBELSUS ORAL TABLET 1.5 MG, 14 MG, 3 MG, 4 MG, 7 MG, 9 MG	3	PA; QL (30 per 30 days)
<i>sitagliptin phos-metformin oral tablet</i> (Janumet) 50-1,000 mg, 50-500 mg	2	QL (60 per 30 days)
<i>sitagliptin phosphate oral tablet 100</i> (Januvia) <i>mg, 25 mg, 50 mg</i>	2	QL (30 per 30 days)
SYNJARDY ORAL TABLET 12.5- 1,000 MG, 12.5-500 MG, 5-1,000 MG, 5-500 MG	3	QL (60 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-1,000 MG, 25-1,000 MG	3	QL (30 per 30 days)
SYNJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5- 1,000 MG, 5-1,000 MG	3	QL (60 per 30 days)
TRADJENTA ORAL TABLET 5 (linagliptin) MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 10-5-1,000 MG, 25-5-1,000 MG	3	QL (30 per 30 days)
TRIJARDY XR ORAL TABLET, IR - ER, BIPHASIC 24HR 12.5-2.5- 1,000 MG, 5-2.5-1,000 MG	3	QL (60 per 30 days)
TRULICITY SUBCUTANEOUS PEN INJECTOR 0.75 MG/0.5 ML, 1.5 MG/0.5 ML, 3 MG/0.5 ML, 4.5 MG/0.5 ML	3	PA; QL (2 per 28 days)
XIGDUO XR ORAL TABLET, IR - (dapagliflozin- ER, BIPHASIC 24HR 10-1,000 MG metformin)	3	QL (30 per 30 days)
XIGDUO XR ORAL TABLET, IR - ER, BIPHASIC 24HR 2.5-1,000 MG	3	QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
XIGDUO XR ORAL TABLET, IR - (dapagliflozin- ER, BIPHASIC 24HR 5-1,000 MG metformin)	3	QL (60 per 30 days)
Insulinas		
FIASP FLEXTOUCH U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
FIASP PUMPCART SUBCUTANEOUS CARTRIDGE 100 UNIT/ML (1.6 ML)	3	max \$35 copay per month supply
FIASP U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) INSULIN SUBCUTANEOUS SOLUTION 500 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
HUMULIN R U-500 (CONC) KWIKPEN SUBCUTANEOUS INSULIN PEN 500 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (24 per 28 days)
<i>insulin asp prt-insulin aspart</i> (Insulin Aspart <i>subcutaneous insulin pen 100 unit/ml</i> Prot/Insuln Asp) (70-30)	3	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin asp prt-insulin aspart</i> (Insulin Aspart <i>subcutaneous solution 100 unit/ml</i> Prot/Insuln Asp) (70-30)	3	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> (Insulin Aspart) <i>cartridge 100 unit/ml</i>	3	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> (Insulin Aspart) <i>insulin pen 100 unit/ml (3 ml)</i>	3	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin aspart u-100 subcutaneous</i> (Insulin Aspart) <i>solution 100 unit/ml</i>	3	max \$35 copay per month supply; QL (40 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>insulin glargine-yfgn subcutaneous insulin pen 100 unit/ml (3 ml)</i> (Semglee (Yfgn) Pen)	3	max \$35 copay per month supply; QL (30 per 28 days)
<i>insulin glargine-yfgn subcutaneous solution 100 unit/ml</i> (Semglee (Yfgn))	3	max \$35 copay per month supply; QL (40 per 28 days)
<i>insulin lispro subcutaneous solution 100 unit/ml</i> (Humalog)	3	max \$35 copay per month supply; QL (40 per 28 days)
LANTUS SOLOSTAR U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin glargine)	3	max \$35 copay per month supply; QL (30 per 28 days)
LANTUS U-100 INSULIN SUBCUTANEOUS SOLUTION 100 UNIT/ML (insulin glargine)	3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70/30 U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML (70-30)	3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN 70-30 FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN N NPH U-100 INSULIN SUBCUTANEOUS SUSPENSION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLIN R FLEXPEN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML)	3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLIN R REGULAR U100 INSULIN INJECTION SOLUTION 100 UNIT/ML	3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLOG FLEXPEN U-100 INSULIN SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (3 ML) (insulin aspart u-100)	3	max \$35 copay per month supply; QL (30 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
NOVOLOG MIX 70-30 U-100 INSULN SUBCUTANEOUS SOLUTION 100 UNIT/ML (70-30)	(insulin asp prt-insulin aspart)	3	max \$35 copay per month supply; QL (40 per 28 days)
NOVOLOG MIX 70-30FLEXPEN U-100 SUBCUTANEOUS INSULIN PEN 100 UNIT/ML (70-30)	(insulin asp prt-insulin aspart)	3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLOG PENFILL U-100 INSULIN SUBCUTANEOUS CARTRIDGE 100 UNIT/ML	(insulin aspart u-100)	3	max \$35 copay per month supply; QL (30 per 28 days)
NOVOLOG U-100 INSULIN ASPART SUBCUTANEOUS SOLUTION 100 UNIT/ML	(insulin aspart u-100)	3	max \$35 copay per month supply; QL (40 per 28 days)
SOLIQUA 100/33 SUBCUTANEOUS INSULIN PEN 100 UNIT-33 MCG/ML		3	max \$35 copay per month supply; QL (30 per 30 days)
TOUJEO MAX U-300 SOLOSTAR SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (3 ML)	(insulin glargine u-300 conc)	3	max \$35 copay per month supply; QL (18 per 28 days)
TOUJEO SOLOSTAR U-300 INSULIN SUBCUTANEOUS INSULIN PEN 300 UNIT/ML (1.5 ML)	(insulin glargine u-300 conc)	3	max \$35 copay per month supply; QL (13.5 per 28 days)
XULTOPHY 100/3.6 SUBCUTANEOUS INSULIN PEN 100 UNIT-3.6 MG /ML (3 ML)		3	max \$35 copay per month supply; QL (15 per 28 days)
Sulfonilureas			
<i>glimepiride oral tablet 1 mg, 2 mg</i>	(Glimepiride)	1	QL (30 per 30 days)
<i>glimepiride oral tablet 4 mg</i>	(Glimepiride)	1	QL (60 per 30 days)
<i>glipizide oral tablet 10 mg</i>	(Glipizide)	1	QL (120 per 30 days)
<i>glipizide oral tablet 2.5 mg</i>	(Glipizide)	1	QL (90 per 30 days)
<i>glipizide oral tablet 5 mg</i>	(Glipizide)	1	QL (240 per 30 days)
<i>glipizide oral tablet extended release 24hr 10 mg</i>	(Glucotrol XL)	1	QL (60 per 30 days)
<i>glipizide oral tablet extended release 24hr 2.5 mg, 5 mg</i>	(Glucotrol XL)	1	QL (30 per 30 days)
<i>glipizide-metformin oral tablet 2.5- 250 mg</i>	(Glipizide/Metformin HCl)	2	QL (240 per 30 days)
<i>glipizide-metformin oral tablet 2.5- 500 mg, 5-500 mg</i>	(Glipizide/Metformin HCl)	2	QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>glyburide micronized oral tablet 1.5 mg, 3 mg</i> (Glynase)	1	
<i>glyburide micronized oral tablet 6 mg</i> (Glynase)	2	
<i>glyburide oral tablet 1.25 mg, 2.5 mg, 5 mg</i> (Glyburide)	1	
<i>glyburide-metformin oral tablet 1.25-250 mg, 2.5-500 mg, 5-500 mg</i> (Glyburide/Metformin HCl)	1	
Agentes Antigota		
Agentes Antigota, Otros		
<i>allopurinol oral tablet 100 mg</i> (Zyloprim)	1	
<i>allopurinol oral tablet 300 mg</i> (Zyloprim)	1	
<i>colchicine oral capsule 0.6 mg</i> (Mitigare)	2	QL (60 per 30 days)
<i>colchicine oral tablet 0.6 mg</i> (Colcrys)	2	QL (120 per 30 days)
<i>febuxostat oral tablet 40 mg, 80 mg</i> (Uloric)	4	QL (30 per 30 days)
<i>probenecid oral tablet 500 mg</i> (Probenecid)	2	
<i>probenecid-colchicine oral tablet 500-0.5 mg</i> (Probenecid/Colchicine)	2	
Agentes Antimigraña		
Agentes Antimigraña		
AIMOVIG AUTOINJECTOR SUBCUTANEOUS AUTO- INJECTOR 140 MG/ML, 70 MG/ML	3	PA; QL (1 per 30 days)
<i>dihydroergotamine nasal spray, non-aerosol 0.5 mg/pump act. (4 mg/ml)</i> (Migranal)	5	ST; NDS; QL (8 per 28 days)
EMGALITY PEN SUBCUTANEOUS PEN INJECTOR 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 120 MG/ML	3	PA; QL (2 per 30 days)
EMGALITY SYRINGE SUBCUTANEOUS SYRINGE 300 MG/3 ML (100 MG/ML X 3)	3	PA; QL (3 per 30 days)
<i>naratriptan oral tablet 1 mg, 2.5 mg</i> (Naratriptan HCl)	2	QL (18 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
NURTEC ODT ORAL TABLET,DISINTEGRATING 75 MG	3	PA; QL (18 per 30 days)
QULIPTA ORAL TABLET 10 MG, 30 MG, 60 MG	3	PA; QL (30 per 30 days)
<i>rizatriptan oral tablet 10 mg</i> (Maxalt)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet 5 mg</i> (Maxalt)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 10 mg</i> (Maxalt Mlt)	2	QL (18 per 30 days)
<i>rizatriptan oral tablet,disintegrating 5 mg</i> (Maxalt Mlt)	2	QL (18 per 30 days)
<i>sumatriptan 4 mg/0.5 ml inject outer, suv</i> (Imitrex)	2	QL (4 per 28 days)
<i>sumatriptan 6 mg/0.5 ml autoinj suv</i> (Imitrex)	4	QL (4 per 28 days)
<i>sumatriptan nasal spray,non-aerosol 20 mg/actuation, 5 mg/actuation</i> (Imitrex)	2	QL (12 per 30 days)
<i>sumatriptan succinate oral tablet 100 mg</i> (Imitrex)	2	QL (9 per 30 days)
<i>sumatriptan succinate oral tablet 25 mg, 50 mg</i> (Imitrex)	2	QL (18 per 30 days)
<i>sumatriptan succinate subcutaneous pen injector 4 mg/0.5 ml, 6 mg/0.5 ml</i> (Imitrex)	4	QL (4 per 28 days)
<i>sumatriptan succinate subcutaneous solution 6 mg/0.5 ml</i> (Imitrex)	2	QL (5 per 28 days)
UBRELVY ORAL TABLET 100 MG, 50 MG	3	PA; QL (16 per 30 days)
Agentes Antinausea		
Agentes Antinausea		
<i>aprepitant oral capsule 125 mg</i> (Emend)	2	PA BvD; QL (2 per 28 days)
<i>aprepitant oral capsule 40 mg</i> (Emend)	2	PA BvD; QL (1 per 28 days)
<i>aprepitant oral capsule 80 mg</i> (Emend)	2	PA BvD; QL (4 per 28 days)
<i>aprepitant oral capsule,dose pack 125 mg (1)- 80 mg (2)</i> (Emend)	2	PA BvD
<i>compro rectal suppository 25 mg</i> (Compazine)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>dronabinol oral capsule 10 mg, 2.5 mg, 5 mg</i> (Marinol)	4	PA; QL (60 per 30 days)
<i>meclizine oral tablet 12.5 mg</i> (Antivert)	1	
<i>meclizine oral tablet 25 mg</i> (Antivert)	1	
<i>ondansetron hcl oral tablet 4 mg, 8 mg</i> (Ondansetron HCl)	2	PA BvD
<i>ondansetron oral tablet, disintegrating 4 mg, 8 mg</i> (Ondansetron)	2	PA BvD
<i>prochlorperazine edisylate injection solution 10 mg/2 ml (5 mg/ml)</i> (Prochlorperazine Edisylate)	2	
<i>prochlorperazine maleate oral tablet 10 mg, 5 mg</i> (Compazine)	2	
<i>prochlorperazine rectal suppository 25 mg</i> (Compazine)	2	
<i>promethazine injection solution 25 mg/ml</i> (Promethazine HCl)	2	
<i>promethazine oral tablet 12.5 mg, 25 mg, 50 mg</i> (Promethazine HCl)	1	
<i>promethazine rectal suppository 25 mg</i> (Promethazine HCl)	2	
<i>promethazine rectal suppository 12.5 mg, 25 mg</i> (Promethazine HCl)	2	
<i>scopolamine base transdermal patch 3 day 1 mg over 3 days</i> (Transderm-Scop)	4	QL (10 per 30 days)
Agentes Antiparasitarios		
Agentes Antiparasitarios		
<i>albendazole oral tablet 200 mg</i> (Albendazole)	2	
<i>atovaquone oral suspension 750 mg/5 ml</i> (Mepron)	2	
<i>atovaquone-proguanil oral tablet 250-100 mg</i> (Malarone)	2	
<i>atovaquone-proguanil oral tablet 62.5-25 mg</i> (Malarone)	2	
<i>chloroquine phosphate oral tablet 250 mg, 500 mg</i> (Chloroquine Phosphate)	2	
COARTEM ORAL TABLET 20-120 MG	4	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>hydroxychloroquine oral tablet 100 mg</i>	(Plaquenil)	2	QL (180 per 30 days)
<i>hydroxychloroquine oral tablet 200 mg</i>	(Plaquenil)	2	QL (90 per 30 days)
<i>hydroxychloroquine oral tablet 300 mg</i>	(Plaquenil)	2	QL (60 per 30 days)
<i>hydroxychloroquine oral tablet 400 mg</i>	(Plaquenil)	2	QL (60 per 30 days)
IMPAVIDO ORAL CAPSULE 50 MG		5	PA; NDS; QL (84 per 28 days)
<i>ivermectin oral tablet 3 mg</i>	(Stromectol)	2	
<i>ivermectin oral tablet 6 mg</i>	(Stromectol)	2	
<i>mefloquine oral tablet 250 mg</i>	(Mefloquine HCl)	2	
<i>nitazoxanide oral tablet 500 mg</i>	(Nitazoxanide)	5	NDS; QL (60 per 30 days)
<i>pentamidine inhalation recon soln 300 mg</i>	(Nebupent)	2	PA BvD
<i>pentamidine injection recon soln 300 mg</i>	(Nebupent)	2	HI
<i>praziquantel oral tablet 600 mg</i>	(Biltricide)	2	
PRIMAQUINE ORAL TABLET 26.3 MG (15 MG BASE)		4	
<i>pyrimethamine oral tablet 25 mg</i>	(Daraprim)	5	PA; NDS
<i>quinine sulfate oral capsule 324 mg</i>	(Qualaquin)	2	PA
<i>tinidazole oral tablet 250 mg, 500 mg</i>	(Tinidazole)	2	
Agentes Antiparkinson			
Agentes Antiparkinson			
<i>amantadine hcl oral capsule 100 mg</i>	(Amantadine HCl)	2	
<i>amantadine hcl oral solution 50 mg/5 ml</i>	(Amantadine HCl)	2	
<i>amantadine hcl oral tablet 100 mg</i>	(Amantadine HCl)	2	
<i>benztropine oral tablet 0.5 mg, 1 mg, 2 mg</i>	(Benztropine Mesylate)	2	
<i>bromocriptine oral tablet 2.5 mg</i>	(Parlodel)	2	
<i>cabergoline oral tablet 0.5 mg</i>	(Cabergoline)	2	
<i>carbidopa-levodopa oral tablet 10-100 mg</i>	(Dhivy)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>carbidopa-levodopa oral tablet 25-100 mg</i> (Dhivy)	2	
<i>carbidopa-levodopa oral tablet 25-250 mg</i> (Dhivy)	2	
<i>carbidopa-levodopa oral tablet extended release 25-100 mg, 50-200 mg</i> (Carbidopa/Levodopa)	2	
<i>carbidopa-levodopa oral tablet,disintegrating 10-100 mg</i> (Carbidopa/Levodopa)	2	
<i>carbidopa-levodopa oral tablet,disintegrating 25-100 mg, 25-250 mg</i> (Carbidopa/Levodopa)	4	
<i>entacapone oral tablet 200 mg</i> (Comtan)	2	
ONAPGO SUBCUTANEOUS CARTRIDGE 4.9 MG/ ML	5	PA; NDS; QL (600 per 30 days)
<i>pramipexole oral tablet 0.125 mg, 0.25 mg, 0.5 mg, 0.75 mg, 1 mg, 1.5 mg</i> (Pramipexole Di-HCl)	2	
<i>rasagiline oral tablet 0.5 mg, 1 mg</i> (Azilect)	4	
<i>ropinirole oral tablet 0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg, 5 mg</i> (Ropinirole HCl)	2	
<i>ropinirole oral tablet extended release 24 hr 2 mg, 4 mg</i> (Ropinirole HCl)	2	
<i>selegiline hcl oral capsule 5 mg</i> (Selegiline HCl)	2	
<i>selegiline hcl oral tablet 5 mg</i> (Selegiline HCl)	4	
<i>trihexyphenidyl oral tablet 2 mg, 5 mg</i> (Trihexyphenidyl HCl)	2	
VYALEV CONTIN. SUBCUTANEOUS INFUSION SOLUTION 12-240 MG/ML	5	PA; NDS; QL (560 per 28 days)
Agentes Antipsicóticos		
Agentes Antipsicóticos		
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 720 MG/2.4 ML	5	NDS; QL (2.4 per 42 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ABILIFY ASIMTUFII INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 960 MG/3.2 ML	5	NDS; QL (3.2 per 42 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL RECON 300 MG, 400 MG	5	NDS; QL (2 per 28 days)
ABILIFY MAINTENA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 300 MG, 400 MG	5	NDS; QL (2 per 28 days)
<i>aripiprazole oral solution 1 mg/ml</i> (Aripiprazole)	2	
<i>aripiprazole oral tablet 10 mg, 15 mg, 2 mg, 20 mg, 30 mg, 5 mg</i> (Abilify)	2	
<i>aripiprazole oral tablet,disintegrating 10 mg</i> (Aripiprazole)	4	ST; QL (90 per 30 days)
<i>aripiprazole oral tablet,disintegrating 15 mg</i> (Aripiprazole)	4	ST; QL (60 per 30 days)
ARISTADA INITIO INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 675 MG/2.4 ML	5	NDS; QL (4.8 per 365 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 1,064 MG/3.9 ML	5	NDS; QL (3.9 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 441 MG/1.6 ML	5	NDS; QL (1.6 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 662 MG/2.4 ML	5	NDS; QL (2.4 per 14 days)
ARISTADA INTRAMUSCULAR SUSPENSION,EXTENDED REL SYRING 882 MG/3.2 ML	5	NDS; QL (3.2 per 14 days)
<i>asenapine maleate sublingual tablet 10 mg, 2.5 mg, 5 mg</i> (Saphris)	4	QL (60 per 30 days)
BYSANTI ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
BYSANTI TITRATION PACK A ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
BYSANTI TITRATION PACK B ORAL TABLETS,DOSE PACK 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2)	4	ST
BYSANTI TITRATION PACK C ORAL TABLETS,DOSE PACK 1 MG(4)-2MG(2)- 6 MG (2)	4	ST
CAPLYTA ORAL CAPSULE 10.5 MG, 21 MG, 42 MG	5	ST; NDS; QL (30 per 30 days)
<i>chlorpromazine injection solution 25</i> (Chlorpromazine HCl) <i>mg/ml</i>	2	
<i>chlorpromazine oral concentrate 100</i> (Chlorpromazine HCl) <i>mg/ml, 30 mg/ml</i>	2	
<i>chlorpromazine oral tablet 10 mg,</i> (Chlorpromazine HCl) <i>100 mg, 200 mg, 25 mg, 50 mg</i>	4	
<i>clozapine oral tablet 100 mg, 200</i> (Clozaril) <i>mg, 25 mg, 50 mg</i>	2	
<i>clozapine oral tablet,disintegrating</i> (Clozapine) <i>100 mg, 12.5 mg, 25 mg</i>	4	ST; QL (90 per 30 days)
<i>clozapine oral tablet,disintegrating</i> (Clozapine) <i>150 mg</i>	4	ST; QL (180 per 30 days)
<i>clozapine oral tablet,disintegrating</i> (Clozapine) <i>200 mg</i>	4	ST; QL (120 per 30 days)
COBENFY ORAL CAPSULE 100- 20 MG, 125-30 MG, 50-20 MG	5	ST; NDS; QL (60 per 30 days)
COBENFY STARTER PACK ORAL CAPSULE,DOSE PACK 50 MG-20 MG /100 MG-20 MG	5	ST; NDS
ERZOFRI INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 351 MG/2.25 ML	5	NDS; QL (2.25 per 21 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ERZOFRI INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	5	NDS; QL (0.25 per 21 days)
ERZOFRI INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 21 days)
FANAPT ORAL TABLET 1 MG, 10 MG, 12 MG, 2 MG, 4 MG, 6 MG, 8 MG	5	ST; NDS; QL (60 per 30 days)
FANAPT TITRATION PACK A ORAL TABLETS,DOSE PACK 1MG(2)-2MG(2)- 4MG(2)-6MG(2)	4	ST
FANAPT TITRATION PACK B ORAL TABLETS,DOSE PACK 1 MG(6)-2MG(2)- 6 MG(2)-8 MG(2)	4	ST
FANAPT TITRATION PACK C ORAL TABLETS,DOSE PACK 1 MG(4)-2 MG(2) -6 MG (2)	4	ST
<i>fluphenazine decanoate injection solution 25 mg/ml</i> (Fluphenazine Decanoate)	2	
<i>fluphenazine hcl injection solution 2.5 mg/ml</i> (Fluphenazine HCl)	2	
<i>fluphenazine hcl oral concentrate 5 mg/ml</i> (Fluphenazine HCl)	2	
<i>fluphenazine hcl oral elixir 2.5 mg/5 ml</i> (Fluphenazine HCl)	2	
<i>fluphenazine hcl oral tablet 1 mg, 10 mg, 2.5 mg, 5 mg</i> (Fluphenazine HCl)	4	
<i>haloperidol decanoate intramuscular solution 100 mg/ml, 100 mg/ml (1 ml), 50 mg/ml, 50 mg/ml(1ml)</i> (Haloperidol Decanoate)	2	
<i>haloperidol lactate injection solution 5 mg/ml</i> (Haloperidol Lactate)	2	
<i>haloperidol lactate intramuscular syringe 5 mg/ml</i> (Haloperidol Lactate)	2	
<i>haloperidol lactate oral concentrate 2 mg/ml</i> (Haloperidol Lactate)	2	
<i>haloperidol oral tablet 0.5 mg, 1 mg, 10 mg, 2 mg, 20 mg, 5 mg</i> (Haloperidol)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,092 MG/3.5 ML	5	NDS; QL (3.5 per 166 days)
INVEGA HAFYERA INTRAMUSCULAR SYRINGE 1,560 MG/5 ML	5	NDS; QL (5 per 166 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 117 MG/0.75 ML	5	NDS; QL (0.75 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 156 MG/ML	5	NDS; QL (1 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 234 MG/1.5 ML	5	NDS; QL (1.5 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 39 MG/0.25 ML	3	QL (0.25 per 21 days)
INVEGA SUSTENNA INTRAMUSCULAR SYRINGE 78 MG/0.5 ML	5	NDS; QL (0.5 per 21 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 273 MG/0.88 ML	5	NDS; QL (0.88 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 410 MG/1.32 ML	5	NDS; QL (1.32 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 546 MG/1.75 ML	5	NDS; QL (1.75 per 70 days)
INVEGA TRINZA INTRAMUSCULAR SYRINGE 819 MG/2.63 ML	5	NDS; QL (2.63 per 70 days)
<i>loxapine succinate oral capsule 10 mg, 25 mg, 5 mg, 50 mg</i> (Loxapine Succinate)	2	
<i>lurasidone oral tablet 120 mg</i> (Latuda)	4	
<i>lurasidone oral tablet 20 mg, 40 mg, 60 mg, 80 mg</i> (Latuda)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
LYBALVI ORAL TABLET 10-10 MG, 15-10 MG, 20-10 MG, 5-10 MG	5	NDS; QL (30 per 30 days)
<i>molindone oral tablet 10 mg</i> (Molindone HCl)	2	QL (240 per 30 days)
<i>molindone oral tablet 25 mg</i> (Molindone HCl)	2	QL (270 per 30 days)
<i>molindone oral tablet 5 mg</i> (Molindone HCl)	5	NDS; QL (120 per 30 days)
NUPLAZID ORAL CAPSULE 34 MG	5	PA NSO; NDS; QL (30 per 30 days)
NUPLAZID ORAL TABLET 10 MG	5	PA NSO; NDS; QL (30 per 30 days)
<i>olanzapine intramuscular recon soln 10 mg</i> (Zyprexa)	2	QL (30 per 30 days)
<i>olanzapine oral tablet 10 mg, 15 mg, 2.5 mg, 20 mg, 5 mg, 7.5 mg</i> (Zyprexa)	2	
<i>olanzapine oral tablet, disintegrating 10 mg, 15 mg, 20 mg, 5 mg</i> (Zyprexa Zydis)	2	
OPIPZA ORAL FILM 10 MG, 2 MG, 5 MG	5	ST; NDS
<i>paliperidone oral tablet extended release 24hr 1.5 mg</i> (Invega)	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 3 mg, 9 mg</i> (Invega)	4	QL (30 per 30 days)
<i>paliperidone oral tablet extended release 24hr 6 mg</i> (Invega)	4	QL (60 per 30 days)
<i>perphenazine oral tablet 16 mg, 2 mg, 4 mg, 8 mg</i> (Perphenazine)	2	
PERSERIS SUBCUTANEOUS SUSPENSION, EXTENDED REL SYRING 120 MG, 90 MG	5	NDS; QL (1 per 30 days)
<i>pimozide oral tablet 1 mg, 2 mg</i> (Pimozide)	2	
<i>quetiapine oral tablet 100 mg, 200 mg, 25 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel)	2	
<i>quetiapine oral tablet 150 mg</i> (Seroquel)	2	
<i>quetiapine oral tablet extended release 24 hr 150 mg, 200 mg, 300 mg, 400 mg, 50 mg</i> (Seroquel XR)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
REXULTI ORAL TABLET 0.25 MG, 0.5 MG, 1 MG, 2 MG, 3 MG, 4 MG	5	NDS; QL (30 per 30 days)
<i>risperidone microspheres</i> (Risperdal Consta) <i>intramuscular suspension,extended</i> <i>rel recon 12.5 mg/2 ml</i>	2	QL (2 per 28 days)
<i>risperidone microspheres</i> (Risperdal Consta) <i>intramuscular suspension,extended</i> <i>rel recon 25 mg/2 ml</i>	2	QL (2 per 28 days)
<i>risperidone microspheres</i> (Risperdal Consta) <i>intramuscular suspension,extended</i> <i>rel recon 37.5 mg/2 ml, 50 mg/2 ml</i>	5	NDS; QL (2 per 28 days)
<i>risperidone oral solution 1 mg/ml</i> (Risperdal)	2	
<i>risperidone oral tablet 0.25 mg</i> (Risperdal)	2	
<i>risperidone oral tablet 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i> (Risperdal)	2	
<i>risperidone oral tablet,disintegrating</i> (Risperidone) <i>0.25 mg, 0.5 mg, 1 mg, 2 mg, 3 mg, 4 mg</i>	4	
RYKINDO INTRAMUSCULAR (risperidone SUSPENSION,EXTENDED REL microspheres) RECON 25 MG/2 ML, 37.5 MG/2 ML, 50 MG/2 ML	5	NDS; QL (2 per 28 days)
SECUADO TRANSDERMAL PATCH 24 HOUR 3.8 MG/24 HOUR, 5.7 MG/24 HOUR, 7.6 MG/24 HOUR	5	ST; NDS; QL (30 per 30 days)
<i>thioridazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> (Thioridazine HCl)	2	
<i>thiothixene oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> (Thiothixene)	2	
<i>trifluoperazine oral tablet 1 mg, 10 mg, 2 mg, 5 mg</i> (Trifluoperazine HCl)	2	
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 100 MG/0.28 ML	5	NDS; QL (0.28 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 125 MG/0.35 ML	5	NDS; QL (0.35 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 150 MG/0.42 ML	5	NDS; QL (0.42 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 200 MG/0.56 ML	5	NDS; QL (0.56 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 250 MG/0.7 ML	5	NDS; QL (0.7 per 56 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 50 MG/0.14 ML	5	NDS; QL (0.14 per 28 days)
UZEDY SUBCUTANEOUS SUSPENSION,EXTENDED REL SYRING 75 MG/0.21 ML	5	NDS; QL (0.21 per 28 days)
VERSACLOZ ORAL SUSPENSION 50 MG/ML	5	ST; NDS; QL (540 per 30 days)
VRAYLAR ORAL CAPSULE 0.5 MG, 0.75 MG, 1.5 MG, 3 MG, 4.5 MG, 6 MG	5	ST; NDS; QL (30 per 30 days)
VRAYLAR ORAL CAPSULE,DOSE PACK 1.5 MG (1)- 3 MG (6)	4	ST
<i>ziprasidone hcl oral capsule 20 mg, (Geodon)</i> <i>40 mg, 60 mg, 80 mg</i>	2	
<i>ziprasidone mesylate intramuscular (Geodon)</i> <i>recon soln 20 mg/ml (final conc.)</i>	2	QL (6 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 210 MG	4	QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 300 MG	5	NDS; QL (2 per 28 days)
ZYPREXA RELPREVV INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 405 MG	5	NDS; QL (1 per 28 days)
Agentes Calóricos		
Agentes Calóricos		

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
CLINIMIX 6%-D5W (SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 6-5 %	4	PA BvD
CLINIMIX 8%-D10W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX 8%-D14W(SULFITE-FREE) INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
CLINIMIX E 8%-D10W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-10 %	4	PA BvD
CLINIMIX E 8%-D14W SULFITEFREE INTRAVENOUS PARENTERAL SOLUTION 8-14 %	4	PA BvD
<i>dextrose 5 % in water (d5w)</i> (Dextrose 5 % in Water) <i>intravenous parenteral solution</i>	2	HI
Agentes Cardiovasculares		
Agentes Alfa-Adrenérgicos		
<i>clonidine hcl oral tablet 0.1 mg, 0.2 mg, 0.3 mg</i> (Clonidine HCl)	1	
<i>clonidine transdermal patch weekly 0.1 mg/24 hr</i> (Catapres-Tts 1)	2	
<i>clonidine transdermal patch weekly 0.2 mg/24 hr</i> (Catapres-Tts 1)	2	
<i>clonidine transdermal patch weekly 0.3 mg/24 hr</i> (Catapres-Tts 1)	2	
<i>doxazosin oral tablet 1 mg, 2 mg, 4 mg, 8 mg</i> (Cardura)	1	
<i>droxidopa oral capsule 100 mg</i> (Northera)	2	PA; QL (180 per 30 days)
<i>droxidopa oral capsule 200 mg, 300 mg</i> (Northera)	5	PA; NDS; QL (180 per 30 days)
<i>guanfacine oral tablet 1 mg, 2 mg</i> (Guanfacine HCl)	2	
<i>midodrine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Midodrine HCl)	2	
<i>prazosin oral capsule 1 mg, 2 mg, 5 mg</i> (Minipress)	2	
Agentes Antiarrítmicos		

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>amiodarone oral tablet 100 mg, 200 mg</i> (Amiodarone HCl)	2	
<i>amiodarone oral tablet 400 mg</i> (Amiodarone HCl)	2	
<i>dofetilide oral capsule 125 mcg, 250 mcg, 500 mcg</i> (Tikosyn)	2	
<i>flecainide oral tablet 100 mg, 150 mg, 50 mg</i> (Flecainide Acetate)	2	
MULTAQ ORAL TABLET 400 MG	3	
<i>pacerone oral tablet 100 mg, 200 mg, 400 mg</i> (Amiodarone HCl)	2	
<i>propafenone oral capsule, extended release 12 hr 225 mg, 325 mg, 425 mg</i> (Rythmol SR)	2	
<i>propafenone oral tablet 150 mg, 225 mg, 300 mg</i> (Propafenone HCl)	2	
<i>quinidine sulfate oral tablet 200 mg, 300 mg</i> (Quinidine Sulfate)	2	
Agentes Bloqueadores Beta-Adrenérgicos		
<i>acebutolol oral capsule 200 mg, 400 mg</i> (Acebutolol HCl)	2	
<i>atenolol oral tablet 100 mg, 25 mg, 50 mg</i> (Tenormin)	1	
<i>atenolol-chlorthalidone oral tablet 100-25 mg, 50-25 mg</i> (Tenoretic 50)	2	
<i>bisoprolol fumarate oral tablet 10 mg, 2.5 mg, 5 mg</i> (Bisoprolol Fumarate)	2	
<i>bisoprolol-hydrochlorothiazide oral tablet 10-6.25 mg, 2.5-6.25 mg, 5-6.25 mg</i> (Ziac)	2	
<i>carvedilol oral tablet 12.5 mg, 25 mg, 3.125 mg, 6.25 mg</i> (Coreg)	1	
<i>labetalol oral tablet 100 mg, 200 mg, 300 mg</i> (Labetalol HCl)	2	
<i>metoprolol succinate oral tablet extended release 24 hr 100 mg, 200 mg, 25 mg, 50 mg</i> (Toprol XL)	1	
<i>metoprolol ta-hydrochlorothiaz oral tablet 50-25 mg</i> (Metoprolol/Hydrochlorothiazide)	4	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>metoprolol tartrate oral tablet 100 mg, 50 mg</i> (Lopressor)	1	
<i>metoprolol tartrate oral tablet 25 mg, 37.5 mg, 75 mg</i> (Lopressor)	1	
<i>nebivolol oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Bystolic)	2	
<i>propranolol oral capsule,extended release 24 hr 120 mg, 160 mg, 60 mg, 80 mg</i> (Inderal LA)	2	
<i>propranolol oral tablet 10 mg, 20 mg, 40 mg, 60 mg, 80 mg</i> (Propranolol HCl)	2	
<i>sorine oral tablet 120 mg, 160 mg, 240 mg, 80 mg</i> (Betapace)	2	
<i>sotalol af oral tablet 120 mg, 160 mg, 80 mg</i> (Betapace)	2	
<i>sotalol oral tablet 120 mg, 160 mg, 80 mg</i> (Betapace)	2	
<i>sotalol oral tablet 240 mg</i> (Betapace)	2	
<i>timolol maleate oral tablet 10 mg, 20 mg, 5 mg</i> (Timolol Maleate)	4	
Agentes Bloqueadores Da Canal De Calcio		
<i>cartia xt oral capsule,extended release 24hr 120 mg, 180 mg, 240 mg, 300 mg</i> (Cardizem CD)	2	
<i>diltiazem hcl oral capsule,extended release 12 hr 120 mg, 60 mg, 90 mg</i> (Cardizem CD)	4	
<i>diltiazem hcl oral capsule,extended release 24 hr 360 mg, 420 mg</i> (Cardizem CD)	2	
<i>diltiazem hcl oral capsule,extended release 24hr 120 mg, 180 mg, 300 mg</i> (Cardizem CD)	2	
<i>diltiazem hcl oral capsule,extended release 24hr 240 mg</i> (Cartia XT)	2	
<i>diltiazem hcl oral tablet 120 mg, 30 mg, 60 mg</i> (Cardizem CD)	2	
<i>diltiazem hcl oral tablet 90 mg</i> (Cardizem CD)	2	
<i>dilt-xr oral capsule,ext.rel 24h degradable 120 mg, 180 mg, 240 mg</i> (Cardizem CD)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>taztia xt oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg</i> (Tiazac)	2	
<i>tiadylt er oral capsule, extended release 24 hr 120 mg, 180 mg, 240 mg, 300 mg, 360 mg, 420 mg</i> (Cardizem CD)	2	
<i>verapamil oral capsule, ext rel. pellets 24 hr 120 mg, 180 mg, 240 mg</i> (Verapamil HCl)	2	
<i>verapamil oral capsule, ext rel. pellets 24 hr 360 mg</i> (Verapamil HCl)	4	
<i>verapamil oral tablet 120 mg, 40 mg, 80 mg</i> (Verapamil HCl)	1	
<i>verapamil oral tablet extended release 120 mg, 180 mg, 240 mg</i> (Verapamil HCl)	2	
Agentes Cardiovasculares, Varios		
ATTRUBY ORAL TABLET 356 MG	5	PA; NDS; QL (112 per 28 days)
CAMZYOS ORAL CAPSULE 10 MG, 15 MG, 2.5 MG, 5 MG	5	PA; NDS; QL (30 per 30 days)
CORLANOR ORAL SOLUTION 5 MG/5 ML	4	QL (600 per 30 days)
<i>digoxin oral tablet 125 mcg (0.125 mg), 250 mcg (0.25 mg)</i> (Lanoxin)	2	
<i>epinephrine injection auto-injector 0.15 mg/0.15 ml</i> (Epipen 2-Pak)	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.15 mg/0.3 ml</i> (Epipen 2-Pak)	2	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Epipen 2-Pak)	3	QL (4 per 30 days)
<i>epinephrine injection auto-injector 0.3 mg/0.3 ml</i> (Epipen 2-Pak)	2	QL (4 per 30 days)
<i>hydralazine oral tablet 10 mg, 100 mg, 25 mg, 50 mg</i> (Hydralazine HCl)	1	
<i>icatibant subcutaneous syringe 30 mg/3 ml</i> (Firazyr)	5	PA; NDS; QL (18 per 30 days)
<i>ivabradine oral tablet 5 mg, 7.5 mg</i> (Corlanor)	3	QL (60 per 30 days)
<i>metyrosine oral capsule 250 mg</i> (Demser)	5	PA; NDS
<i>ranolazine oral tablet extended release 12 hr 1,000 mg, 500 mg</i> (Ranolazine)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
VERQUVO ORAL TABLET 10 MG, 2.5 MG, 5 MG	4	PA; QL (30 per 30 days)
VYNDAMAX ORAL CAPSULE 61 MG	5	PA; NDS; QL (30 per 30 days)
Antagonistas De Receptores De Angiotensina II		
<i>candesartan oral tablet 16 mg, 32 mg, 4 mg, 8 mg</i> (Atacand)	2	
<i>candesartan-hydrochlorothiazid oral tablet 16-12.5 mg, 32-12.5 mg, 32-25 mg</i> (Atacand HCT)	2	
ENTRESTO ORAL TABLET 24-26 MG, 49-51 MG, 97-103 MG (sacubitril-valsartan)	3	QL (60 per 30 days)
ENTRESTO SPRINKLE ORAL PELLET 15-16 MG, 6-6 MG	3	QL (240 per 30 days)
<i>irbesartan oral tablet 150 mg, 300 mg</i> (Avapro)	2	
<i>irbesartan oral tablet 75 mg</i> (Avapro)	2	
<i>irbesartan-hydrochlorothiazide oral tablet 150-12.5 mg, 300-12.5 mg</i> (Avalide)	2	
<i>losartan oral tablet 100 mg, 25 mg, 50 mg</i> (Cozaar)	1	
<i>losartan-hydrochlorothiazide oral tablet 100-12.5 mg, 100-25 mg, 50-12.5 mg</i> (Hyzaar)	1	
<i>olmesartan oral tablet 20 mg, 40 mg, 5 mg</i> (Benicar)	2	
<i>olmesartan-amlodipin-hctiazid oral tablet 20-5-12.5 mg, 40-10-12.5 mg, 40-10-25 mg, 40-5-12.5 mg, 40-5-25 mg</i> (Tribenzor)	2	
<i>olmesartan-hydrochlorothiazide oral tablet 20-12.5 mg, 40-12.5 mg, 40-25 mg</i> (Benicar HCT)	2	
<i>sacubitril-valsartan oral tablet 24-26 mg, 49-51 mg, 97-103 mg</i> (Entresto)	2	QL (60 per 30 days)
<i>telmisartan oral tablet 20 mg</i> (Micardis)	2	
<i>telmisartan oral tablet 40 mg, 80 mg</i> (Micardis)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>telmisartan-hydrochlorothiazid oral tablet 40-12.5 mg, 80-12.5 mg, 80-25 mg</i> (Micardis HCT)	2	
<i>valsartan oral tablet 160 mg, 320 mg, 40 mg, 80 mg</i> (Diovan)	2	
<i>valsartan-hydrochlorothiazide oral tablet 160-12.5 mg, 160-25 mg, 320-12.5 mg, 320-25 mg, 80-12.5 mg</i> (Diovan HCT)	2	
Dihidropiridinas		
<i>amlodipine oral tablet 10 mg, 2.5 mg, 5 mg</i> (Norvasc)	1	
<i>amlodipine-benazepril oral capsule 10-20 mg</i> (Lotrel)	1	
<i>amlodipine-benazepril oral capsule 10-40 mg, 2.5-10 mg, 5-10 mg, 5-20 mg, 5-40 mg</i> (Lotrel)	1	
<i>amlodipine-olmesartan oral tablet 10-20 mg, 10-40 mg, 5-20 mg, 5-40 mg</i> (Azor)	2	
<i>amlodipine-valsartan oral tablet 10-160 mg, 10-320 mg, 5-160 mg, 5-320 mg</i> (Exforge)	2	
<i>amlodipine-valsartan-hcthiiazid oral tablet 10-160-12.5 mg, 10-160-25 mg, 10-320-25 mg, 5-160-25 mg</i> (Exforge HCT)	2	
<i>amlodipine-valsartan-hcthiiazid oral tablet 5-160-12.5 mg</i> (Exforge HCT)	4	
<i>felodipine oral tablet extended release 24 hr 10 mg, 2.5 mg, 5 mg</i> (Felodipine)	2	
<i>nifedipine oral tablet extended release 24hr 30 mg, 60 mg</i> (Procardia XL)	2	
<i>nifedipine oral tablet extended release 24hr 90 mg</i> (Procardia XL)	2	
<i>nifedipine oral tablet extended release 30 mg, 60 mg, 90 mg</i> (Nifedipine)	2	
Dislipidémicos		
<i>amlodipine-atorvastatin oral tablet 10-10 mg, 5-10 mg</i> (Caduet)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>amlodipine-atorvastatin oral tablet</i> (Caduet) 10-20 mg, 10-40 mg, 10-80 mg, 5-20 mg, 5-40 mg, 5-80 mg	2	QL (30 per 30 days)
<i>amlodipine-atorvastatin oral tablet</i> (Caduet) 2.5-10 mg, 2.5-20 mg, 2.5-40 mg	2	
<i>atorvastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Lipitor)	1	
<i>cholestyramine (with sugar) oral powder in packet 4 gram</i> (Questran)	2	
<i>cholestyramine light oral powder in packet 4 gram</i> (Cholestyramine)	2	
<i>colesevelam oral powder in packet 3.75 gram</i> (Welchol)	4	
<i>colesevelam oral tablet 625 mg</i> (Welchol)	2	
<i>colestipol oral packet 5 gram</i> (Colestid)	2	
<i>colestipol oral tablet 1 gram</i> (Colestid)	2	
<i>ezetimibe oral tablet 10 mg</i> (Zetia)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-10 mg</i> (Vytorin)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-20 mg</i> (Vytorin)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-40 mg</i> (Vytorin)	2	QL (30 per 30 days)
<i>ezetimibe-simvastatin oral tablet 10-80 mg</i> (Vytorin)	2	QL (30 per 30 days)
<i>fenofibrate micronized oral capsule 134 mg, 200 mg, 67 mg</i> (Fenofibrate, Micronized)	2	
<i>fenofibrate nanocrystallized oral tablet 145 mg, 48 mg</i> (Tricor)	2	
<i>fenofibrate oral tablet 160 mg, 54 mg</i> (Fenoglide)	2	
<i>fluvastatin oral capsule 20 mg, 40 mg</i> (Fluvastatin Sodium)	2	QL (60 per 30 days)
<i>fluvastatin oral tablet extended release 24 hr 80 mg</i> (Lescol XL)	2	
<i>gemfibrozil oral tablet 600 mg</i> (Lopid)	1	
<i>icosapent ethyl oral capsule 0.5 gram</i> (Vascepa)	2	QL (240 per 30 days)
<i>icosapent ethyl oral capsule 1 gram</i> (Vascepa)	2	QL (120 per 30 days)
<i>lovastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Lovastatin)	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
NEXLETOL ORAL TABLET 180 MG	3	ST; QL (30 per 30 days)
NEXLIZET ORAL TABLET 180-10 MG	3	ST; QL (30 per 30 days)
<i>niacin oral tablet extended release 24 hr 1,000 mg, 500 mg</i> (Niacin)	2	
<i>niacin oral tablet extended release 24 hr 750 mg</i> (Niacin)	4	
<i>omega-3 acid ethyl esters oral capsule 1 gram</i> (Lovaza)	2	ST; QL (120 per 30 days)
<i>pitavastatin calcium oral tablet 1 mg, 2 mg, 4 mg</i> (Livalo)	2	QL (30 per 30 days)
<i>pravastatin oral tablet 10 mg, 20 mg, 40 mg, 80 mg</i> (Pravastatin Sodium)	1	
<i>prevalite oral powder in packet 4 gram</i> (Cholestyramine)	2	
REPATHA PUSHTRONEX SUBCUTANEOUS WEARABLE INJECTOR 420 MG/3.5 ML	3	ST; QL (7 per 28 days)
REPATHA SURECLICK SUBCUTANEOUS PEN INJECTOR 140 MG/ML	3	ST; QL (6 per 28 days)
REPATHA SYRINGE SUBCUTANEOUS SYRINGE 140 MG/ML	3	ST; QL (6 per 28 days)
<i>rosuvastatin oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Crestor)	1	
<i>simvastatin oral tablet 10 mg, 20 mg, 40 mg</i> (Zocor)	1	
<i>simvastatin oral tablet 5 mg, 80 mg</i> (Zocor)	1	
Diuréticos		
<i>amiloride oral tablet 5 mg</i> (Amiloride HCl)	1	
<i>amiloride-hydrochlorothiazide oral tablet 5-50 mg</i> (Amiloride/Hydrochloro thiazide)	2	
<i>bumetanide oral tablet 0.5 mg, 1 mg, 2 mg</i> (Bumetanide)	2	
<i>chlorthalidone oral tablet 25 mg, 50 mg</i> (Chlorthalidone)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>furosemide injection solution 10 mg/ml</i> (Furosemide)	1	
<i>furosemide oral solution 10 mg/ml, 40 mg/5 ml (8 mg/ml)</i> (Furosemide)	2	
<i>furosemide oral tablet 20 mg, 40 mg, 80 mg</i> (Lasix)	1	
<i>hydrochlorothiazide oral capsule 12.5 mg</i> (Hydrochlorothiazide)	1	
<i>hydrochlorothiazide oral tablet 12.5 mg, 25 mg, 50 mg</i> (Hydrochlorothiazide)	1	
<i>indapamide oral tablet 1.25 mg, 2.5 mg</i> (Indapamide)	1	
JYNARQUE ORAL TABLET 15 MG, 30 MG (tolvaptan (polycys kidney dis))	5	PA; NDS; QL (120 per 30 days)
<i>metolazone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Metolazone)	2	
<i>spironolactone oral tablet 100 mg, 25 mg, 50 mg</i> (Aldactone)	1	
<i>spironolacton-hydrochlorothiaz oral tablet 25-25 mg</i> (Spironolact/Hydrochlorothiazid)	2	
<i>tolvaptan (polycys kidney dis) oral tablets, sequential 15 mg (am)/ 15 mg (pm), 30 mg (am)/ 15 mg (pm), 45 mg (am)/ 15 mg (pm), 60 mg (am)/ 30 mg (pm), 90 mg (am)/ 30 mg (pm)</i> (Jynarque)	5	PA; NDS; QL (56 per 28 days)
<i>torsemide oral tablet 10 mg, 100 mg, 20 mg, 5 mg</i> (Soaanz)	1	
<i>triamterene-hydrochlorothiazid oral capsule 37.5-25 mg</i> (Triamterene/Hydrochlorothiazid)	1	
<i>triamterene-hydrochlorothiazid oral tablet 37.5-25 mg, 75-50 mg</i> (Maxzide)	1	
Inhibidores De Enzima Convertidoras De Angiotensina		
<i>benazepril oral tablet 10 mg, 20 mg, 40 mg</i> (Lotensin)	1	
<i>benazepril oral tablet 5 mg</i> (Lotensin)	1	
<i>benazepril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Lotensin HCT)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>benazepril-hydrochlorothiazide oral tablet 5-6.25 mg</i> (Lotensin HCT)	2	
<i>captopril oral tablet 100 mg, 12.5 mg, 25 mg, 50 mg</i> (Captopril)	2	
<i>enalapril maleate oral tablet 10 mg, 2.5 mg, 20 mg, 5 mg</i> (Vasotec)	1	
<i>enalapril-hydrochlorothiazide oral tablet 10-25 mg</i> (Vaseretic)	2	
<i>enalapril-hydrochlorothiazide oral tablet 5-12.5 mg</i> (Vaseretic)	2	
<i>fosinopril oral tablet 10 mg, 20 mg, 40 mg</i> (Fosinopril Sodium)	2	
<i>fosinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg</i> (Fosinopril/Hydrochlorothiazide)	2	
<i>lisinopril oral tablet 10 mg, 2.5 mg, 20 mg, 30 mg, 40 mg, 5 mg</i> (Zestril)	1	
<i>lisinopril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Zestoretic)	1	
<i>moexipril oral tablet 15 mg, 7.5 mg</i> (Moexipril HCl)	2	
<i>perindopril erbumine oral tablet 2 mg, 4 mg, 8 mg</i> (Perindopril Erbumine)	2	
<i>quinapril oral tablet 10 mg, 20 mg, 40 mg, 5 mg</i> (Accupril)	1	
<i>quinapril-hydrochlorothiazide oral tablet 10-12.5 mg, 20-12.5 mg, 20-25 mg</i> (Accuretic)	2	
<i>ramipril oral capsule 1.25 mg, 2.5 mg, 5 mg</i> (Altace)	1	
<i>ramipril oral capsule 10 mg</i> (Altace)	1	
<i>trandolapril oral tablet 1 mg, 2 mg, 4 mg</i> (Trandolapril)	2	
Inhibidores Del Sistema De Renina-Angiotensina-Aldosterona		
<i>aliskiren oral tablet 150 mg, 300 mg</i> (Tekturna)	2	
<i>eplerenone oral tablet 25 mg</i> (Inspra)	2	
<i>eplerenone oral tablet 50 mg</i> (Inspra)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
KERENDIA ORAL TABLET 10 MG, 20 MG, 40 MG	3	PA; QL (30 per 30 days)
Vasodilatadores		
<i>isosorbide dinitrate oral tablet 10 mg, 20 mg, 30 mg</i> (Isordil)	2	
<i>isosorbide dinitrate oral tablet 5 mg</i> (Isordil)	2	
<i>isosorbide mononitrate oral tablet 10 mg, 20 mg</i> (Isosorbide Mononitrate)	2	
<i>isosorbide mononitrate oral tablet extended release 24 hr 120 mg, 30 mg, 60 mg</i> (Isosorbide Mononitrate)	1	
<i>minoxidil oral tablet 10 mg, 2.5 mg</i> (Minoxidil)	2	
<i>nitroglycerin sublingual tablet 0.3 mg, 0.4 mg, 0.6 mg</i> (Nitrostat)	2	
<i>nitroglycerin transdermal patch 24 hour 0.1 mg/hr, 0.2 mg/hr, 0.4 mg/hr, 0.6 mg/hr</i> (Nitro-Dur)	2	
Agentes De Enfermedad Intestinal Inflamatoria		
Agentes De Enfermedad Intestinal Inflamatoria		
<i>alosetron oral tablet 0.5 mg</i> (Lotronex)	2	
<i>alosetron oral tablet 1 mg</i> (Lotronex)	5	NDS
<i>balsalazide oral capsule 750 mg</i> (Colazal)	2	
<i>budesonide oral capsule, delayed, extend. release 3 mg</i>	4	
<i>budesonide rectal foam 2 mg/actuation</i> (Uceris)	2	
<i>hydrocortisone rectal enema 100 mg/60 ml</i> (Cortenema)	2	
<i>mesalamine oral capsule, extended release 500 mg</i> (Mesalamine)	2	
<i>mesalamine oral capsule, extended release 24hr 0.375 gram</i> (Apriso)	4	
<i>mesalamine oral tablet, delayed release (dr/ec) 1.2 gram</i> (Lialda)	4	QL (120 per 30 days)
<i>sulfasalazine oral tablet 500 mg</i> (Azulfidine)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>sulfasalazine oral tablet, delayed release (dr/ec) 500 mg</i> (Azulfidine)	4	
Agentes De Enfermedad Ósea Metabólica		
Agentes De Enfermedad Ósea Metabólica		
<i>alendronate oral solution 70 mg/75 ml</i> (Alendronate Sodium)	4	QL (300 per 28 days)
<i>alendronate oral tablet 10 mg</i> (Fosamax)	1	QL (30 per 30 days)
<i>alendronate oral tablet 35 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>alendronate oral tablet 70 mg</i> (Fosamax)	1	QL (4 per 28 days)
<i>calcitonin (salmon) nasal spray, non-aerosol 200 unit/actuation</i> (Calcitonin, Salmon, Synthetic)	2	
<i>calcitriol oral capsule 0.25 mcg, 0.5 mcg</i> (Rocaltrol)	2	
<i>cinacalcet oral tablet 30 mg, 60 mg</i> (Sensipar)	2	QL (60 per 30 days)
<i>cinacalcet oral tablet 90 mg</i> (Sensipar)	2	QL (120 per 30 days)
<i>ibandronate oral tablet 150 mg</i> (Boniva)	2	QL (1 per 28 days)
OSENVELT SUBCUTANEOUS SOLUTION 120 MG/1.7 ML (70 MG/ML)	5	PA; NDS
<i>paricalcitol oral capsule 1 mcg, 2 mcg</i> (Zemplar)	4	
<i>paricalcitol oral capsule 4 mcg</i> (Zemplar)	4	
RAYALDEE ORAL CAPSULE, EXTENDED RELEASE 24 HR 30 MCG	5	NDS; QL (60 per 30 days)
STOBOCLO SUBCUTANEOUS SYRINGE 60 MG/ML	3	QL (1 per 180 days)
<i>teriparatide subcutaneous pen injector 20 mcg/dose (560mcg/2.24ml)</i> (Forteo)	5	PA; NDS; QL (2.24 per 28 days)
TYMLOS SUBCUTANEOUS PEN INJECTOR 80 MCG (3,120 MCG/1.56 ML)	5	PA; NDS; QL (1.56 per 30 days)
Agentes De Trastorno De Sueño		
Agentes De Trastorno De Sueño		

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>armodafinil oral tablet 150 mg, 200 mg, 250 mg, 50 mg</i> (Nuvigil)	2	PA; QL (30 per 30 days)
BELSOMRA ORAL TABLET 10 MG, 15 MG, 20 MG, 5 MG	3	QL (30 per 30 days)
<i>doxepin oral tablet 3 mg, 6 mg</i> (Silenor)	2	QL (30 per 30 days)
<i>eszopiclone oral tablet 1 mg, 2 mg, 3 mg</i> (Lunesta)	2	QL (30 per 30 days)
<i>modafinil oral tablet 100 mg</i> (Provigil)	2	PA; QL (30 per 30 days)
<i>modafinil oral tablet 200 mg</i> (Provigil)	2	PA; QL (60 per 30 days)
<i>sodium oxybate oral solution 500 mg/ml</i> (Xyrem)	5	PA; LA; NDS; QL (540 per 30 days)
<i>zaleplon oral capsule 10 mg, 5 mg</i> (Zaleplon)	2	QL (30 per 30 days)
<i>zolpidem oral tablet 10 mg, 5 mg</i> (Ambien)	1	QL (30 per 30 days)
Agentes Del Sistema Nervioso Central		
Agentes Del Sistema Nervioso Central		
<i>atomoxetine oral capsule 10 mg, 18 mg, 25 mg, 40 mg</i> (Strattera)	2	QL (60 per 30 days)
<i>atomoxetine oral capsule 100 mg, 60 mg, 80 mg</i> (Strattera)	2	QL (30 per 30 days)
AUSTEDO ORAL TABLET 12 MG, 9 MG	5	PA; NDS; QL (120 per 30 days)
AUSTEDO ORAL TABLET 6 MG	5	PA; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 12 MG	5	PA; NDS; QL (90 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 18 MG, 24 MG	5	PA; NDS; QL (60 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 30 MG, 36 MG, 42 MG, 48 MG	5	PA; NDS; QL (30 per 30 days)
AUSTEDO XR ORAL TABLET EXTENDED RELEASE 24 HR 6 MG	5	PA; NDS; QL (210 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
AUSTEDO XR TITRATION KT(WK1-4) ORAL TABLET, EXT REL 24HR DOSE PACK 12-18-24- 30 MG, 6 MG (14)-12 MG (14)-24 MG (14)	5	PA; NDS
AVONEX INTRAMUSCULAR PEN INJECTOR KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
AVONEX INTRAMUSCULAR SYRINGE KIT 30 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
BETASERON SUBCUTANEOUS KIT 0.3 MG	5	PA; NDS; QL (15 per 30 days)
<i>cladribine 10 mg x 10 tab pk outer</i> (Mavenclad)	5	PA; NDS
<i>cladribine(multiple sclerosis) oral tablet 10 mg (10 pack), 10 mg (4 pack), 10 mg (5 pack), 10 mg (6 pack), 10 mg (7 pack), 10 mg (8 pack), 10 mg (9 pack)</i> (Mavenclad)	5	PA; NDS
<i>dalfampridine oral tablet extended release 12 hr 10 mg</i> (Ampyra)	2	PA; QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 10 mg, 15 mg, 5 mg</i> (Adderall XR)	2	QL (30 per 30 days)
<i>dextroamphetamine-amphetamine oral capsule,extended release 24hr 20 mg, 25 mg, 30 mg</i> (Adderall XR)	2	QL (60 per 30 days)
<i>dextroamphetamine-amphetamine oral tablet 10 mg, 12.5 mg, 15 mg, 20 mg, 30 mg, 5 mg, 7.5 mg</i> (Adderall)	2	QL (60 per 30 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg</i> (Tecfidera)	2	PA; QL (14 per 7 days)
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 120 mg (14)- 240 mg (46)</i> (Tecfidera)	2	PA
<i>dimethyl fumarate oral capsule,delayed release(dr/ec) 240 mg</i> (Tecfidera)	5	PA; NDS; QL (60 per 30 days)
<i> fingolimod oral capsule 0.5 mg</i> (Gilenya)	5	PA; NDS; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>glatiramer subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NDS; QL (30 per 30 days)
<i>glatiramer subcutaneous syringe 40 mg/ml</i> (Copaxone)	5	PA; NDS; QL (12 per 28 days)
<i>glatopa subcutaneous syringe 20 mg/ml</i> (Copaxone)	5	PA; NDS; QL (30 per 30 days)
<i>glatopa subcutaneous syringe 40 mg/ml</i> (Copaxone)	5	PA; NDS; QL (12 per 28 days)
<i>guanfacine oral tablet extended release 24 hr 1 mg, 2 mg, 3 mg, 4 mg</i> (Intuniv)	2	
INGREZZA INITIATION PK(TARDIV) ORAL CAPSULE,DOSE PACK 40 MG (7)- 80 MG (21)	5	PA; NDS
INGREZZA ORAL CAPSULE 40 MG, 60 MG, 80 MG	5	PA; NDS; QL (30 per 30 days)
INGREZZA SPRINKLE ORAL CAPSULE, SPRINKLE 40 MG, 60 MG, 80 MG	5	PA; NDS; QL (30 per 30 days)
KESIMPTA PEN SUBCUTANEOUS PEN INJECTOR 20 MG/0.4 ML	5	PA; NDS; QL (1.2 per 28 days)
<i>lithium carbonate oral capsule 150 mg, 300 mg, 600 mg</i> (Lithium Carbonate)	1	
<i>lithium carbonate oral tablet 300 mg</i> (Lithobid)	1	
<i>lithium carbonate oral tablet extended release 300 mg</i> (Lithobid)	2	
<i>lithium carbonate oral tablet extended release 450 mg</i> (Lithobid)	2	
<i>lithium citrate oral solution 8 meq/5 ml</i> (Lithium Citrate)	2	
MAYZENT ORAL TABLET 0.25 MG	5	PA; NDS; QL (112 per 28 days)
MAYZENT ORAL TABLET 1 MG, 2 MG	5	PA; NDS; QL (30 per 30 days)
MAYZENT STARTER(FOR 1MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (7 TABS)	3	PA

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
MAYZENT STARTER(FOR 2MG MAINT) ORAL TABLETS,DOSE PACK 0.25 MG (12 TABS)	5	PA; NDS
<i>methylphenidate hcl oral solution 10 mg/5 ml, 5 mg/5 ml</i> (Methylin)	2	QL (900 per 30 days)
<i>methylphenidate hcl oral tablet 10 mg, 20 mg, 5 mg</i> (Ritalin)	2	QL (90 per 30 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS PEN INJECTOR 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
PLEGRIDY SUBCUTANEOUS SYRINGE 125 MCG/0.5 ML	5	PA; NDS; QL (1 per 28 days)
PLEGRIDY SUBCUTANEOUS SYRINGE 63 MCG/0.5 ML- 94 MCG/0.5 ML	5	PA; NDS
<i>riluzole oral tablet 50 mg</i> (Rilutek)	2	
<i>tetrabenazine oral tablet 12.5 mg</i> (Xenazine)	2	PA; QL (112 per 28 days)
<i>tetrabenazine oral tablet 25 mg</i> (Xenazine)	5	PA; NDS; QL (112 per 28 days)
VUMERITY ORAL CAPSULE,DELAYED RELEASE(DR/EC) 231 MG	5	PA; NDS; QL (120 per 30 days)
Agentes Del Tracto Respiratorio		
Agentes Del Tracto Respiratorio, Otros		
<i>acetylcysteine solution 100 mg/ml (10 %), 200 mg/ml (20 %)</i> (Acetadote)	2	PA BvD
ALYFTREK ORAL TABLET 10-50-125 MG	5	PA; NDS; QL (60 per 30 days)
ALYFTREK ORAL TABLET 4-20-50 MG	5	PA; NDS; QL (90 per 30 days)
BRONCHITOL INHALATION CAPSULE, W/INHALATION DEVICE 40 MG	5	NDS; QL (560 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>cromolyn inhalation solution for nebulization 20 mg/2 ml</i> (Cromolyn Sodium)	2	PA BvD
FASENRA PEN SUBCUTANEOUS AUTO-INJECTOR 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
FASENRA SUBCUTANEOUS SYRINGE 10 MG/0.5 ML, 30 MG/ML	5	PA; NDS; QL (1 per 28 days)
JASCAYD ORAL TABLET 18 MG, 9 MG	5	PA; NDS; QL (60 per 30 days)
KALYDECO ORAL GRANULES IN PACKET 13.4 MG, 25 MG, 5.8 MG, 50 MG, 75 MG	5	PA; NDS; QL (56 per 28 days)
KALYDECO ORAL TABLET 150 MG	5	PA; NDS; QL (56 per 28 days)
<i>nintedanib oral capsule 100 mg, 150 mg</i> (Ofev)	5	PA; NDS; QL (60 per 30 days)
NUCALA SUBCUTANEOUS AUTO-INJECTOR 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS RECON SOLN 100 MG	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 100 MG/ML	5	PA; LA; NDS; QL (3 per 28 days)
NUCALA SUBCUTANEOUS SYRINGE 40 MG/0.4 ML	5	PA; LA; NDS; QL (0.4 per 28 days)
ORKAMBI ORAL TABLET 100-125 MG, 200-125 MG	5	PA; NDS; QL (112 per 28 days)
<i>pirfenidone oral capsule 267 mg</i> (Esbriet)	5	PA; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 267 mg</i> (Esbriet)	5	PA; NDS; QL (270 per 30 days)
<i>pirfenidone oral tablet 534 mg</i> (Esbriet)	5	PA; NDS; QL (90 per 30 days)
<i>pirfenidone oral tablet 801 mg</i> (Esbriet)	5	PA; NDS; QL (90 per 30 days)
PROLASTIN-C INTRAVENOUS SOLUTION 1,000 MG (+/-)/20 ML	5	PA BvD; HI; NDS
<i>roflumilast oral tablet 250 mcg</i> (Daliresp)	2	QL (28 per 28 days)
<i>roflumilast oral tablet 500 mcg</i> (Daliresp)	2	QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TRIKAFTA ORAL GRANULES IN PACKET, SEQUENTIAL 100-50-75MG (D) /75 MG (N), 80-40-60 MG (D) /59.5 MG (N)	5	PA; NDS; QL (56 per 28 days)
TRIKAFTA ORAL TABLETS, SEQUENTIAL 100-50-75 MG(D) /150 MG (N), 50-25-37.5 MG (D)/75 MG (N)	5	PA; NDS; QL (84 per 28 days)
WINREVAIR SUBCUTANEOUS KIT 120 MG (60 MG X 2), 45 MG, 60 MG, 90 MG (45 MG X 2)	5	PA; NDS; QL (1 per 21 days)
XOLAIR SUBCUTANEOUS AUTO-INJECTOR 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NDS
XOLAIR SUBCUTANEOUS RECON SOLN 150 MG	5	PA; NDS
XOLAIR SUBCUTANEOUS SYRINGE 150 MG/ML, 300 MG/2 ML, 75 MG/0.5 ML	5	PA; NDS
Antiinflamatorios, Corticoesteroides Inhalados		
ADVAIR HFA INHALATION HFA AEROSOL INHALER 115-21 MCG/ACTUATION, 230-21 MCG/ACTUATION, 45-21 MCG/ACTUATION (fluticasone propion-salmeterol)	3	QL (12 per 30 days)
ARNUITY ELLIPTA INHALATION BLISTER WITH DEVICE 100 MCG/ACTUATION, 200 MCG/ACTUATION, 50 MCG/ACTUATION (fluticasone furoate)	3	QL (30 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 100-25 MCG/DOSE, 200-25 MCG/DOSE (fluticasone furoate-vilanterol)	3	QL (60 per 30 days)
BREO ELLIPTA INHALATION BLISTER WITH DEVICE 50-25 MCG/DOSE	3	QL (60 per 30 days)
<i>breyna inhalation hfa aerosol inhaler</i> (Symbicort) 160-4.5 mcg/actuation, 80-4.5 mcg/actuation	4	QL (30.9 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>budesonide inhalation suspension for nebulization 0.25 mg/2 ml, 0.5 mg/2 ml, 1 mg/2 ml</i> (Pulmicort)	2	PA BvD; QL (120 per 30 days)
<i>budesonide-formoterol inhalation hfa aerosol inhaler 160-4.5 mcg/actuation, 80-4.5 mcg/actuation</i> (Symbicort)	4	QL (30.6 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 110 mcg/actuation</i> (Flovent Hfa)	4	QL (12 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 220 mcg/actuation</i> (Flovent Hfa)	4	QL (24 per 30 days)
<i>fluticasone propionate inhalation hfa aerosol inhaler 44 mcg/actuation</i> (Flovent Hfa)	4	QL (21.2 per 30 days)
<i>fluticasone propion-salmeterol inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Advair Diskus)	2	QL (60 per 30 days)
<i>wixela inhub inhalation blister with device 100-50 mcg/dose, 250-50 mcg/dose, 500-50 mcg/dose</i> (Advair Diskus)	2	QL (60 per 30 days)
Antileucotrinicos		
<i>montelukast oral tablet 10 mg</i> (Singulair)	1	
<i>montelukast oral tablet, chewable 4 mg, 5 mg</i> (Singulair)	2	
<i>zafirlukast oral tablet 10 mg, 20 mg</i> (Accolate)	4	
Broncodilatadores		
AIRSUPRA INHALATION HFA AEROSOL INHALER 90-80 MCG/ACTUATION	3	QL (32.1 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation</i> (Ventolin Hfa)	2	QL (17 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020503)</i> (Ventolin Hfa)	2	QL (13.4 per 30 days)
<i>albuterol sulfate inhalation hfa aerosol inhaler 90 mcg/actuation (nda020983)</i> (Ventolin Hfa)	2	QL (36 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>albuterol sulfate inhalation solution for nebulization 0.63 mg/3 ml, 1.25 mg/3 ml, 2.5 mg /3 ml (0.083 %), 2.5 mg/0.5 ml</i> (Albuterol Sulfate)	2	PA BvD
ANORO ELLIPTA INHALATION BLISTER WITH DEVICE 62.5-25 MCG/ACTUATION (umeclidinium-vilanterol)	3	QL (60 per 30 days)
BREZTRI AEROSPHERE INHALATION HFA AEROSOL INHALER 160-18-4.8 MCG/ACTUATION, 160-9-4.8 MCG/ACTUATION	3	QL (10.7 per 30 days)
COMBIVENT RESPIMAT INHALATION MIST 20-100 MCG/ACTUATION	3	QL (8 per 30 days)
<i>ipratropium bromide inhalation hfa aerosol inhaler 17 mcg/actuation</i> (Atrovent Hfa)	2	QL (25.8 per 28 days)
<i>ipratropium bromide inhalation solution 0.02 %</i> (Ipratropium Bromide)	2	PA BvD
<i>ipratropium-albuterol inhalation solution for nebulization 0.5 mg-3 mg(2.5 mg base)/3 ml</i> (Ipratropium/Albuterol Sulfate)	2	PA BvD; QL (540 per 30 days)
SEREVENT DISKUS INHALATION BLISTER WITH DEVICE 50 MCG/DOSE	3	QL (60 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 1.25 MCG/ACTUATION	3	QL (4 per 30 days)
SPIRIVA RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STIOLTO RESPIMAT INHALATION MIST 2.5-2.5 MCG/ACTUATION	3	QL (4 per 30 days)
STRIVERDI RESPIMAT INHALATION MIST 2.5 MCG/ACTUATION	3	QL (4 per 28 days)
<i>theophylline oral solution 80 mg/15 ml</i> (Theophylline Anhydrous)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>theophylline oral tablet extended release 12 hr 100 mg, 200 mg, 300 mg, 450 mg</i> (Theophylline Anhydrous)	4	
<i>theophylline oral tablet extended release 24 hr 400 mg, 600 mg</i> (Theophylline Anhydrous)	2	
<i>tiotropium bromide inhalation capsule, w/inhalation device 18 mcg</i> (Spiriva Handihaler)	2	QL (30 per 30 days)
TRELEGY ELLIPTA INHALATION BLISTER WITH DEVICE 100-62.5-25 MCG, 200-62.5-25 MCG	3	QL (60 per 30 days)

Agentes Dentales Y Orales

Agentes Dentales Y Orales

<i>cevimeline oral capsule 30 mg</i> (Evoxac)	4	
<i>chlorhexidine gluconate mucous membrane mouthwash 0.12 %</i> (Chlorhexidine Gluconate)	1	
<i>denta 5000 plus dental cream 1.1 %</i> (Fluoride (Sodium))	1	
<i>dentagel dental gel 1.1 %</i> (Fluoride (Sodium))	1	
<i>fluoride (sodium) dental gel 1.1 %</i> (Fluoride (Sodium))	1	
<i>fluoride (sodium) dental solution 0.2 %</i> (Prevident)	1	
<i>periogard mucous membrane mouthwash 0.12 %</i> (Chlorhexidine Gluconate)	1	
<i>pilocarpine hcl oral tablet 5 mg</i> (Salagen)	2	
<i>pilocarpine hcl oral tablet 7.5 mg</i> (Salagen)	4	
<i>sf 5000 plus dental cream 1.1 %</i> (Fluoride (Sodium))	1	
<i>sodium fluoride-pot nitrate dental paste 1.1-5 %</i> (Prevident 5000 Sensitive)	1	
<i>triamcinolone acetonide dental paste 0.1 %</i> (Kourzeq)	2	

Agentes Dermatológicos

Agentes Antiinflamatorios

Dermatológicos

<i>ala-cort topical cream 1 %</i> (Hydrocortisone)	2	
<i>betamethasone dipropionate topical cream 0.05 %</i> (Betamethasone Dipropionate)	2	
<i>betamethasone dipropionate topical lotion 0.05 %</i> (Betamethasone Dipropionate)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>betamethasone dipropionate topical ointment 0.05 %</i>	(Betamethasone Dipropionate)	2	
<i>betamethasone valerate topical cream 0.1 %</i>	(Betamethasone Valerate)	2	
<i>betamethasone valerate topical lotion 0.1 %</i>	(Betamethasone Valerate)	2	
<i>betamethasone valerate topical ointment 0.1 %</i>	(Betamethasone Valerate)	2	
<i>betamethasone, augmented topical cream 0.05 %</i>	(Betamethasone/Propylene Glyc)	2	
<i>betamethasone, augmented topical gel 0.05 %</i>	(Betamethasone Dipropionate)	2	
<i>betamethasone, augmented topical lotion 0.05 %</i>	(Betamethasone/Propylene Glyc)	2	
<i>betamethasone, augmented topical ointment 0.05 %</i>	(Diprolene)	2	
<i>clobetasol scalp solution 0.05 %</i>	(Clobetasol Propionate)	2	
<i>clobetasol topical cream 0.05 %</i>	(Clobetasol Propionate)	2	
<i>clobetasol topical gel 0.05 %</i>	(Clobetasol Propionate)	4	
<i>clobetasol topical lotion 0.05 %</i>	(Clobex)	4	
<i>clobetasol topical ointment 0.05 %</i>	(Temovate)	2	
<i>clobetasol topical shampoo 0.05 %</i>	(Clobex)	2	
<i>clobetasol-emollient topical cream 0.05 %</i>	(Clobetasol Propionate/Emoll)	2	
<i>clobetasol-emollient topical foam 0.05 %</i>	(Olux-E)	4	
EUCRISA TOPICAL OINTMENT 2 %		3	
<i>fluocinolone topical cream 0.01 %</i>	(Synalar)	2	
<i>fluocinolone topical cream 0.025 %</i>	(Synalar)	2	
<i>fluocinolone topical ointment 0.025 %</i>	(Synalar)	2	
<i>fluocinonide topical cream 0.05 %</i>	(Vanos)	2	
<i>fluocinonide topical gel 0.05 %</i>	(Fluocinonide)	2	
<i>fluocinonide topical ointment 0.05 %</i>	(Fluocinonide)	2	
<i>fluocinonide topical solution 0.05 %</i>	(Fluocinonide)	2	
<i>fluticasone propionate topical cream 0.05 %</i>	(Fluticasone Propionate)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>halobetasol propionate topical cream 0.05 %</i> (Halobetasol Propionate)	2	
<i>halobetasol propionate topical ointment 0.05 %</i> (Halobetasol Propionate)	2	
<i>hydrocortisone 2.5% cream</i> (Hydrocortisone)	2	
<i>hydrocortisone topical cream 1 %</i> (Hydrocortisone)	2	
<i>hydrocortisone topical cream with perineal applicator 2.5 %</i> (Hydrocortisone)	2	
<i>hydrocortisone topical lotion 2.5 %</i> (Scalacort)	2	
<i>hydrocortisone topical ointment 1 %</i> (Hydrocortisone)	1	
<i>hydrocortisone topical ointment 2.5 %</i> (Hydrocortisone)	1	
<i>hydrocortisone valerate topical cream 0.2 %</i> (Hydrocortisone Valerate)	2	
<i>mometasone topical cream 0.1 %</i> (Mometasone Furoate)	2	
<i>mometasone topical ointment 0.1 %</i> (Mometasone Furoate)	2	
<i>mometasone topical solution 0.1 %</i> (Mometasone Furoate)	2	
<i>pimecrolimus topical cream 1 %</i> (Elidel)	4	QL (100 per 30 days)
<i>procto-med hc topical cream with perineal applicator 2.5 %</i> (Anusol-HC)	2	
<i>proctosol hc topical cream with perineal applicator 2.5 %</i> (Anusol-HC)	2	
<i>proctozone-hc topical cream with perineal applicator 2.5 %</i> (Anusol-HC)	2	
<i>tacrolimus topical ointment 0.03 %, 0.1 %</i> (Tacrolimus)	2	QL (100 per 30 days)
<i>triamcinol ac (pf) in 0.9%nacl injection suspension 40 mg/ml</i>	2	
<i>triamcinolone acetonide topical cream 0.025 %, 0.1 %</i> (Triamcinolone Acetonide)	1	
<i>triamcinolone acetonide topical cream 0.5 %</i> (Triamcinolone Acetonide)	1	
<i>triamcinolone acetonide topical lotion 0.025 %, 0.1 %</i> (Triamcinolone Acetonide)	2	
<i>triamcinolone acetonide topical ointment 0.025 %, 0.1 %, 0.5 %</i> (Triamcinolone Acetonide)	2	
Agentes Dermatológicos, Otros		

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>acitretin oral capsule 10 mg, 17.5 mg, 25 mg</i> (Acitretin)	2	
<i>acyclovir topical ointment 5 %</i> (Zovirax)	4	QL (30 per 30 days)
<i>ammonium lactate topical cream 12 %</i> (Ammonium Lactate)	2	
<i>ammonium lactate topical lotion 12 %</i> (Ammonium Lactate)	2	
<i>calcipotriene scalp solution 0.005 %</i> (Calcipotriene)	2	QL (120 per 30 days)
<i>calcipotriene topical cream 0.005 %</i> (Calcipotriene)	2	QL (120 per 30 days)
<i>calcipotriene topical ointment 0.005 %</i> (Calcipotriene)	2	QL (120 per 30 days)
<i>fluorouracil topical cream 5 %</i> (Carac)	2	
<i>fluorouracil topical solution 2 %</i> (Fluorouracil)	2	
<i>fluorouracil topical solution 5 %</i> (Fluorouracil)	4	
<i>imiquimod topical cream in packet 5 %</i> (Imiquimod)	2	QL (24 per 30 days)
KLISYRI (250 MG) TOPICAL OINTMENT IN PACKET 1 %	5	ST; NDS; QL (5 per 5 days)
<i>methoxsalen oral capsule, liq-filled, rapid rel 10 mg</i> (Methoxsalen)	5	NDS
PANRETIN TOPICAL GEL 0.1 %	5	NDS; QL (60 per 28 days)
<i>podofilox topical solution 0.5 %</i> (Podofilox)	2	
SANTYL TOPICAL OINTMENT 250 UNIT/GRAM	4	QL (180 per 30 days)
SKYRIZI SUBCUTANEOUS SYRINGE 55 MG/0.37 ML	5	PA; NDS
VALCHLOR TOPICAL GEL 0.016 %	5	PA NSO; NDS
<i>zenatane oral capsule 10 mg, 20 mg, 30 mg, 40 mg</i> (Absorica)	2	
Antibacterianos Dermatológicos		
<i>clindamycin phosphate topical solution 1 %</i> (Cleocin T)	2	QL (180 per 30 days)
<i>clindamycin phosphate topical swab 1 %</i> (Clindacin P)	2	
<i>clindamycin-benzoyl peroxide topical gel 1-5 %</i> (Clindamycin Phos/Benzoyl Perox)	4	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>erythromycin with ethanol topical solution 2 %</i>	(Erythromycin Base In Ethanol)	2	
<i>gentamicin topical cream 0.1 %</i>	(Gentamicin Sulfate)	2	QL (90 per 30 days)
<i>gentamicin topical ointment 0.1 %</i>	(Gentamicin Sulfate)	2	QL (120 per 30 days)
<i>metronidazole topical cream 0.75 %</i>	(Metrocream)	2	
<i>metronidazole topical gel 0.75 %</i>	(Rosadan)	2	
<i>metronidazole topical gel 1 %</i>	(Metrogel)	4	
<i>mupirocin topical ointment 2 %</i>	(Centany)	1	QL (220 per 30 days)
<i>rosadan topical cream 0.75 %</i>	(Metrocream)	2	
<i>selenium sulfide topical lotion 2.5 %</i>	(Selenium Sulfide)	2	
<i>silver sulfadiazine topical cream 1 %</i>	(Silvadene)	2	
<i>ssd topical cream 1 %</i>	(Silvadene)	4	
Escabicidas Y Pediculicidas			
<i>malathion topical lotion 0.5 %</i>	(Ovide)	4	
<i>permethrin topical cream 5 %</i>	(Elimite)	2	QL (60 per 30 days)
Retinoides Dermatológicos			
<i>adapalene topical cream 0.1 %</i>	(Differin)	4	
ALTRENO TOPICAL LOTION 0.05 %		4	PA
<i>tazarotene topical cream 0.1 %</i>	(Tazorac)	2	
<i>tretinoin topical cream 0.025 %, 0.05 %, 0.1 %</i>	(Retin-A)	2	PA
Agentes Gastrointestinales			
Agentes Antiúlceras Y Supresores De Ácidos			
<i>amoxicil-clarithromy-lansopraz oral combo pack 500-500-30 mg</i>	(Lansoprazole/Amoxicil n/Clarith)	4	
<i>cimetidine hcl oral solution 300 mg/5 ml</i>	(Cimetidine HCl)	2	
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 20 mg</i>	(Nexium)	2	
<i>esomeprazole magnesium oral capsule, delayed release(dr/ec) 40 mg</i>	(Nexium)	2	
<i>esomeprazole magnesium oral granules dr for susp in packet 10 mg, 20 mg</i>	(Nexium)	4	ST; QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>esomeprazole magnesium oral granules dr for susp in packet 40 mg</i> (Nexium)	4	ST; QL (60 per 30 days)
<i>famotidine oral tablet 20 mg</i> (Pepcid)	1	
<i>famotidine oral tablet 40 mg</i> (Pepcid)	1	
<i>lansoprazole oral capsule, delayed release(dr/ec) 15 mg</i> (Prevacid)	2	QL (30 per 30 days)
<i>lansoprazole oral capsule, delayed release(dr/ec) 30 mg</i> (Prevacid)	2	QL (60 per 30 days)
<i>misoprostol oral tablet 100 mcg, 200 mcg</i> (Cytotec)	2	
<i>omeprazole oral capsule, delayed release(dr/ec) 10 mg, 20 mg, 40 mg</i> (Omeprazole)	1	
<i>pantoprazole oral tablet, delayed release (dr/ec) 20 mg, 40 mg</i> (Protonix)	1	
<i>rabeprazole oral tablet, delayed release (dr/ec) 20 mg</i> (Aciphex)	2	
<i>sucralfate oral tablet 1 gram</i> (Carafate)	2	
VOQUEZNA ORAL TABLET 10 MG, 20 MG	4	PA
Agentes Gastrointestinales, Otros		
<i>carglumic acid oral tablet, dispersible 200 mg</i> (Carglumic Acid)	5	PA; NDS
<i>constulose oral solution 10 gram/15 ml</i> (Lactulose)	2	
<i>cromolyn oral concentrate 100 mg/5 ml</i> (Gastrocrom)	2	
<i>dicyclomine oral capsule 10 mg</i> (Dicyclomine HCl)	2	
<i>dicyclomine oral solution 10 mg/5 ml</i> (Dicyclomine HCl)	2	
<i>dicyclomine oral tablet 20 mg</i> (Dicyclomine HCl)	2	
<i>diphenoxylate-atropine oral tablet 2.5-0.025 mg</i> (Lomotil)	2	
<i>enulose oral solution 10 gram/15 ml</i> (Lactulose)	2	
<i>generlac oral solution 10 gram/15 ml</i> (Lactulose)	2	
<i>glycopyrrolate oral tablet 1 mg</i> (Robinul)	2	
<i>glycopyrrolate oral tablet 2 mg</i> (Robinul)	2	
<i>kionex oral suspension 15 gram/60 ml</i> (Sodium Polystyrene Sulfonate)	2	
<i>lactulose oral solution 10 gram/15 ml</i> (Lactulose)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
LINZESS ORAL CAPSULE 145 MCG, 290 MCG, 72 MCG	3	QL (30 per 30 days)
LOKELMA ORAL POWDER IN PACKET 10 GRAM, 5 GRAM	3	
<i>loperamide oral capsule 2 mg</i> (Loperamide HCl)	2	
<i>lubiprostone oral capsule 24 mcg</i> (Amitiza)	2	QL (60 per 30 days)
<i>lubiprostone oral capsule 8 mcg</i> (Amitiza)	2	QL (120 per 30 days)
<i>metoclopramide hcl oral solution 5 mg/5 ml</i>	2	
<i>metoclopramide hcl oral tablet 10 mg, 5 mg</i> (Reglan)	1	
MOVANTIK ORAL TABLET 12.5 MG, 25 MG	3	QL (30 per 30 days)
<i>sodium polystyrene sulfonate oral powder 15 gram</i> (Sodium Polystyrene Sulfonate)	2	
<i>sodium polystyrene sulfonate oral suspension 15 gram/60 ml</i> (Sodium Polystyrene Sulfonate)	2	
<i>sps (with sorbitol) oral suspension 15-20 gram/60 ml</i> (Sodium Polystyrene Sulfon/Sorb)	2	
TRULANCE ORAL TABLET 3 MG	3	QL (30 per 30 days)
<i>ursodiol oral capsule 200 mg, 400 mg</i> (Reltone)	5	NDS
<i>ursodiol oral capsule 300 mg</i> (Reltone)	2	
<i>ursodiol oral tablet 250 mg</i> (Urso)	2	
<i>ursodiol oral tablet 500 mg</i> (Urso)	2	
VELTASSA ORAL POWDER IN PACKET 1 GRAM, 16.8 GRAM, 25.2 GRAM, 8.4 GRAM	3	
XERMELO ORAL TABLET 250 MG	5	PA; NDS; QL (84 per 28 days)
Enlaces De Fosfato		
<i>calcium acetate(phosphat bind) oral capsule 667 mg</i> (Calcium Acetate)	2	
<i>calcium acetate(phosphat bind) oral tablet 667 mg</i> (Calcium Acetate)	2	
<i>sevelamer carbonate oral powder in packet 0.8 gram, 2.4 gram</i> (Renvela)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>sevelamer carbonate oral tablet 800 mg</i> (Renvela)	2	
<i>sevelamer hcl oral tablet 400 mg, 800 mg</i> (Sevelamer HCl)	2	
Laxantes		
<i>gavilyte-c oral recon soln 240-22.72-6.72 -5.84 gram</i> (Golytely)	2	
<i>gavilyte-g oral recon soln 236-22.74-6.74 -5.86 gram</i> (Golytely)	2	
<i>gavilyte-n oral recon soln 420 gram</i> (Sodium Chloride/Nahco3/Kcl/Pe g)	2	
<i>peg 3350-electrolytes oral recon soln 236-22.74-6.74 -5.86 gram</i> (Golytely)	2	
<i>peg-electrolyte soln oral recon soln 420 gram</i> (Sodium Chloride/Nahco3/Kcl/Pe g)	2	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram</i> (Suprep)	2	
<i>sodium,potassium,mag sulfates oral recon soln 17.5-3.13-1.6 gram 2 pack (480ml)</i> (Suprep)	2	
Agentes Genitourinarios		
Agentes Genitourinarios, Varios		
<i>alfuzosin oral tablet extended release 24 hr 10 mg</i> (Uroxatral)	2	QL (30 per 30 days)
<i>dutasteride oral capsule 0.5 mg</i> (Avodart)	2	
<i>finasteride oral tablet 5 mg</i> (Proscar)	1	
<i>tamsulosin oral capsule 0.4 mg</i> (Flomax)	1	
<i>terazosin oral capsule 1 mg, 10 mg, 2 mg, 5 mg</i> (Terazosin HCl)	1	
Antiespasmódicos, Urinario		
<i>bethanechol chloride oral tablet 10 mg, 25 mg, 5 mg, 50 mg</i> (Bethanechol Chloride)	2	
<i>fesoterodine oral tablet extended release 24 hr 4 mg</i> (Toviaz)	4	
<i>fesoterodine oral tablet extended release 24 hr 8 mg</i> (Toviaz)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>flavoxate oral tablet 100 mg</i> (Flavoxate HCl)	2	
MYRBETRIQ ORAL TABLET EXTENDED RELEASE 24 HR 25 MG, 50 MG (mirabegron)	2	
<i>oxybutynin chloride oral syrup 5 mg/5 ml</i> (Oxybutynin Chloride)	2	
<i>oxybutynin chloride oral tablet 5 mg</i> (Oxybutynin Chloride)	2	
<i>oxybutynin chloride oral tablet extended release 24hr 10 mg, 15 mg, 5 mg</i> (Ditropan XL)	2	
<i>solifenacin oral tablet 10 mg, 5 mg</i> (Vesicare)	2	
<i>tolterodine oral capsule, extended release 24hr 2 mg, 4 mg</i> (Detrol LA)	2	
<i>tolterodine oral tablet 1 mg, 2 mg</i> (Detrol)	2	
<i>tropium oral tablet 20 mg</i> (Tropium Chloride)	2	
Agentes Hormonales, Estimulante/Reemplazo/Modifi cador		
Agentes Tiroideos Y Antitiroideos		
<i>levothyroxine oral tablet 100 mcg, 112 mcg, 125 mcg, 137 mcg, 150 mcg, 175 mcg, 200 mcg, 25 mcg, 300 mcg, 50 mcg, 75 mcg, 88 mcg</i> (Levo-T)	1	
<i>liomny oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	
<i>liothyronine oral tablet 25 mcg, 5 mcg, 50 mcg</i> (Cytomel)	2	
<i>methimazole oral tablet 10 mg, 5 mg</i> (Methimazole)	1	
<i>propylthiouracil oral tablet 50 mg</i> (Propylthiouracil)	2	
REZDIFFRA ORAL TABLET 100 MG, 60 MG, 80 MG	5	PA; NDS
Andrógenos		
<i>danazol oral capsule 100 mg, 200 mg, 50 mg</i> (Danazol)	2	
<i>testosterone cypionate intramuscular oil 100 mg/ml, 200 mg/ml</i> (Depo-Testosterone)	2	PA
<i>testosterone cypionate intramuscular oil 200 mg/ml (1 ml)</i> (Depo-Testosterone)	2	PA

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>testosterone enanthate intramuscular oil 200 mg/ml</i> (Testosterone Enanthate)	2	PA; QL (5 per 28 days)
<i>testosterone transdermal gel in metered-dose pump 12.5 mg/ 1.25 gram (1 %)</i> (Vogelxo)	4	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in metered-dose pump 20.25 mg/1.25 gram (1.62 %)</i> (Vogelxo)	4	PA; QL (150 per 30 days)
<i>testosterone transdermal gel in packet 1 % (25 mg/2.5gram)</i> (Testosterone)	4	PA; QL (300 per 30 days)
<i>testosterone transdermal gel in packet 1 % (50 mg/5 gram)</i> (Testosterone)	4	PA; QL (300 per 30 days)
Estrógenos Y Antiestrógenos		
<i>abigale lo oral tablet 0.5-0.1 mg</i> (Activella)	1	
<i>abigale oral tablet 1-0.5 mg</i> (Activella)	2	
<i>conjugated estrogens oral tablet 0.3 mg, 0.45 mg, 0.625 mg, 0.9 mg, 1.25 mg</i> (Premarin)	2	
<i>dotti transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Minivelle)	2	QL (8 per 28 days)
<i>estradiol oral tablet 0.5 mg, 1 mg, 2 mg</i> (Vagifem)	1	
<i>estradiol transdermal patch semiweekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Minivelle)	2	QL (8 per 28 days)
<i>estradiol transdermal patch weekly 0.025 mg/24 hr, 0.0375 mg/24 hr, 0.05 mg/24 hr, 0.06 mg/24 hr, 0.075 mg/24 hr, 0.1 mg/24 hr</i> (Climara)	2	QL (4 per 28 days)
<i>estradiol vaginal cream 0.01 % (0.1 mg/gram)</i> (Estrace)	2	
<i>estradiol vaginal tablet 10 mcg</i> (Vagifem)	4	QL (18 per 28 days)
<i>estradiol-norethindrone acet oral tablet 0.5-0.1 mg</i> (Activella)	2	
<i>estradiol-norethindrone acet oral tablet 1-0.5 mg</i> (Activella)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>mimvey oral tablet 1-0.5 mg</i> (Activella)	2	
PREMARIN VAGINAL CREAM 0.625 MG/GRAM	3	
PREMPHASE ORAL TABLET 0.625 MG (14)/ 0.625MG-5MG(14)	3	
PREMPRO ORAL TABLET 0.3-1.5 MG, 0.45-1.5 MG, 0.625-2.5 MG, 0.625-5 MG	3	
<i>raloxifene oral tablet 60 mg</i> (Evista)	2	
<i>yuvafem vaginal tablet 10 mcg</i> (Vagifem)	4	QL (18 per 28 days)
Glucocorticoides/Mineralocorticoides		
<i>dexamethasone oral solution 0.5 mg/5 ml</i> (Dexamethasone)	2	
<i>dexamethasone oral tablet 0.5 mg, 0.75 mg, 1 mg, 1.5 mg, 2 mg, 4 mg, 6 mg</i> (Dexamethasone)	2	
<i>dexamethasone sodium phosphate injection solution 10 mg/ml</i> (Dexamethasone Sodium Phosphate)	1	HI
<i>dexamethasone sodium phosphate injection solution 4 mg/ml</i> (Dexamethasone Sodium Phosphate)	1	
<i>fludrocortisone oral tablet 0.1 mg</i> (Fludrocortisone Acetate)	2	
<i>hydrocortisone oral tablet 10 mg, 20 mg, 5 mg</i> (Cortef)	2	
<i>methylprednisolone acetate injection suspension 40 mg/ml</i> (Depo-Medrol)	2	
<i>methylprednisolone oral tablet 16 mg, 4 mg, 8 mg</i> (Medrol)	2	
<i>methylprednisolone oral tablet 32 mg</i> (Medrol)	2	
<i>methylprednisolone oral tablets,dose pack 4 mg</i> (Medrol)	1	
<i>prednisolone 15 mg/5 ml soln d/f 15 mg/5 ml (3 mg/ml)</i> (Pediapred)	2	PA BvD
<i>prednisolone oral solution 15 mg/5 ml</i> (Pediapred)	2	PA BvD
<i>prednisolone sodium phosphate oral solution 25 mg/5 ml (5 mg/ml), 5 mg base/5 ml (6.7 mg/5 ml)</i> (Pediapred)	2	PA BvD

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>prednisone oral solution 5 mg/5 ml</i> (Prednisone)	2	PA BvD
<i>prednisone oral tablet 1 mg, 10 mg, 2.5 mg, 20 mg, 5 mg, 50 mg</i> (Prednisone)	1	PA BvD
<i>prednisone oral tablets, dose pack 10 mg, 10 mg (48 pack), 5 mg, 5 mg (48 pack)</i> (Prednisone)	2	
<i>triamcinolone acetonide injection suspension 40 mg/ml</i> (Kenalog-40)	2	
Pituitario		
CORTROPHIN GEL INJECTION GEL 80 UNIT/ML	5	PA; NDS; QL (35 per 28 days)
<i>desmopressin 10 mcg/0.1 ml spr 10 mcg/spray (0.1 ml)</i> (Desmopressin (Nonrefrigerated))	2	
<i>desmopressin nasal spray, non-aerosol 10 mcg/spray (0.1 ml)</i> (Desmopressin (Nonrefrigerated))	2	
<i>desmopressin oral tablet 0.1 mg, 0.2 mg</i> (DDAVP)	2	
INCRELEX SUBCUTANEOUS SOLUTION 10 MG/ML	5	PA; NDS
<i>lanreotide subcutaneous syringe 120 mg/0.5 ml</i> (Somatuline Depot)	5	PA NSO; NDS; QL (0.5 per 28 days)
LUPRON DEPOT (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG	5	PA NSO; NDS
LUPRON DEPOT INTRAMUSCULAR SYRINGE KIT 3.75 MG	5	PA NSO; NDS
LUPRON DEPOT-PED (3 MONTH) INTRAMUSCULAR SYRINGE KIT 11.25 MG, 30 MG	5	PA; NDS
LUPRON DEPOT-PED INTRAMUSCULAR SYRINGE KIT 45 MG	5	PA; NDS
NORDITROPIN FLEXP SUBCUTANEOUS PEN INJECTOR 10 MG/1.5 ML (6.7 MG/ML), 15 MG/1.5 ML (10 MG/ML), 30 MG/3 ML (10 MG/ML), 5 MG/1.5 ML (3.3 MG/ML)	5	PA; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>octreotide acetate injection solution</i> (Octreotide Acetate) 1,000 mcg/ml	5	NDS
<i>octreotide acetate injection solution</i> (Octreotide Acetate) 100 mcg/ml, 50 mcg/ml, 500 mcg/ml	4	
<i>octreotide acetate injection solution</i> (Octreotide Acetate) 200 mcg/ml	4	
ORGOVYX ORAL TABLET 120 MG	5	PA NSO; NDS
ORILISSA ORAL TABLET 150 MG	5	PA; NDS; QL (28 per 28 days)
ORILISSA ORAL TABLET 200 MG	5	PA; NDS; QL (56 per 28 days)
SEROSTIM SUBCUTANEOUS RECON SOLN 4 MG, 5 MG, 6 MG	5	PA; NDS
SIGNIFOR SUBCUTANEOUS SOLUTION 0.3 MG/ML (1 ML), 0.6 MG/ML (1 ML), 0.9 MG/ML (1 ML)	5	PA; NDS; QL (60 per 30 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 60 MG/0.2 ML	5	PA NSO; NDS; QL (0.2 per 28 days)
SOMATULINE DEPOT (lanreotide) SUBCUTANEOUS SYRINGE 90 MG/0.3 ML	5	PA NSO; NDS; QL (0.3 per 28 days)
SOMAVERT SUBCUTANEOUS RECON SOLN 10 MG, 15 MG, 20 MG, 25 MG, 30 MG	5	PA; NDS
Progestinas		
DEPO-SUBQ PROVERA 104 SUBCUTANEOUS SYRINGE 104 MG/0.65 ML	3	QL (0.65 per 84 days)
<i>gallifrey oral tablet 5 mg</i> (Aygestin)	2	
<i>medroxyprogesterone intramuscular suspension 150 mg/ml</i> (Depo-Provera)	2	
<i>medroxyprogesterone intramuscular syringe 150 mg/ml</i> (Depo-Provera)	2	
<i>medroxyprogesterone oral tablet 10 mg, 2.5 mg, 5 mg</i> (Provera)	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>megestrol oral suspension 400 mg/10 ml (40 mg/ml), 625 mg/5 ml (125 mg/ml)</i> (Megestrol Acetate)	2	
<i>norethindrone acetate oral tablet 5 mg</i> (Aygestin)	2	
<i>progesterone micronized oral capsule 100 mg, 200 mg</i> (Prometrium)	2	
Agentes Inmunológicos		
Agentes Inmunológicos		
<i>adalimumab-aaty subcutaneous auto-injector, kit 40 mg/0.4 ml</i> (Yuflyma(Cf) Autoinjector)	5	PA; NDS
<i>adalimumab-aaty subcutaneous auto-injector, kit 80 mg/0.8 ml</i> (Yuflyma(Cf) Autoinjector)	5	PA; NDS
<i>adalimumab-aaty subcutaneous syringe kit 20 mg/0.2 ml, 40 mg/0.4 ml</i> (Adalimumab-Aaty)	5	PA; NDS
<i>adalimumab-aaty(cf) ai crohns subcutaneous auto-injector, kit 80 mg/0.8 ml</i> (Yuflyma(Cf) Autoinjector)	5	PA; NDS
ARCALYST SUBCUTANEOUS RECON SOLN 220 MG	5	PA; NDS
<i>azathioprine oral tablet 50 mg</i> (Imuran)	2	PA BvD
<i>azathioprine sodium injection recon soln 100 mg</i> (Azathioprine Sodium)	2	PA BvD
BENLYSTA SUBCUTANEOUS AUTO-INJECTOR 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BENLYSTA SUBCUTANEOUS SYRINGE 200 MG/ML	5	PA; NDS; QL (8 per 28 days)
BESREMI SUBCUTANEOUS SYRINGE 500 MCG/ML	5	PA NSO; NDS; QL (2 per 28 days)
CIMZIA POWDER FOR RECONST SUBCUTANEOUS KIT 400 MG (200 MG X 2 VIALS)	5	PA; NDS
CIMZIA STARTER KIT SUBCUTANEOUS SYRINGE KIT 400 MG/2 ML (200 MG/ML X 2)	5	PA; NDS
CIMZIA SUBCUTANEOUS SYRINGE KIT 200 MG/ML, 400 MG/2 ML (200 MG/ML X 2)	5	PA; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
COSENTYX (2 SYRINGES) SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS
COSENTYX PEN (2 PENS) SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
COSENTYX SUBCUTANEOUS SYRINGE 75 MG/0.5 ML	5	PA; NDS
COSENTYX UNOREADY PEN SUBCUTANEOUS PEN INJECTOR 300 MG/2 ML	5	PA; NDS
<i>cyclosporine intravenous solution</i> (Sandimmune) 250 mg/5 ml	2	PA BvD
<i>cyclosporine modified oral capsule</i> (Neoral) 100 mg, 25 mg	2	PA BvD
<i>cyclosporine modified oral capsule</i> (Neoral) 50 mg	2	PA BvD
<i>cyclosporine modified oral solution</i> (Neoral) 100 mg/ml	2	PA BvD
<i>cyclosporine oral capsule</i> 100 mg, 25 (Sandimmune) mg	2	PA BvD
CYLTEZO(CF) PEN CROHN'S-UC- (adalimumab-adbm) HS SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NDS
CYLTEZO(CF) PEN PSORIASIS- (adalimumab-adbm) UV SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NDS
CYLTEZO(CF) PEN (adalimumab-adbm) SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NDS
CYLTEZO(CF) SUBCUTANEOUS (adalimumab-adbm) SYRINGE KIT 10 MG/0.2 ML, 20 MG/0.4 ML, 40 MG/0.4 ML, 40 MG/0.8 ML	5	PA; NDS
DUPIXENT PEN SUBCUTANEOUS PEN INJECTOR 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
DUPIXENT SYRINGE SUBCUTANEOUS SYRINGE 100 MG/0.67 ML, 200 MG/1.14 ML, 300 MG/2 ML	5	PA; NDS
ENBREL MINI SUBCUTANEOUS CARTRIDGE 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SUBCUTANEOUS SOLUTION 25 MG/0.5 ML	5	PA; NDS
ENBREL SUBCUTANEOUS SYRINGE 25 MG/0.5 ML (0.5), 50 MG/ML (1 ML)	5	PA; NDS
ENBREL SURECLICK SUBCUTANEOUS PEN INJECTOR 50 MG/ML (1 ML)	5	PA; NDS
<i>everolimus (immunosuppressive) oral (Zortress)</i> <i>tablet 0.25 mg</i>	2	PA BvD
<i>everolimus (immunosuppressive) oral (Zortress)</i> <i>tablet 0.5 mg, 0.75 mg, 1 mg</i>	5	PA BvD; NDS
GAMUNEX-C INJECTION SOLUTION 1 GRAM/10 ML (10 %)	5	PA BvD; NDS
<i>gengraf oral capsule 100 mg, 25 mg (Neoral)</i>	2	PA BvD
<i>gengraf oral solution 100 mg/ml (Neoral)</i>	2	PA BvD
HADLIMA PUSHTOUCH SUBCUTANEOUS AUTO- INJECTOR 40 MG/0.8 ML	5	PA; NDS
HADLIMA SUBCUTANEOUS SYRINGE 40 MG/0.8 ML	5	PA; NDS
HADLIMA(CF) PUSHTOUCH (adalimumab-bwwd) SUBCUTANEOUS AUTO- INJECTOR 40 MG/0.4 ML	5	PA; NDS
HADLIMA(CF) SUBCUTANEOUS (adalimumab-bwwd) SYRINGE 40 MG/0.4 ML	5	PA; NDS
HUMIRA PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA SUBCUTANEOUS SYRINGE KIT 40 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
HUMIRA(CF) PEDI CROHNS STARTER SUBCUTANEOUS SYRINGE KIT 80 MG/0.8 ML, 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN CROHNS-UC- HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PEDIATRIC UC SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN PSOR-UV- ADOL HS SUBCUTANEOUS PEN INJECTOR KIT 80 MG/0.8 ML-40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) PEN SUBCUTANEOUS PEN INJECTOR KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NDS; Only NDCs starting with 00074
HUMIRA(CF) SUBCUTANEOUS SYRINGE KIT 10 MG/0.1 ML, 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS; Only NDCs starting with 00074
<i>infliximab intravenous recon soln</i> (Remicade) <i>100 mg</i>	5	PA; NDS
KINERET SUBCUTANEOUS SYRINGE 100 MG/0.67 ML	5	PA; NDS
<i>leflunomide oral tablet 10 mg, 20 mg</i> (Arava)	2	
<i>mycophenolate mofetil (hcl)</i> (Cellcept) <i>intravenous recon soln 500 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral capsule</i> (Cellcept) <i>250 mg</i>	2	PA BvD
<i>mycophenolate mofetil oral</i> (Cellcept) <i>suspension for reconstitution 200</i> <i>mg/ml</i>	5	PA BvD; NDS
<i>mycophenolate mofetil oral tablet</i> (Cellcept) <i>500 mg</i>	2	PA BvD
<i>mycophenolate sodium oral</i> (Myfortic) <i>tablet, delayed release (dr/ec) 180</i> <i>mg, 360 mg</i>	4	PA BvD
NIKTIMVO INTRAVENOUS SOLUTION 50 MG/ML	5	PA NSO; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
NULOJIX INTRAVENOUS RECON SOLN 250 MG	5	PA BvD; NDS
ORENCIA (WITH MALTOSE) INTRAVENOUS RECON SOLN 250 MG	5	PA; NDS
ORENCIA CLICKJECT SUBCUTANEOUS AUTO- INJECTOR 125 MG/ML	5	PA; NDS
ORENCIA SUBCUTANEOUS SYRINGE 125 MG/ML, 50 MG/0.4 ML, 87.5 MG/0.7 ML	5	PA; NDS
OTEZLA ORAL TABLET 20 MG, 30 MG	5	PA; NDS
OTEZLA STARTER ORAL TABLETS,DOSE PACK 10 MG (4)- 20 MG (51), 10 MG (4)-20 MG (4)- 30 MG (47), 10 MG (4)-20 MG (4)- 30 MG(19)	5	PA; NDS
OTEZLA XR INITIATION ORAL TABLET AND TABLET ER DOSE PACK 10-20-30-75 MG	5	PA; NDS
OTEZLA XR ORAL TABLET EXTENDED RELEASE 24 HR 75 MG	5	PA; NDS
PROGRAF INTRAVENOUS (tacrolimus) SOLUTION 5 MG/ML	4	PA BvD
PROGRAF ORAL GRANULES IN PACKET 0.2 MG, 1 MG	4	PA BvD
RASUVO (PF) SUBCUTANEOUS AUTO-INJECTOR 10 MG/0.2 ML, 12.5 MG/0.25 ML, 15 MG/0.3 ML, 17.5 MG/0.35 ML, 20 MG/0.4 ML, 22.5 MG/0.45 ML, 25 MG/0.5 ML, 30 MG/0.6 ML, 7.5 MG/0.15 ML	4	ST
REZUROCK ORAL TABLET 200 MG	5	PA NSO; NDS
RINVOQ LQ ORAL SOLUTION 1 MG/ML	5	PA; NDS; QL (360 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
RINVOQ ORAL TABLET EXTENDED RELEASE 24 HR 15 MG, 30 MG, 45 MG	5	PA; NDS
SELARSDI INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
SELARSDI SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	3	PA
SELARSDI SUBCUTANEOUS (ustekinumab-aekn) SYRINGE 45 MG/0.5 ML	3	PA
SELARSDI SUBCUTANEOUS (ustekinumab-aekn) SYRINGE 90 MG/ML	5	PA; NDS
<i>sirolimus oral solution 1 mg/ml</i> (Rapamune)	2	PA BvD
<i>sirolimus oral tablet 0.5 mg, 1 mg, 2 mg</i> (Rapamune)	2	PA BvD
SKYRIZI INTRAVENOUS SOLUTION 60 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS PEN INJECTOR 150 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS SYRINGE 150 MG/ML	5	PA; NDS
SKYRIZI SUBCUTANEOUS WEARABLE INJECTOR 180 MG/1.2 ML (150 MG/ML), 360 MG/2.4 ML (150 MG/ML)	5	PA; NDS
<i>tacrolimus intravenous solution 5 mg/ml</i> (Tacrolimus)	2	PA BvD
<i>tacrolimus oral capsule 0.5 mg, 1 mg, 5 mg</i> (Prograf)	2	PA BvD
<i>tacrolimus oral capsule, extended release 24hr 0.5 mg, 1 mg</i> (Tacrolimus)	2	PA BvD
<i>tacrolimus oral capsule, extended release 24hr 5 mg</i> (Tacrolimus)	5	PA BvD; NDS
TAVNEOS ORAL CAPSULE 10 MG	5	PA; NDS; QL (180 per 30 days)
<i>tofacitinib oral solution 1 mg/ml</i> (Xeljanz)	5	PA; NDS
<i>tofacitinib oral tablet 10 mg, 5 mg</i> (Xeljanz)	5	PA; NDS
<i>tofacitinib oral tablet extended release 24 hr 11 mg, 22 mg</i> (Xeljanz XR)	5	PA; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TREMFYA INTRAVENOUS SOLUTION 200 MG/20 ML (10 MG/ML)	5	PA; NDS
TREMFYA ONE-PRESS SUBCUTANEOUS AUTO- INJECTOR 100 MG/ML	5	PA; NDS
TREMFYA PEN INDUCTION PK(2PEN) SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NDS
TREMFYA PEN SUBCUTANEOUS PEN INJECTOR 200 MG/2 ML	5	PA; NDS
TREMFYA SUBCUTANEOUS SYRINGE 100 MG/ML, 200 MG/2 ML	5	PA; NDS
TYENNE AUTOINJECTOR SUBCUTANEOUS PEN INJECTOR 162 MG/0.9 ML	5	PA; NDS
TYENNE INTRAVENOUS SOLUTION 200 MG/10 ML (20 MG/ML), 400 MG/20 ML (20 MG/ML), 80 MG/4 ML (20 MG/ML)	5	PA; NDS
TYENNE SUBCUTANEOUS SYRINGE 162 MG/0.9 ML	5	PA; NDS
<i>ustekinumab-aauz subcutaneous syringe 45 mg/0.5 ml, 90 mg/ml</i> (Ustekinumab-Aauz)	3	PA
YESINTEK INTRAVENOUS SOLUTION 130 MG/26 ML	5	PA; NDS
YESINTEK SUBCUTANEOUS SOLUTION 45 MG/0.5 ML	3	PA
YESINTEK SUBCUTANEOUS SYRINGE 45 MG/0.5 ML	3	PA
YESINTEK SUBCUTANEOUS SYRINGE 90 MG/ML	5	PA; NDS
YUFLYMA(CF) AI CROHN'S-UC- HS SUBCUTANEOUS AUTO- INJECTOR, KIT 80 MG/0.8 ML (adalimumab-aaty)	5	PA; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
YUFLYMA(CF) AUTOINJECTOR (adalimumab-aaty) SUBCUTANEOUS AUTO- INJECTOR, KIT 40 MG/0.4 ML, 80 MG/0.8 ML	5	PA; NDS
YUFLYMA(CF) SUBCUTANEOUS (adalimumab-aaty) SYRINGE KIT 20 MG/0.2 ML, 40 MG/0.4 ML	5	PA; NDS
Vacunas		
ABRYSVO (PF) INTRAMUSCULAR RECON SOLN 120 MCG/0.5 ML	3	\$0 copay
ACTHIB (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SUSPENSION 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	\$0 copay
ADACEL(TDAP ADOLESN/ADULT)(PF) INTRAMUSCULAR SYRINGE 2 LF-(2.5-5-3-5 MCG)-5LF/0.5 ML	3	\$0 copay
AREXVY (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 120 MCG/0.5 ML	3	\$0 copay
BCG VACCINE, LIVE (PF) PERCUTANEOUS SUSPENSION FOR RECONSTITUTION 50 MG	3	\$0 copay
BEXSERO INTRAMUSCULAR SYRINGE 50-50-50-25 MCG/0.5 ML	3	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SUSPENSION 2.5-8-5 LF-MCG-LF/0.5ML	3	\$0 copay
BOOSTRIX TDAP INTRAMUSCULAR SYRINGE 2.5- 8-5 LF-MCG-LF/0.5ML	3	\$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
DAPTACEL (DTAP PEDIATRIC) (PF) INTRAMUSCULAR SUSPENSION 15-10-5 LF-MCG- LF/0.5ML	3	
DENG VAXIA (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP4.5-6 CCID50/0.5 ML	3	QL (3 per 365 days)
ENGRIX-B (PF) INTRAMUSCULAR SUSPENSION 20 MCG/ML	3	PA BvD; \$0 copay
ENGRIX-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/ML	3	PA BvD; \$0 copay
ENGRIX-B PEDIATRIC (PF) INTRAMUSCULAR SYRINGE 10 MCG/0.5 ML	3	PA BvD; \$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SUSPENSION 0.5 ML	3	\$0 copay
GARDASIL 9 (PF) INTRAMUSCULAR SYRINGE 0.5 ML	3	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 1,440 ELISA UNIT/ML	3	\$0 copay
HAVRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT/0.5 ML	3	
HEPLISAV-B (PF) INTRAMUSCULAR SYRINGE 20 MCG/0.5 ML	3	PA BvD; \$0 copay
HIBERIX (PF) INTRAMUSCULAR RECON SOLN 10 MCG/0.5 ML	3	
IMOVAX RABIES VACCINE (PF) INTRAMUSCULAR RECON SOLN 2.5 UNIT	3	PA BvD; \$0 copay
INFANRIX (DTAP) (PF) INTRAMUSCULAR SYRINGE 25- 58-10 LF-MCG-LF/0.5ML	3	
IPOLE INJECTION SUSPENSION 40-8-32 UNIT/0.5 ML	3	\$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
IXIARO (PF) INTRAMUSCULAR SYRINGE 6 MCG/0.5 ML	3	\$0 copay
JYNNEOS (PF) SUBCUTANEOUS SUSPENSION 0.5X TO 3.95X 10EXP8 UNIT/0.5	3	\$0 copay
KINRIX (PF) INTRAMUSCULAR SYRINGE 25 LF-58 MCG-10 LF/0.5 ML	3	
MENACTRA (PF) INTRAMUSCULAR SOLUTION 4 MCG/0.5 ML	3	\$0 copay
MENQUADFI (PF) INTRAMUSCULAR SOLUTION 10 MCG/0.5 ML	3	\$0 copay
MENVEO A-C-Y-W-135-DIP (PF) INTRAMUSCULAR KIT 10-5 MCG/0.5 ML	3	\$0 copay
M-M-R II (PF) SUBCUTANEOUS RECON SOLN 1,000-12,500 TCID50/0.5 ML	3	\$0 copay
MRESVIA (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	3	\$0 copay
PEDIARIX (PF) INTRAMUSCULAR SYRINGE 10 MCG-25LF-25 MCG-10LF/0.5 ML	3	
PEDVAX HIB (PF) INTRAMUSCULAR SOLUTION 7.5 MCG/0.5 ML	3	
PENBRAYA (PF) INTRAMUSCULAR KIT 5-120 MCG/0.5 ML	3	\$0 copay
PENBRAYA MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 5 MCG/0.5 ML	3	\$0 copay
PENBRAYA MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	\$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
PENMENVY MEN A-B-C-W-Y (PF) INTRAMUSCULAR KIT 0.5 ML	3	\$0 copay
PENMENVY MENACWY COMPONENT(PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 10-5 MCG	3	\$0 copay
PENMENVY MENB COMPONENT (PF) INTRAMUSCULAR SYRINGE 50- 50-50-25 MCG/0.5 ML	3	\$0 copay
PENTACEL (PF) INTRAMUSCULAR KIT 15LF- 20MCG-5LF- 62 DU/0.5 ML	3	
PRIORIX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3.4-4.2- 3.3CCID50/0.5ML	3	\$0 copay
PROQUAD (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10EXP3-4.3-3- 3.99 TCID50/0.5	3	
QUADRACEL (PF) INTRAMUSCULAR SUSPENSION 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
QUADRACEL (PF) INTRAMUSCULAR SYRINGE 15 LF-48 MCG- 5 LF UNIT/0.5ML	3	
RABAVERT (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 2.5 UNIT	3	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SUSPENSION 10 MCG/ML, 40 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; \$0 copay
RECOMBIVAX HB (PF) INTRAMUSCULAR SYRINGE 10 MCG/ML, 5 MCG/0.5 ML	3	PA BvD; \$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ROTARIX ORAL SUSPENSION 10EXP6 CCID50 /1.5 ML	3	
ROTARIX ORAL SUSPENSION FOR RECONSTITUTION 10EXP6 CCID50/ML	3	
ROTATEQ VACCINE ORAL SOLUTION 2 ML	3	
SHINGRIX (PF) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 50 MCG/0.5 ML	3	\$0 copay; QL (2 per 365 days)
SHINGRIX (PF) INTRAMUSCULAR SYRINGE 50 MCG/0.5 ML	3	\$0 copay; QL (2 per 365 days)
TDVAX INTRAMUSCULAR SUSPENSION 2-2 LF UNIT/0.5 ML	3	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SUSPENSION 5 LF UNIT- 2 LF UNIT/0.5ML	3	\$0 copay
TENIVAC (PF) INTRAMUSCULAR SYRINGE 5-2 LF UNIT/0.5 ML	3	\$0 copay
TICOVAC INTRAMUSCULAR SYRINGE 1.2 MCG/0.25 ML	3	
TICOVAC INTRAMUSCULAR SYRINGE 2.4 MCG/0.5 ML	3	\$0 copay
TRUMENBA INTRAMUSCULAR SYRINGE 120 MCG/0.5 ML	3	\$0 copay
TWINRIX (PF) INTRAMUSCULAR SYRINGE 720 ELISA UNIT- 20 MCG/ML	3	\$0 copay
TYPHIM VI INTRAMUSCULAR SOLUTION 25 MCG/0.5 ML	3	\$0 copay
TYPHIM VI INTRAMUSCULAR SYRINGE 25 MCG/0.5 ML (typhoid vi polysacch vaccine)	3	\$0 copay
VAQTA (PF) INTRAMUSCULAR SUSPENSION 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SUSPENSION 50 UNIT/ML	3	\$0 copay

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
VAQTA (PF) INTRAMUSCULAR SYRINGE 25 UNIT/0.5 ML	3	
VAQTA (PF) INTRAMUSCULAR SYRINGE 50 UNIT/ML	3	\$0 copay
VARIVAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 1,350 UNIT/0.5 ML	3	\$0 copay
VAXCHORA VACCINE ORAL SUSPENSION FOR RECONSTITUTION 4X10EXP8 TO 2X 10EXP9 CF UNIT	3	\$0 copay
VIMKUNYA INTRAMUSCULAR SYRINGE 40 MCG/0.8 ML	3	\$0 copay
VIVOTIF ORAL CAPSULE,DELAYED RELEASE(DR/EC) 2 BILLION UNIT	3	\$0 copay
YF-VAX (PF) SUBCUTANEOUS SUSPENSION FOR RECONSTITUTION 10 EXP4.74 UNIT/0.5 ML	3	\$0 copay
Agentes Oftálmicos		
Agentes Antiglaucoma		
<i>acetazolamide oral capsule, extended release 500 mg</i> (Acetazolamide)	2	
<i>acetazolamide oral tablet 125 mg, 250 mg</i> (Acetazolamide)	2	
<i>acetazolamide sodium injection recon soln 500 mg</i> (Acetazolamide Sodium)	2	
<i>betaxolol ophthalmic (eye) drops 0.5 %</i> (Betaxolol HCl)	4	
<i>brimonidine ophthalmic (eye) drops 0.1 %</i> (Alphagan P)	4	
<i>brimonidine ophthalmic (eye) drops 0.15 %</i> (Alphagan P)	2	
<i>brimonidine ophthalmic (eye) drops 0.2 %</i> (Alphagan P)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>brimonidine-timolol ophthalmic (eye) drops 0.2-0.5 %</i> (Combigan)	4	
<i>brinzolamide ophthalmic (eye) drops,suspension 1 %</i> (Azopt)	2	
<i>carteolol ophthalmic (eye) drops 1 %</i> (Carteolol HCl)	2	
<i>dorzolamide ophthalmic (eye) drops 2 %</i> (Dorzolamide HCl)	2	
<i>dorzolamide-timolol ophthalmic (eye) drops 22.3-6.8 mg/ml</i> (Cosopt)	2	
<i>latanoprost ophthalmic (eye) drops 0.005 %</i> (Xalatan)	1	QL (2.5 per 25 days)
<i>levobunolol ophthalmic (eye) drops 0.5 %</i> (Levobunolol HCl)	2	
LUMIGAN OPHTHALMIC (EYE) DROPS 0.01 % (bimatoprost)	3	QL (2.5 per 25 days)
<i>methazolamide oral tablet 25 mg, 50 mg</i> (Methazolamide)	4	
<i>pilocarpine hcl ophthalmic (eye) drops 1 %, 2 %, 4 %</i> (Vuity)	2	
RHOPRESSA OPHTHALMIC (EYE) DROPS 0.02 %	3	QL (2.5 per 25 days)
ROCKLATAN OPHTHALMIC (EYE) DROPS 0.02-0.005 %	3	QL (2.5 per 25 days)
SIMBRINZA OPHTHALMIC (EYE) DROPS,SUSPENSION 1-0.2 %	3	
<i>timolol maleate ophthalmic (eye) drops 0.25 %, 0.5 %</i> (Timolol Maleate)	1	
<i>timolol ophthalmic (eye) drops 0.5 %</i> (Betimol)	1	
<i>travoprost ophthalmic (eye) drops 0.004 %</i> (Travatan Z)	4	QL (2.5 per 25 days)
VYZULTA OPHTHALMIC (EYE) DROPS 0.024 %	4	QL (5 per 30 days)
Agentes Para Los Ojos, Oídos, Nariz, Garganta		
Agentes Antiinfecciosos De Ojos, Oídos, Nariz Y Garganta		
<i>acetic acid otic (ear) solution 2 %</i> (Acetic Acid)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>bacitracin ophthalmic (eye) ointment 500 unit/gram</i> (Bacitracin)	2	
<i>bacitracin-polymyxin b ophthalmic (eye) ointment 500-10,000 unit/gram</i> (Bacitracin/Polymyxin B Sulfate)	2	
<i>ciprofloxacin hcl ophthalmic (eye) drops 0.3 %</i> (Ciprofloxacin HCl)	2	
<i>ciprofloxacin-dexamethasone otic (ear) drops,suspension 0.3-0.1 %</i> (Ciprodex)	2	QL (7.5 per 7 days)
<i>erythromycin ophthalmic (eye) ointment 5 mg/gram (0.5 %)</i> (Erythromycin Base)	2	QL (3.5 per 4 days)
<i>gentamicin ophthalmic (eye) drops 0.3 %</i> (Gentamicin Sulfate)	2	
<i>hydrocortisone-acetic acid otic (ear) drops 1-2 %</i> (Hydrocortisone/Acetic Acid)	2	
<i>moxifloxacin ophthalmic (eye) drops 0.5 %</i> (Vigamox)	2	
NATACYN OPHTHALMIC (EYE) DROPS,SUSPENSION 5 %	4	
<i>neomycin-bacitracin-poly-hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i> (Neomycin/Bacit/P-Myx/Hydrocort)	2	
<i>neomycin-bacitracin-polymyxin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i> (Neomycin/Bacitracin/Polymyxinb)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) drops,suspension 3.5mg/ml-10,000 unit/ml-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin b-dexameth ophthalmic (eye) ointment 3.5 mg/g-10,000 unit/g-0.1 %</i> (Maxitrol)	2	
<i>neomycin-polymyxin-gramicidin ophthalmic (eye) drops 1.75 mg-10,000 unit-0.025mg/ml</i> (Neomycin/Polymyxin B/Gramicidin)	2	
<i>neomycin-polymyxin-hc otic (ear) drops,suspension 3.5-10,000-1 mg/ml-unit/ml-%</i> (Neomycin/Polymyxin B/Hydrocort)	2	
<i>neomycin-polymyxin-hc otic (ear) solution 3.5-10,000-1 mg/ml-unit/ml-%</i> (Neomycin/Polymyxin B/Hydrocort)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>neo-polycin hc ophthalmic (eye) ointment 3.5-400-10,000 mg-unit/g-1%</i>	(Neomycin/Bacit/P-Myx/Hydrocort)	2	
<i>neo-polycin ophthalmic (eye) ointment 3.5-400-10,000 mg-unit-unit/g</i>	(Neomycin/Bacitracin/Polymyxinb)	2	
<i>ofloxacin ophthalmic (eye) drops 0.3 %</i>	(Ocuflox)	2	
<i>ofloxacin otic (ear) drops 0.3 %</i>	(Ocuflox)	2	
<i>polycin ophthalmic (eye) ointment 500-10,000 unit/gram</i>	(Bacitracin/Polymyxin B Sulfate)	2	
<i>polymyxin b sulf-trimethoprim ophthalmic (eye) drops 10,000 unit- 1 mg/ml</i>	(Polymyxin B Sulf/Trimethoprim)	1	
<i>sulfacetamide sodium ophthalmic (eye) drops 10 %</i>	(Sulfacetamide Sodium)	2	
<i>sulfacetamide sodium ophthalmic (eye) ointment 10 %</i>	(Sulfacetamide Sodium)	2	
<i>sulfacetamide-prednisolone ophthalmic (eye) drops 10 %-0.23 % (0.25 %)</i>	(Sulfacetamide/Prednisolone Sp)	2	
<i>tobramycin ophthalmic (eye) drops 0.3 %</i>	(Tobramycin)	1	
<i>tobramycin-dexamethasone ophthalmic (eye) drops,suspension 0.3-0.1 %</i>	(Tobradex)	2	
<i>tobramycin-lotepred ophthalmic (eye) drops,suspension 0.3-0.5 %</i>	(Zylet)	2	
<i>trifluridine ophthalmic (eye) drops 1 %</i>	(Trifluridine)	4	
XDEM VY OPHTHALMIC (EYE) DROPS 0.25 %		5	PA; NDS; QL (10 per 42 days)
ZIRGAN OPHTHALMIC (EYE) GEL 0.15 %		4	
Agentes Antiinflamatorios De Ojos, Oídos, Nariz Y Garganta			
<i>bromfenac ophthalmic (eye) drops 0.07 %</i>	(Prolensa)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>cyclosporine ophthalmic (eye) dropperette 0.05 %</i> (Restasis)	2	QL (60 per 30 days)
<i>dexamethasone sodium phosphate ophthalmic (eye) drops 0.1 %</i> (Dexamethasone Sodium Phosphate)	2	
<i>diclofenac sodium ophthalmic (eye) drops 0.1 %</i> (Diclofenac Sodium)	2	
<i>difluprednate ophthalmic (eye) drops 0.05 %</i> (Durezol)	4	
EYSUVIS OPHTHALMIC (EYE) DROPS,SUSPENSION 0.25 %	3	QL (8.3 per 14 days)
<i>flunisolide nasal spray,non-aerosol 25 mcg (0.025 %)</i> (Flunisolide)	4	QL (50 per 25 days)
<i>fluocinolone acetonide oil otic (ear) drops 0.01 %</i> (Dermotic)	2	
<i>fluorometholone ophthalmic (eye) drops,suspension 0.1 %</i> (FML)	2	
<i>flurbiprofen sodium ophthalmic (eye) drops 0.03 %</i> (Flurbiprofen Sodium)	2	
<i>fluticasone propionate nasal spray,suspension 50 mcg/actuation</i> (Fluticasone Propionate)	1	QL (16 per 30 days)
ILEVRO OPHTHALMIC (EYE) DROPS,SUSPENSION 0.3 %	3	
INVELTYS OPHTHALMIC (EYE) DROPS,SUSPENSION 1 %	3	QL (5.6 per 14 days)
<i>ketorolac ophthalmic (eye) drops 0.5 %</i> (Acular)	2	QL (10 per 25 days)
LOTEMAX OPHTHALMIC (EYE) OINTMENT 0.5 %	3	QL (3.5 per 14 days)
LOTEMAX SM OPHTHALMIC (EYE) DROPS,GEL 0.38 %	3	QL (5 per 16 days)
<i>loteprednol etabonate ophthalmic (eye) drops,gel 0.5 %</i> (Lotemax)	4	QL (10 per 14 days)
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.2 %</i> (Alrex)	2	ST
<i>loteprednol etabonate ophthalmic (eye) drops,suspension 0.5 %</i> (Alrex)	4	QL (15 per 19 days)
<i>mometasone nasal spray,non-aerosol 50 mcg/actuation</i> (Mometasone Furoate)	4	QL (34 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>prednisolone acetate ophthalmic (eye) drops, suspension 1 %</i> (Pred Forte)	4	
XIIDRA OPHTHALMIC (EYE) DROPPERETTE 5 %	3	QL (60 per 30 days)
Agentes De Ojos, Oídos, Nariz Y Garganta, Varios		
<i>atropine ophthalmic (eye) drops 1 %</i>	2	
<i>azelastine nasal spray, non-aerosol 137 mcg (0.1 %)</i> (Azelastine HCl)	2	QL (60 per 30 days)
<i>azelastine nasal spray, non-aerosol 205.5 mcg (0.15 %)</i> (Azelastine HCl)	2	QL (30 per 25 days)
<i>azelastine ophthalmic (eye) drops 0.05 %</i> (Azelastine HCl)	2	
<i>cromolyn ophthalmic (eye) drops 4 %</i> (Cromolyn Sodium)	2	
<i>epinastine ophthalmic (eye) drops 0.05 %</i> (Epinastine HCl)	4	
<i>ipratropium bromide nasal spray, non-aerosol 21 mcg (0.03 %)</i> (Ipratropium Bromide)	2	QL (30 per 28 days)
<i>ipratropium bromide nasal spray, non-aerosol 42 mcg (0.06 %)</i> (Ipratropium Bromide)	2	QL (15 per 10 days)
MIEBO (PF) OPHTHALMIC (EYE) DROPS 100 %	3	QL (12 per 28 days)
<i>olopatadine ophthalmic (eye) drops 0.1 %</i> (Olopatadine HCl)	2	
<i>olopatadine ophthalmic (eye) drops 0.2 %</i> (Olopatadine HCl)	2	
Agentes Terapeúticos Misceláneos		
Agentes Terapeúticos Misceláneos		
ACTIMMUNE SUBCUTANEOUS SOLUTION 100 MCG/0.5 ML	5	PA; NDS
BAQSIMI NASAL SPRAY, NON- AEROSOL 3 MG/ACTUATION	3	
<i>betaine oral powder 1 gram/scoop</i> (Cystadane)	5	PA; NDS
<i>buspirone oral tablet 10 mg, 15 mg, 30 mg, 5 mg, 7.5 mg</i> (Buspirone HCl)	1	
<i>diazoxide oral suspension 50 mg/ml</i> (Proglycem)	5	NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>glucagon emergency kit (human)</i> (Glucagen) <i>injection recon soln 1 mg</i>	3	
<i>glutamine (sickle cell) oral powder in</i> (Glutamine) <i>packet 5 gram</i>	5	PA; NDS; QL (180 per 30 days)
GVOKE HYPOPEN 2-PACK SUBCUTANEOUS AUTO- INJECTOR 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE PFS 1-PACK SYRINGE SUBCUTANEOUS SYRINGE 0.5 MG/0.1 ML, 1 MG/0.2 ML	3	
GVOKE SUBCUTANEOUS SOLUTION 1 MG/0.2 ML	3	
<i>hydroxyzine pamoate oral capsule</i> (Vistaril) <i>100 mg</i>	2	
<i>hydroxyzine pamoate oral capsule 25</i> (Vistaril) <i>mg, 50 mg</i>	1	
<i>leucovorin calcium oral tablet 10 mg,</i> (Leucovorin Calcium) <i>15 mg, 25 mg, 5 mg</i>	2	
<i>mesna oral tablet 400 mg</i> (Mesnex)	5	NDS
<i>nitroglycerin rectal ointment 0.4 %</i> (Rectiv) <i>(w/w)</i>	2	QL (30 per 30 days)
<i>pyridostigmine bromide oral tablet</i> (Mestinon) <i>60 mg</i>	2	
THALOMID ORAL CAPSULE 100 MG	5	PA NSO; NDS; QL (120 per 30 days)
THALOMID ORAL CAPSULE 150 MG, 200 MG	5	PA NSO; NDS; QL (56 per 28 days)
THALOMID ORAL CAPSULE 50 MG	5	PA NSO; NDS; QL (224 per 28 days)
TYBOST ORAL TABLET 150 MG	3	QL (30 per 30 days)
VEOZAH ORAL TABLET 45 MG	4	PA; QL (30 per 30 days)
VOWST ORAL CAPSULE 1 X 10EXP6 TO 3 X 10EXP7 CELL	5	PA; NDS; QL (12 per 30 days)
Agentes Vasodilatadores		
Agentes Vasodilatadores		
ADEMPAS ORAL TABLET 0.5 MG, 1 MG, 1.5 MG, 2 MG, 2.5 MG	5	PA; NDS; QL (90 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>alyq oral tablet 20 mg</i> (Cialis)	2	PA; QL (60 per 30 days)
<i>bosentan oral tablet 125 mg, 62.5 mg</i> (Tracleer)	5	PA; LA; NDS; QL (60 per 30 days)
<i>macitentan oral tablet 10 mg</i> (Opsumit)	5	PA; NDS; QL (30 per 30 days)
<i>sildenafil (pulm.hypertension) oral tablet 20 mg</i> (Viagra)	2	PA; QL (360 per 30 days)
<i>sildenafil oral tablet 100 mg, 25 mg, 50 mg</i> (Viagra)	2	EX; CB (6 EA per 30 days)
<i>tadalafil oral tablet 2.5 mg</i> (Cialis)	2	PA; QL (30 per 30 days)
<i>tadalafil oral tablet 5 mg</i> (Cialis)	2	PA; QL (30 per 30 days)
UPTRAVI ORAL TABLET 1,000 MCG, 1,200 MCG, 1,400 MCG, 1,600 MCG, 400 MCG, 600 MCG, 800 MCG	5	PA; NDS; QL (60 per 30 days)
UPTRAVI ORAL TABLET 200 MCG	5	PA; NDS; QL (240 per 30 days)
UPTRAVI ORAL TABLETS,DOSE PACK 200 MCG (140)- 800 MCG (60)	5	PA; NDS
YUTREPIA INHALATION CAPSULE, W/INHALATION DEVICE 106 MCG, 26.5 MCG, 53 MCG, 79.5 MCG	5	PA; NDS
Analgésicos		
Agentes Antiinflamatorios No Esteroideos		
<i>celecoxib oral capsule 100 mg, 200 mg, 400 mg, 50 mg</i> (Celebrex)	2	QL (60 per 30 days)
<i>diclofenac epolamine transdermal patch 12 hour 1.3 %</i> (Flector)	4	PA; QL (60 per 30 days)
<i>diclofenac potassium oral tablet 50 mg</i> (Diclofenac Potassium)	2	QL (120 per 30 days)
<i>diclofenac sodium oral tablet extended release 24 hr 100 mg</i> (Diclofenac Sodium)	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 25 mg</i> (Diclofenac Sodium)	2	
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 50 mg</i> (Diclofenac Sodium)	2	QL (120 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>diclofenac sodium oral tablet, delayed release (dr/ec) 75 mg</i> (Diclofenac Sodium)	2	QL (60 per 30 days)
<i>diclofenac sodium topical drops 1.5 %</i> (Diclofenac Sodium)	2	QL (300 per 30 days)
<i>diclofenac sodium topical solution in metered-dose pump 20 mg/gram /actuation(2 %)</i> (Diclofenac Sodium)	5	PA; NDS; QL (224 per 28 days)
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 50-200 mg-mcg</i> (Arthrotec 50)	2	
<i>diclofenac-misoprostol oral tablet, ir, delayed rel, biphasic 75-200 mg-mcg</i> (Arthrotec 50)	2	
<i>etodolac oral capsule 200 mg, 300 mg</i> (Etodolac)	2	
<i>etodolac oral tablet 400 mg</i> (Lodine)	2	
<i>etodolac oral tablet 500 mg</i> (Lodine)	2	
<i>flurbiprofen oral tablet 100 mg</i> (Flurbiprofen)	2	
<i>ibu oral tablet 400 mg</i> (Ibuprofen)	1	QL (240 per 30 days)
<i>ibu oral tablet 600 mg, 800 mg</i> (Ibuprofen)	1	
<i>ibuprofen oral tablet 400 mg</i> (Ibuprofen)	1	QL (240 per 30 days)
<i>ibuprofen oral tablet 600 mg, 800 mg</i> (Ibuprofen)	1	
<i>indomethacin oral capsule 25 mg, 50 mg</i> (Indomethacin)	2	
<i>ketorolac oral tablet 10 mg</i> (Ketorolac Tromethamine)	2	QL (20 per 30 days)
<i>meloxicam oral tablet 15 mg, 7.5 mg</i> (Meloxicam)	1	
<i>nabumetone oral tablet 500 mg, 750 mg</i> (Nabumetone)	2	
<i>naproxen oral tablet 250 mg, 375 mg</i> (Naproxen)	1	
<i>naproxen oral tablet 500 mg</i> (Naproxen)	1	
<i>naproxen oral tablet, delayed release (dr/ec) 375 mg</i> (Naproxen)	2	
<i>sulindac oral tablet 150 mg, 200 mg</i> (Sulindac)	2	
Analgésicos, Varios		
<i>acetaminophen-codeine 300-30 mg/12.5 ml cup inner 300 mg-30 mg /12.5 ml</i> (Acetaminophen with Codeine)	1	NDS; QL (4500 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>acetaminophen-codeine oral solution 120-12 mg/5 ml</i>	(Acetaminophen with Codeine)	1	NDS; QL (4500 per 30 days)
<i>acetaminophen-codeine oral tablet 300-15 mg, 300-30 mg</i>	(Acetaminophen with Codeine)	2	NDS; QL (360 per 30 days)
<i>acetaminophen-codeine oral tablet 300-60 mg</i>	(Acetaminophen with Codeine)	2	NDS; QL (180 per 30 days)
<i>buprenorphine transdermal patch weekly 10 mcg/hour, 15 mcg/hour, 20 mcg/hour, 5 mcg/hour, 7.5 mcg/hour</i>	(Butrans)	2	NDS; QL (4 per 28 days)
<i>butalbital-acetaminop-caf-cod oral capsule 50-325-40-30 mg</i>	(Fioricet with Codeine)	2	NDS; QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-300-40 mg</i>	(Esgic)	4	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral capsule 50-325-40 mg</i>	(Esgic)	4	QL (180 per 30 days)
<i>butalbital-acetaminophen-caff oral tablet 50-325-40 mg</i>	(Esgic)	2	QL (180 per 30 days)
<i>endocet oral tablet 10-325 mg</i>	(Oxycodone HCl/Acetaminophen)	2	NDS; QL (180 per 30 days)
<i>endocet oral tablet 2.5-325 mg, 5-325 mg</i>	(Oxycodone HCl/Acetaminophen)	2	NDS; QL (360 per 30 days)
<i>endocet oral tablet 7.5-325 mg</i>	(Oxycodone HCl/Acetaminophen)	2	NDS; QL (240 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 1,200 mcg, 1,600 mcg, 400 mcg, 600 mcg, 800 mcg</i>	(Fentanyl Citrate)	5	PA; NDS; QL (120 per 30 days)
<i>fentanyl citrate buccal lozenge on a handle 200 mcg</i>	(Fentanyl Citrate)	2	PA; NDS; QL (120 per 30 days)
<i>fentanyl transdermal patch 72 hour 100 mcg/hr, 12 mcg/hr, 25 mcg/hr, 50 mcg/hr, 75 mcg/hr</i>	(Fentanyl)	2	NDS; QL (10 per 30 days)
<i>hydrocodone-acetaminophen oral solution 10-300 mg/15 ml, 10-325 mg/15 ml, 7.5-325 mg/15 ml</i>	(Hydrocodone/Acetaminophen)	2	NDS; QL (2700 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 10-325 mg, 7.5-325 mg</i>	(Hydrocodone/Acetaminophen)	2	NDS; QL (180 per 30 days)
<i>hydrocodone-acetaminophen oral tablet 5-325 mg</i>	(Hydrocodone/Acetaminophen)	2	NDS; QL (240 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>hydromorphone oral tablet 2 mg, 4 mg, 8 mg</i> (Dilaudid)	2	NDS; QL (180 per 30 days)
<i>methadone oral tablet 10 mg</i> (Diskets)	2	NDS; QL (120 per 30 days)
<i>methadone oral tablet 5 mg</i> (Diskets)	2	NDS; QL (180 per 30 days)
<i>morphine concentrate oral solution 100 mg/5 ml (20 mg/ml)</i> (Morphine Sulfate)	2	PA; NDS; QL (180 per 30 days)
<i>morphine oral solution 10 mg/5 ml (2 mg/ml)</i> (Morphine Sulfate)	2	NDS; QL (700 per 30 days)
<i>morphine oral solution 20 mg/5 ml (4 mg/ml)</i> (Morphine Sulfate)	2	NDS; QL (300 per 30 days)
MORPHINE ORAL TABLET 15 MG	4	NDS; QL (180 per 30 days)
MORPHINE ORAL TABLET 30 MG	4	NDS; QL (120 per 30 days)
<i>morphine oral tablet extended release 100 mg</i> (MS Contin)	2	NDS; QL (60 per 30 days)
<i>morphine oral tablet extended release 15 mg, 30 mg</i> (MS Contin)	2	NDS; QL (90 per 30 days)
<i>morphine oral tablet extended release 200 mg</i> (MS Contin)	4	NDS; QL (60 per 30 days)
<i>morphine oral tablet extended release 60 mg</i> (MS Contin)	2	NDS; QL (60 per 30 days)
<i>oxycodone oral capsule 5 mg</i> (Oxycodone HCl)	2	NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 10 mg, 5 mg</i> (Roxicodone)	2	NDS; QL (180 per 30 days)
<i>oxycodone oral tablet 15 mg, 30 mg</i> (Roxicodone)	2	NDS; QL (120 per 30 days)
<i>oxycodone oral tablet 20 mg</i> (Roxicodone)	2	NDS; QL (120 per 30 days)
<i>oxycodone-acetaminophen oral tablet 10-325 mg</i> (Oxycodone HCl/Acetaminophen)	2	NDS; QL (180 per 30 days)
<i>oxycodone-acetaminophen oral tablet 2.5-325 mg, 5-325 mg</i> (Oxycodone HCl/Acetaminophen)	2	NDS; QL (360 per 30 days)
<i>oxycodone-acetaminophen oral tablet 7.5-325 mg</i> (Oxycodone HCl/Acetaminophen)	2	NDS; QL (240 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>tramadol oral tablet 50 mg</i>	(Tramadol HCl)	1	NDS; QL (240 per 30 days)
<i>tramadol-acetaminophen oral tablet 37.5-325 mg</i>	(Tramadol HCl/Acetaminophen)	2	NDS; QL (300 per 30 days)
Anestésicos			
Anestesia Local			
<i>dermacinrx lidocan 5% patch outer</i>	(Lidoderm)	2	PA; QL (90 per 30 days)
<i>glydo mucous membrane jelly in applicator 2 %</i>	(Lidocaine HCl)	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane jelly in applicator 2 %</i>	(Lidocaine HCl)	2	QL (30 per 30 days)
<i>lidocaine hcl mucous membrane solution 2 %</i>	(Lidocaine HCl)	2	
<i>lidocaine topical adhesive patch,medicated 5 %</i>	(Lidoderm)	2	PA; QL (90 per 30 days)
<i>lidocaine topical ointment 5 %</i>	(Lidocaine)	2	PA; QL (240 per 30 days)
<i>lidocaine-prilocaine topical cream 2.5-2.5 %</i>	(Lidocaine/Prilocaine)	2	PA; QL (30 per 30 days)
<i>lidocan iii topical adhesive patch,medicated 5 %</i>	(Lidoderm)	2	PA; QL (90 per 30 days)
<i>tridacaine iii topical adhesive patch,medicated 5 %</i>	(Lidoderm)	2	PA; QL (90 per 30 days)
ZTLIDO TOPICAL ADHESIVE PATCH,MEDICATED 1.8 %		3	PA; QL (90 per 30 days)
Antagonistas De Metales Pesados			
Antagonistas De Metales Pesados			
<i>deferasirox oral granules in packet 180 mg, 360 mg, 90 mg</i>	(Jadenu Sprinkle)	5	PA; NDS
<i>deferasirox oral tablet 180 mg, 360 mg, 90 mg</i>	(Jadenu)	2	PA
<i>penicillamine oral tablet 250 mg</i>	(Depen)	5	PA; NDS
<i>trientine oral capsule 250 mg</i>	(Syprine)	5	PA; NDS; QL (240 per 30 days)
Anti Infecciosos (Membrana Cutánea Y Mucosa)			

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
Anti Infecciosos (Membrana Cutánea Y Mucosa)		
<i>clindamycin phosphate vaginal cream 2 %</i> (Cleocin)	4	
<i>metronidazole vaginal gel 0.75 % (37.5mg/5 gram)</i> (Vandazole)	4	
<i>terconazole vaginal cream 0.4 %, 0.8 %</i> (Terconazole)	2	
<i>terconazole vaginal suppository 80 mg</i> (Terconazole)	4	
Antibacterianos		
Aminoglicósidos		
<i>amikacin injection solution 500 mg/2 ml</i> (Amikacin Sulfate)	2	HI
ARIKAYCE INHALATION SUSPENSION FOR NEBULIZATION 590 MG/8.4 ML	5	PA; NDS; QL (235.2 per 28 days)
<i>gentamicin injection solution 40 mg/ml</i> (Gentamicin Sulfate)	2	HI
<i>gentamicin sulfate (ped) (pf) injection solution 20 mg/2 ml</i> (Gentamicin Sulfate/PF)	2	HI
<i>neomycin oral tablet 500 mg</i> (Neomycin Sulfate)	2	
<i>streptomycin intramuscular recon soln 1 gram</i> (Streptomycin Sulfate)	5	NDS
TOBI PODHALER INHALATION CAPSULE, W/INHALATION DEVICE 28 MG	5	NDS; QL (224 per 28 days)
<i>tobramycin in 0.225 % nacl inhalation solution for nebulization 300 mg/5 ml</i> (Tobi)	5	PA BvD; NDS
<i>tobramycin sulfate injection solution 10 mg/ml, 40 mg/ml</i> (Tobramycin Sulfate)	2	HI
Antibacteriales, Misceláneos		
<i>clindamycin hcl oral capsule 150 mg, 300 mg, 75 mg</i> (Cleocin HCl)	2	
<i>clindamycin phosphate injection solution 150 (mg/ml) (4 ml), 150 (mg/ml) (6 ml)</i> (Cleocin Phosphate)	2	HI

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>clindamycin phosphate injection solution 150 mg/ml</i>	(Cleocin Phosphate)	2	HI
<i>colistin (colistimethate na) injection recon soln 150 mg</i>	(Coly-Mycin M Parenteral)	5	HI; NDS
<i>daptomycin intravenous recon soln 350 mg, 500 mg</i>	(Cubicin Rf)	5	HI; NDS
<i>fosfomycin tromethamine oral packet 3 gram</i>	(Monurol)	2	
<i>linezolid in dextrose 5% intravenous piggyback 600 mg/300 ml</i>	(Zyvox)	2	HI
<i>linezolid oral suspension for reconstitution 100 mg/5 ml</i>	(Zyvox)	5	NDS
<i>linezolid oral tablet 600 mg</i>	(Zyvox)	2	
<i>methenamine hippurate oral tablet 1 gram</i>	(Hiprex)	2	
<i>metronidazole in nacl (iso-os) intravenous piggyback 500 mg/100 ml</i>	(Metronidazole/Sodium Chloride)	2	HI
<i>metronidazole oral tablet 250 mg, 500 mg</i>	(Metronidazole)	1	
<i>nitrofurantoin macrocrystal oral capsule 100 mg, 50 mg</i>	(Macrochantin/Macrobid)	2	QL (120 per 30 days)
<i>nitrofurantoin monohyd/m-cryst oral capsule 100 mg</i>	(Macrobid)	2	QL (60 per 30 days)
<i>trimethoprim oral tablet 100 mg</i>	(Trimethoprim)	2	
<i>vancomycin intravenous recon soln 1,000 mg, 1.25 gram, 10 gram, 5 gram, 500 mg</i>	(Vancomycin HCl)	2	
<i>vancomycin intravenous recon soln 750 mg</i>		2	
<i>vancomycin oral capsule 125 mg</i>	(Vancocin HCl)	2	QL (56 per 14 days)
<i>vancomycin oral capsule 250 mg</i>	(Vancocin HCl)	2	QL (112 per 14 days)
XIFAXAN ORAL TABLET 200 MG		3	PA; QL (9 per 30 days)
XIFAXAN ORAL TABLET 550 MG		5	PA; NDS; QL (90 per 30 days)
Antibióticos B-Lactam Misceláneos			
<i>aztreonam injection recon soln 1 gram, 2 gram</i>	(Azactam)	2	HI

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
CAYSTON INHALATION SOLUTION FOR NEBULIZATION 75 MG/ML	5	PA; LA; NDS
<i>ertapenem injection recon soln 1 gram</i> (Ertapenem Sodium)	2	HI
<i>imipenem-cilastatin intravenous recon soln 250 mg</i> (Primaxin)	2	HI
<i>imipenem-cilastatin intravenous recon soln 500 mg</i> (Primaxin)	2	HI
<i>meropenem intravenous recon soln 1 gram, 500 mg</i> (Meropenem)	2	HI
<i>meropenem intravenous recon soln 2 gram</i> (Meropenem)	4	HI
Cefalosporinas		
<i>cefaclor oral capsule 250 mg, 500 mg</i> (Cefaclor)	2	
<i>cefadroxil oral capsule 500 mg</i> (Cefadroxil)	2	
<i>cefadroxil oral suspension for reconstitution 250 mg/5 ml, 500 mg/5 ml</i> (Cefadroxil)	2	
<i>cefazolin injection recon soln 1 gram, 500 mg</i> (Cefazolin Sodium)	2	HI
<i>cefazolin intravenous recon soln 10 gram</i> (Cefazolin Sodium)	2	HI
<i>cefdinir oral capsule 300 mg</i> (Cefdinir)	2	
<i>cefdinir oral suspension for reconstitution 125 mg/5 ml, 250 mg/5 ml</i> (Cefdinir)	2	
<i>cefepime injection recon soln 1 gram, 2 gram</i> (Cefepime HCl)	2	HI
<i>cefixime oral capsule 400 mg</i> (Suprax)	4	
<i>cefixime oral tablet 400 mg</i> (Cefixime)	4	
<i>cefoxitin intravenous recon soln 1 gram, 10 gram, 2 gram</i> (Cefoxitin Sodium)	2	HI
<i>cefpodoxime oral tablet 100 mg, 200 mg</i> (Cefpodoxime Proxetil)	4	
<i>cefprozil oral tablet 250 mg, 500 mg</i> (Cefprozil)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>ceftaroline fosamil intravenous recon soln</i> 400 mg, 600 mg (Teflaro)	5	NDS
<i>ceftazidime injection recon soln</i> 1 gram, 2 gram, 6 gram (Ceftazidime)	2	HI
<i>ceftriaxone injection recon soln</i> 1 gram, 10 gram, 2 gram, 250 mg, 500 mg (Ceftriaxone Sodium)	2	HI
<i>cefuroxime axetil oral tablet</i> 250 mg, 500 mg (Cefuroxime Axetil)	2	
<i>cefuroxime sodium injection recon soln</i> 750 mg (Cefuroxime Sodium)	2	HI
<i>cefuroxime sodium intravenous recon soln</i> 1.5 gram, 7.5 gram (Cefuroxime Sodium)	2	HI
<i>cephalexin oral capsule</i> 250 mg, 500 mg (Cephalexin)	1	
<i>cephalexin oral suspension for reconstitution</i> 125 mg/5 ml, 250 mg/5 ml (Cephalexin)	2	
<i>tazicef injection recon soln</i> 1 gram, 6 gram (Ceftazidime)	2	HI
<i>tazicef injection recon soln</i> 2 gram (ceftazidime)	2	HI
Macrólidos		
<i>azithromycin intravenous recon soln</i> 500 mg	2	HI
<i>azithromycin oral suspension for reconstitution</i> 100 mg/5 ml (Zithromax)	2	
<i>azithromycin oral suspension for reconstitution</i> 200 mg/5 ml (Zithromax)	2	
<i>azithromycin oral tablet</i> 250 mg (Zithromax)	1	
<i>azithromycin oral tablet</i> 250 mg (6 pack), 500 mg (3 pack), 600 mg (Zithromax)	1	
<i>azithromycin oral tablet</i> 500 mg (Zithromax)	1	
<i>clarithromycin oral suspension for reconstitution</i> 125 mg/5 ml, 250 mg/5 ml (Clarithromycin)	2	
<i>clarithromycin oral tablet</i> 250 mg, 500 mg (Clarithromycin)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>erythromycin ethylsuccinate oral suspension for reconstitution 200 mg/5 ml</i> (Eryped 400)	4	
<i>erythromycin ethylsuccinate oral suspension for reconstitution 400 mg/5 ml</i> (Eryped 400)	4	
<i>erythromycin oral tablet 250 mg, 500 mg</i> (Ery-Tab)	4	
<i>fidaxomicin oral tablet 200 mg</i> (Dificid)	5	NDS; QL (20 per 10 days)
Penicilinas		
<i>amoxicillin oral capsule 250 mg, 500 mg</i> (Amoxicillin)	1	
<i>amoxicillin oral suspension for reconstitution 125 mg/5 ml, 200 mg/5 ml, 250 mg/5 ml, 400 mg/5 ml</i> (Amoxicillin)	1	
<i>amoxicillin oral tablet 500 mg, 875 mg</i> (Amoxicillin)	1	
<i>amoxicillin oral tablet, chewable 125 mg, 250 mg</i> (Amoxicillin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 200-28.5 mg/5 ml, 400-57 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 250-62.5 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral suspension for reconstitution 600-42.9 mg/5 ml</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral tablet 250-125 mg, 875-125 mg</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral tablet 500-125 mg</i> (Augmentin)	2	
<i>amoxicillin-pot clavulanate oral tablet, chewable 200-28.5 mg, 400-57 mg</i> (Amoxicillin/Potassium Clav)	4	
<i>ampicillin oral capsule 500 mg</i> (Ampicillin Trihydrate)	2	
<i>ampicillin sodium injection recon soln 1 gram, 10 gram, 125 mg</i> (Ampicillin Sodium)	2	HI

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>ampicillin-sulbactam injection recon soln 1.5 gram, 15 gram, 3 gram</i> (Unasyn)	2	HI
BICILLIN L-A INTRAMUSCULAR SYRINGE 1,200,000 UNIT/2 ML, 2,400,000 UNIT/4 ML, 600,000 UNIT/ML	4	
<i>dicloxacillin oral capsule 250 mg, 500 mg</i> (Dicloxacillin Sodium)	2	
EXTENCILLINE INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT, 2.4 MILLION UNIT	4	
LENTOCILIN S (WITH LIDOCAINE) INTRAMUSCULAR SUSPENSION FOR RECONSTITUTION 1.2 MILLION UNIT-1.5 %	4	
<i>nafcillin injection recon soln 1 gram, 10 gram, 2 gram</i> (Nafcillin Sodium)	2	HI
<i>penicillin g potassium injection recon soln 20 million unit</i> (Penicillin G Potassium)	2	HI
<i>penicillin v potassium oral recon soln 125 mg/5 ml, 250 mg/5 ml</i> (Penicillin V Potassium)	2	
<i>penicillin v potassium oral tablet 250 mg, 500 mg</i> (Penicillin V Potassium)	1	
<i>piperacillin-tazobactam intravenous recon soln 2.25 gram, 4.5 gram, 40.5 gram</i> (Piperacillin Sodium/Tazobactam)	2	HI
<i>piperacillin-tazobactam intravenous recon soln 3.375 gram</i>	2	HI
Quinolonas		
<i>ciprofloxacin hcl oral tablet 250 mg, 500 mg</i> (Cipro)	1	
<i>ciprofloxacin hcl oral tablet 750 mg</i> (Cipro)	1	
<i>ciprofloxacin in 5 % dextrose intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i> (Ciprofloxacin In 5 % Dextrose)	2	HI

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>levofloxacin in d5w intravenous piggyback 250 mg/50 ml, 500 mg/100 ml, 750 mg/150 ml</i> (Levofloxacin In Dextrose 5 %)	2	HI
<i>levofloxacin oral solution 250 mg/10 ml</i> (Levofloxacin)	4	
<i>levofloxacin oral tablet 250 mg, 500 mg, 750 mg</i> (Levofloxacin)	1	
<i>moxifloxacin 400 mg/250 ml bag sub, p/f, inner</i> (Moxifloxacin/Sod.Ace, Sul/Water)	2	HI
<i>moxifloxacin oral tablet 400 mg</i> (Moxifloxacin HCl)	2	
<i>moxifloxacin-sod.chloride(iso) intravenous piggyback 400 mg/250 ml</i> (Moxifloxacin/Sod.Ace, Sul/Water)	2	HI
Sulfonamidas		
<i>sulfadiazine oral tablet 500 mg</i> (Sulfadiazine)	2	
<i>sulfamethoxazole-trimethoprim oral suspension 200-40 mg/5 ml</i> (Sulfamethoxazole/Trimethoprim)	2	
<i>sulfamethoxazole-trimethoprim oral tablet 400-80 mg</i> (Bactrim)	1	
<i>sulfamethoxazole-trimethoprim oral tablet 800-160 mg</i> (Bactrim)	1	
Tetraciclinas		
<i>demeclocycline oral tablet 150 mg, 300 mg</i> (Demeclocycline HCl)	4	
<i>doxy-100 intravenous recon soln 100 mg</i> (Doxycycline Hyclate)	2	HI
<i>doxycycline hyclate intravenous recon soln 100 mg</i> (Doxycycline Hyclate)	2	HI
<i>doxycycline hyclate oral capsule 100 mg</i> (Morgidox)	2	
<i>doxycycline hyclate oral capsule 50 mg</i> (Morgidox)	2	
<i>doxycycline hyclate oral tablet 100 mg, 20 mg</i> (Doryx)	2	
<i>doxycycline monohydrate oral capsule 100 mg</i> (Doxycycline Monohydrate)	2	
<i>doxycycline monohydrate oral capsule 50 mg</i> (Doxycycline Monohydrate)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>doxycycline monohydrate oral suspension for reconstitution 25 mg/5 ml</i> (Doxycycline Monohydrate)	2	
<i>doxycycline monohydrate oral tablet 100 mg</i> (Avidoxy)	2	
<i>doxycycline monohydrate oral tablet 50 mg</i> (Avidoxy)	2	
<i>minocycline oral capsule 100 mg, 50 mg, 75 mg</i> (Minocycline HCl)	2	
<i>tetracycline oral capsule 250 mg, 500 mg</i> (Tetracycline HCl)	4	
<i>tigecycline intravenous recon soln 50 mg</i> (Tygacil)	2	HI
Anticonceptivos		
Anticonceptivos		
<i>afirmelle oral tablet 0.1-20 mg-mcg</i> (Levonorgestrel/Ethin.Es radiol)	2	
<i>altavera (28) oral tablet 0.15-0.03 mg</i> (Levonorgestrel/Ethin.Es radiol)	2	
<i>alyacen 1/35 (28) oral tablet 1-35 mg-mcg</i> (Ortho-Novum)	2	
<i>alyacen 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i> (Ortho-Novum)	2	
<i>amethyst (28) oral tablet 90-20 mcg (28)</i> (Levonorgestrel/Ethin.Es radiol)	2	
<i>apri oral tablet 0.15-0.03 mg</i> (Desogestrel-Ethinyl Estradiol)	2	
<i>aubra eq oral tablet 0.1-20 mg-mcg</i> (Levonorgestrel/Ethin.Es radiol)	2	
<i>aurovela 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (Loestrin)	2	
<i>aurovela 1/20 (21) oral tablet 1-20 mg-mcg</i> (Loestrin)	2	
<i>aurovela 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (Loestrin Fe)	2	
<i>aurovela fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Loestrin Fe)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>aurovela fe 1-20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Loestrin Fe)	2	
<i>aviane oral tablet 0.1-20 mg-mcg</i>	(Levonorgestrel/Ethin.Es radiol)	2	
<i>ayuna oral tablet 0.15-0.03 mg</i>	(Levonorgestrel/Ethin.Es radiol)	2	
<i>azurette (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Mircette)	2	
<i>blisovi 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(Loestrin Fe)	2	
<i>blisovi fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Loestrin Fe)	2	
<i>blisovi fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Loestrin Fe)	2	
<i>camila oral tablet 0.35 mg</i>	(Ortho Micronor)	2	
<i>chateal eq (28) oral tablet 0.15-0.03 mg</i>	(Levonorgestrel/Ethin.Es radiol)	2	
<i>cryselle (28) oral tablet 0.3-30 mg-mcg</i>	(Norgestrel-Ethinyl Estradiol)	2	
<i>cyred eq oral tablet 0.15-0.03 mg</i>	(Desogestrel-Ethinyl Estradiol)	2	
<i>dasetta 1/35 (28) oral tablet 1-35 mg-mcg</i>	(Ortho-Novum)	2	
<i>dasetta 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	(Ortho-Novum)	2	
<i>deblitane oral tablet 0.35 mg</i>	(Ortho Micronor)	2	
<i>desog-e.estradiol/e.estradiol oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Mircette)	2	
<i>dolishale oral tablet 90-20 mcg (28)</i>	(Levonorgestrel/Ethin.Es radiol)	2	
<i>elimest oral tablet 0.3-30 mg-mcg</i>	(Norgestrel-Ethinyl Estradiol)	2	
<i>eluryng vaginal ring 0.12-0.015 mg/24 hr</i>	(Nuvaring)	2	QL (1 per 28 days)
<i>emzahh oral tablet 0.35 mg</i>	(Ortho Micronor)	2	
<i>enilloring vaginal ring 0.12-0.015 mg/24 hr</i>	(Nuvaring)	4	QL (1 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>enpresse oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Levonorgestrel/Ethin.Es tradiol)	2	
<i>enskyce oral tablet 0.15-0.03 mg</i>	(Desogestrel-Ethinyl Estradiol)	2	
<i>errin oral tablet 0.35 mg</i>	(Ortho Micronor)	2	
<i>estarylla oral tablet 0.25-0.035 mg</i>	(Ortho Tri-Cyclen)	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-35 mg-mcg</i>	(Ethynodiol D-Ethinyl Estradiol)	2	
<i>ethynodiol diac-eth estradiol oral tablet 1-50 mg-mcg</i>	(Ethynodiol D-Ethinyl Estradiol)	2	
<i>etonogestrel-ethinyl estradiol vaginal ring 0.12-0.015 mg/24 hr</i>	(Nuvaring)	2	QL (1 per 28 days)
<i>falmina (28) oral tablet 0.1-20 mg- mcg</i>	(Levonorgestrel/Ethin.Es tradiol)	2	
<i>feirza oral tablet 1 mg-20 mcg (21)/75 mg (7), 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Loestrin Fe)	2	
<i>hailey 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(Loestrin Fe)	2	
<i>hailey fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Loestrin Fe)	2	
<i>hailey fe 1/20 (28) oral tablet 1 mg- 20 mcg (21)/75 mg (7)</i>	(Loestrin Fe)	2	
<i>haloette vaginal ring 0.12-0.015 mg/24 hr</i>	(Nuvaring)	2	QL (1 per 28 days)
<i>heather oral tablet 0.35 mg</i>	(Ortho Micronor)	2	
<i>iclevia oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Levonorgestrel/Ethin.Es tradiol)	2	QL (91 per 84 days)
<i>incassia oral tablet 0.35 mg</i>	(Ortho Micronor)	2	
<i>introvale oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Levonorgestrel/Ethin.Es tradiol)	2	QL (91 per 84 days)
<i>isibloom oral tablet 0.15-0.03 mg</i>	(Desogestrel-Ethinyl Estradiol)	2	
<i>jencycla oral tablet 0.35 mg</i>	(Ortho Micronor)	1	
<i>jolessa oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Levonorgestrel/Ethin.Es tradiol)	4	QL (91 per 84 days)
<i>juleber oral tablet 0.15-0.03 mg</i>	(Desogestrel-Ethinyl Estradiol)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>junel 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (Loestrin)	2	
<i>junel 1/20 (21) oral tablet 1-20 mg-mcg</i> (Loestrin)	2	
<i>junel fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Loestrin Fe)	2	
<i>junel fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Loestrin Fe)	2	
<i>junel fe 24 oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (Loestrin Fe)	2	
<i>kariva (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i> (Mircette)	2	
<i>kelnor 1/35 (28) oral tablet 1-35 mg-mcg</i> (Ethinodiol D-Ethinyl Estradiol)	2	
<i>kelnor 1/50 (28) oral tablet 1-50 mg-mcg</i> (Ethinodiol D-Ethinyl Estradiol)	2	
<i>kurvelo (28) oral tablet 0.15-0.03 mg</i> (Levonorgestrel/Ethin.Es tradiol)	2	
KYLEENA INTRAUTERINE INTRAUTERINE DEVICE 17.5 MCG/24 HR (5 YRS) 19.5 MG	4	
<i>larin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i> (Loestrin)	2	
<i>larin 1/20 (21) oral tablet 1-20 mg-mcg</i> (Loestrin)	2	
<i>larin 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i> (Loestrin Fe)	2	
<i>larin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i> (Loestrin Fe)	2	
<i>larin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i> (Loestrin Fe)	2	
<i>lessina oral tablet 0.1-20 mg-mcg</i> (Levonorgestrel/Ethin.Es tradiol)	2	
<i>levonest (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i> (Levonorgestrel/Ethin.Es tradiol)	2	
<i>levonorgest-eth.estradiol-iron oral tablet 0.1 mg-0.02 mg (21)/iron (7)</i> (Balcoltra)	4	
<i>levonorgestrel-ethinyl estrad oral tablet 0.1-20 mg-mcg</i> (Levonorgestrel/Ethin.Es tradiol)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>levonorgestrel-ethinyl estrad oral tablet 0.15-0.03 mg</i>	(Levonorgestrel/Ethin.Es radiol)	2	
<i>levonorgestrel-ethinyl estrad oral tablet 90-20 mcg (28)</i>	(Levonorgestrel/Ethin.Es radiol)	2	
<i>levonorgestrel-ethinyl estrad oral tablets,dose pack,3 month 0.15 mg-30 mcg (91)</i>	(Levonorgestrel/Ethin.Es radiol)	2	QL (91 per 84 days)
<i>levonorg-eth estrad triphasic oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Levonorgestrel/Ethin.Es radiol)	2	
<i>levora-28 oral tablet 0.15-0.03 mg</i>	(Levonorgestrel/Ethin.Es radiol)	2	
LILETTA INTRAUTERINE INTRAUTERINE DEVICE 20.4 MCG/24 HR (8 YRS) 52 MG		3	
<i>low-ogestrel (28) oral tablet 0.3-30 mg-mcg</i>	(Norgestrel-Ethinyl Estradiol)	2	
<i>luizza oral tablet 1-20 mg-mcg, 1.5-30 mg-mcg</i>	(Loestrin)	2	
<i>lutra (28) oral tablet 0.1-20 mg-mcg</i>	(Levonorgestrel/Ethin.Es radiol)	2	
<i>lyleq oral tablet 0.35 mg</i>	(Ortho Micronor)	2	
<i>lyza oral tablet 0.35 mg</i>	(Ortho Micronor)	2	
<i>marlissa (28) oral tablet 0.15-0.03 mg</i>	(Levonorgestrel/Ethin.Es radiol)	2	
<i>meleya oral tablet 0.35 mg</i>	(Ortho Micronor)	2	
<i>microgestin 1.5/30 (21) oral tablet 1.5-30 mg-mcg</i>	(Loestrin)	2	
<i>microgestin 1/20 (21) oral tablet 1-20 mg-mcg</i>	(Loestrin)	2	
<i>microgestin fe 1.5/30 (28) oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Loestrin Fe)	2	
<i>microgestin fe 1/20 (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Loestrin Fe)	2	
<i>mili oral tablet 0.25-0.035 mg</i>	(Ortho Tri-Cyclen)	2	
MIRENA INTRAUTERINE INTRAUTERINE DEVICE 21 MCG/24HR (UP TO 8 YRS) 52 MG		4	
<i>mono-lynyah oral tablet 0.25-0.035 mg</i>	(Ortho Tri-Cyclen)	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
NEXPLANON SUBDERMAL IMPLANT 68 MG		3	
<i>norelgestromin-ethin.estradiol transdermal patch weekly 150-35 mcg/24 hr</i>	(Norelgestromin/Ethin.Estradiol)	2	QL (3 per 28 days)
<i>norethindrone (contraceptive) oral tablet 0.35 mg</i>	(Ortho Micronor)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Loestrin Fe)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1.5 mg-30 mcg (21)/75 mg (7)</i>	(Loestrin Fe)	2	
<i>norethindrone-e.estradiol-iron oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Loestrin Fe)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(Ortho Tri-Cyclen)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(Ortho Tri-Cyclen)	2	
<i>norgestimate-ethinyl estradiol oral tablet 0.25-0.035 mg</i>	(Ortho Tri-Cyclen)	2	
<i>nortrel 1/35 (21) oral tablet 1-35 mg-mcg (21)</i>	(Ortho-Novum)	2	
<i>nortrel 1/35 (28) oral tablet 1-35 mg-mcg</i>	(Ortho-Novum)	2	
<i>nortrel 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	(Ortho-Novum)	2	
<i>nylia 1/35 (28) oral tablet 1-35 mg-mcg</i>	(Ortho-Novum)	2	
<i>nylia 7/7/7 (28) oral tablet 0.5/0.75/1 mg- 35 mcg</i>	(Ortho-Novum)	2	
<i>nymyo oral tablet 0.25-35 mg-mcg</i>	(Ortho Tri-Cyclen)	2	
<i>orquidea oral tablet 0.35 mg</i>	(Ortho Micronor)	2	
<i>pimtrea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Mircette)	2	
<i>portia 28 oral tablet 0.15-0.03 mg</i>	(Levonorgestrel/Ethin.Estradiol)	2	
<i>reclipsen (28) oral tablet 0.15-0.03 mg</i>	(Desogestrel-Ethinyl Estradiol)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>setlakin oral tablets, dose pack, 3 month 0.15 mg-30 mcg (91)</i>	(Levonorgestrel/Ethin. Es radiol)	2	QL (91 per 84 days)
<i>sharobel oral tablet 0.35 mg</i>	(Ortho Micronor)	2	
<i>simliya (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Mircette)	2	
SKYLA INTRAUTERINE INTRAUTERINE DEVICE 14 MCG/24 HR (3 YRS) 13.5 MG		4	
<i>sprintec (28) oral tablet 0.25-0.035 mg</i>	(Ortho Tri-Cyclen)	2	
<i>sronyx oral tablet 0.1-20 mg-mcg</i>	(Levonorgestrel/Ethin. Es radiol)	2	
<i>tarina 24 fe oral tablet 1 mg-20 mcg (24)/75 mg (4)</i>	(Loestrin Fe)	2	
<i>tarina fe 1-20 eq (28) oral tablet 1 mg-20 mcg (21)/75 mg (7)</i>	(Loestrin Fe)	2	
<i>tilia fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Loestrin Fe)	2	
<i>tri-estarylla oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(Ortho Tri-Cyclen)	2	
<i>tri-legest fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Loestrin Fe)	2	
<i>tri-lynyah oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(Ortho Tri-Cyclen)	2	
<i>tri-lo-estarylla oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(Ortho Tri-Cyclen)	2	
<i>tri-lo-marzia oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(Ortho Tri-Cyclen)	2	
<i>tri-lo-mili oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(Ortho Tri-Cyclen)	2	
<i>tri-lo-sprintec oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(Ortho Tri-Cyclen)	2	
<i>tri-mili oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(Ortho Tri-Cyclen)	2	
<i>tri-nymyo oral tablet 0.18/0.215/0.25 mg-35 mcg (28)</i>	(Ortho Tri-Cyclen)	2	
<i>tri-sprintec (28) oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(Ortho Tri-Cyclen)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>trivora (28) oral tablet 50-30 (6)/75-40 (5)/125-30(10)</i>	(Levonorgestrel/Ethin.Es radiol)	2	
<i>tri-vylibra lo oral tablet 0.18/0.215/0.25 mg-0.025 mg</i>	(Ortho Tri-Cyclen)	2	
<i>tri-vylibra oral tablet 0.18/0.215/0.25 mg-0.035mg (28)</i>	(Ortho Tri-Cyclen)	2	
<i>turqoz (28) oral tablet 0.3-30 mg-mcg</i>	(Norgestrel-Ethinyl Estradiol)	2	
<i>tyblume oral tablet, chewable 0.1 mg-20 mcg</i>	(Levonorgestrel/Ethin.Es radiol)	4	
<i>valtya oral tablet 1-35 mg-mcg, 1-50 mg-mcg</i>	(Ethinodiol D-Ethinyl Estradiol)	2	
<i>vienva oral tablet 0.1-20 mg-mcg</i>	(Levonorgestrel/Ethin.Es radiol)	2	
<i>violele (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Mircette)	2	
<i>volnea (28) oral tablet 0.15-0.02 mgx21 /0.01 mg x 5</i>	(Mircette)	2	
<i>vylibra oral tablet 0.25-0.035 mg</i>	(Ortho Tri-Cyclen)	2	
<i>xarah fe oral tablet 1-20(5)/1-30(7) /1mg-35mcg (9)</i>	(Loestrin Fe)	2	
<i>xulane transdermal patch weekly 150-35 mcg/24 hr</i>	(Norelgestromin/Ethin.E radiol)	2	QL (3 per 28 days)
<i>zafemy transdermal patch weekly 150-35 mcg/24 hr</i>	(Norelgestromin/Ethin.E radiol)	2	QL (3 per 28 days)
<i>zovia 1-35 (28) oral tablet 1-35 mg-mcg</i>	(Ethinodiol D-Ethinyl Estradiol)	2	
Anticonvulsivos			
Anticonvulsivos			
<i>brivaracetam intravenous solution 50 mg/5 ml</i>	(Briviact)	5	NDS; QL (80 per 30 days)
<i>brivaracetam oral solution 10 mg/ml</i>	(Briviact)	2	QL (600 per 30 days)
<i>brivaracetam oral tablet 10 mg, 100 mg, 25 mg, 50 mg, 75 mg</i>	(Briviact)	5	NDS; QL (60 per 30 days)
BRIVIACT INTRAVENOUS SOLUTION 50 MG/5 ML	(brivaracetam)	5	NDS; QL (80 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>carbamazepine oral capsule, er multiphase 12 hr 100 mg, 200 mg, 300 mg</i> (Equetro)	2	
<i>carbamazepine oral suspension 100 mg/5 ml</i> (Tegretol)	2	
<i>carbamazepine oral tablet 200 mg</i> (Tegretol)	2	
<i>carbamazepine oral tablet extended release 12 hr 100 mg, 200 mg, 400 mg</i> (Tegretol XR)	2	
<i>carbamazepine oral tablet, chewable 100 mg, 200 mg</i> (Carbamazepine)	2	
<i>clobazam oral suspension 2.5 mg/ml</i> (Onfi)	2	QL (480 per 30 days)
<i>clobazam oral tablet 10 mg, 20 mg</i> (Onfi)	2	QL (60 per 30 days)
DIACOMIT ORAL CAPSULE 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL CAPSULE 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 250 MG	5	PA NSO; NDS; QL (360 per 30 days)
DIACOMIT ORAL POWDER IN PACKET 500 MG	5	PA NSO; NDS; QL (180 per 30 days)
<i>diazepam rectal kit 12.5-15-17.5-20 mg, 5-7.5-10 mg</i> (Diastat)	2	
<i>diazepam rectal kit 2.5 mg</i> (Diastat)	4	
DILANTIN ORAL CAPSULE 30 MG	4	
<i>divalproex oral capsule, delayed rel sprinkle 125 mg</i> (Depakote Sprinkle)	2	
<i>divalproex oral tablet extended release 24 hr 250 mg, 500 mg</i> (Depakote ER)	2	
<i>divalproex oral tablet, delayed release (dr/ec) 125 mg, 250 mg, 500 mg</i> (Depakote)	2	
ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,000 MG	5	ST; NDS; QL (90 per 30 days)
ELEPSIA XR ORAL TABLET EXTENDED RELEASE 24 HR 1,500 MG	5	ST; NDS; QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
EPIDIOLEX ORAL SOLUTION 100 MG/ML	5	PA NSO; NDS
<i>epitol oral tablet 200 mg</i> (Tegretol)	2	
<i>eslicarbazepine oral tablet 200 mg, 400 mg</i> (Aptiom)	5	ST; NDS; QL (30 per 30 days)
<i>eslicarbazepine oral tablet 600 mg, 800 mg</i> (Aptiom)	5	ST; NDS; QL (60 per 30 days)
<i>ethosuximide oral capsule 250 mg</i> (Zarontin)	2	
<i>ethosuximide oral solution 250 mg/5 ml</i> (Zarontin)	2	
<i>felbamate oral suspension 600 mg/5 ml</i> (Felbatol)	2	
<i>felbamate oral tablet 400 mg, 600 mg</i> (Felbatol)	2	
FINTEPLA ORAL SOLUTION 2.2 MG/ML	5	PA NSO; NDS
<i>fosphephenytoin injection solution 100 mg pe/2 ml, 500 mg pe/10 ml</i> (Cerebyx)	2	HI
<i>gabapentin oral capsule 100 mg, 300 mg</i> (Neurontin)	2	QL (360 per 30 days)
<i>gabapentin oral capsule 400 mg</i> (Neurontin)	2	QL (270 per 30 days)
<i>gabapentin oral solution 250 mg/5 ml</i> (Neurontin)	2	QL (2160 per 30 days)
<i>gabapentin oral tablet 600 mg</i> (Neurontin)	2	QL (180 per 30 days)
<i>gabapentin oral tablet 800 mg</i> (Neurontin)	2	QL (120 per 30 days)
<i>lacosamide intravenous solution 200 mg/20 ml</i> (Vimpat)	2	QL (200 per 5 days)
<i>lacosamide oral solution 10 mg/ml</i> (Vimpat)	2	QL (1200 per 30 days)
<i>lacosamide oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Vimpat)	2	QL (60 per 30 days)
<i>lamotrigine oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Lamictal)	1	
<i>lamotrigine oral tablet, chewable dispersible 25 mg, 5 mg</i> (Lamictal)	2	
<i>lamotrigine oral tablet, disintegrating 100 mg, 200 mg, 25 mg, 50 mg</i> (Lamictal Odt)	2	
<i>levetiracetam intravenous solution 500 mg/5 ml</i> (Keppra)	2	HI
<i>levetiracetam oral solution 100 mg/ml</i> (Keppra)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>levetiracetam oral tablet 1,000 mg, 250 mg, 500 mg, 750 mg</i> (Keppra)	2	
<i>levetiracetam oral tablet extended release 24 hr 500 mg, 750 mg</i> (Keppra XR)	2	
<i>levetiracetam oral tablet for suspension 250 mg</i> (Levetiracetam)	2	ST
<i>levetiracetam oral tablet for suspension 500 mg</i> (Levetiracetam)	4	ST
LIBERVANT BUCCAL FILM 10 MG, 12.5 MG, 15 MG, 5 MG, 7.5 MG	4	QL (10 per 30 days)
<i>methsuximide oral capsule 300 mg</i> (Celontin)	2	
NAYZILAM NASAL SPRAY, NON-AEROSOL 5 MG/SPRAY (0.1 ML)	4	QL (10 per 30 days)
<i>oxcarbazepine oral suspension 300 mg/5 ml (60 mg/ml)</i> (Trileptal)	2	
<i>oxcarbazepine oral tablet 150 mg, 300 mg, 600 mg</i> (Trileptal)	2	
<i>perampanel oral suspension 0.5 mg/ml</i> (Fycompa)	5	ST; NDS; QL (720 per 30 days)
<i>perampanel oral tablet 10 mg, 12 mg, 8 mg</i> (Fycompa)	5	ST; NDS; QL (30 per 30 days)
<i>perampanel oral tablet 2 mg</i> (Fycompa)	2	ST; QL (30 per 30 days)
<i>perampanel oral tablet 4 mg, 6 mg</i> (Fycompa)	5	ST; NDS; QL (60 per 30 days)
<i>phenobarbital oral elixir 20 mg/5 ml (4 mg/ml)</i> (Phenobarbital)	2	
<i>phenobarbital oral tablet 100 mg, 15 mg, 16.2 mg, 30 mg, 32.4 mg, 60 mg, 64.8 mg, 97.2 mg</i> (Phenobarbital)	2	
<i>phenytek oral capsule 200 mg, 300 mg</i> (Dilantin)	2	
<i>phenytoin oral suspension 125 mg/5 ml</i> (Dilantin-125)	2	
<i>phenytoin oral tablet, chewable 50 mg</i> (Dilantin)	2	
<i>phenytoin sodium extended oral capsule 100 mg</i> (Dilantin)	2	
<i>phenytoin sodium extended oral capsule 200 mg, 300 mg</i> (Dilantin)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>phenytoin sodium intravenous solution 50 mg/ml</i> (Phenytoin Sodium)	2	HI
<i>phenytoin sodium intravenous syringe 50 mg/ml</i> (Phenytoin Sodium)	2	HI
<i>pregabalin oral capsule 100 mg, 150 mg, 200 mg, 25 mg, 50 mg, 75 mg</i> (Lyrica)	2	QL (90 per 30 days)
<i>pregabalin oral capsule 225 mg, 300 mg</i> (Lyrica)	2	QL (60 per 30 days)
<i>pregabalin oral solution 20 mg/ml</i> (Lyrica)	2	QL (900 per 30 days)
<i>primidone oral tablet 125 mg</i> (Mysoline)	2	
<i>primidone oral tablet 250 mg, 50 mg</i> (Mysoline)	2	
<i>rufinamide oral suspension 40 mg/ml</i> (Banzel)	5	ST; NDS
<i>rufinamide oral tablet 200 mg</i> (Banzel)	2	ST
<i>rufinamide oral tablet 400 mg</i> (Banzel)	5	ST; NDS
SEZABY INTRAVENOUS RECON SOLN 100 MG	5	PA BvD; NDS
SPRITAM ORAL TABLET FOR SUSPENSION 1,000 MG, 750 MG	4	ST
SPRITAM ORAL TABLET FOR SUSPENSION 250 MG, 500 MG (levetiracetam)	4	ST
SUBVENITE ORAL SUSPENSION 10 MG/ML	4	PA NSO
<i>subvenite oral tablet 100 mg, 150 mg, 200 mg, 25 mg</i> (Lamictal)	1	
SYMPAZAN ORAL FILM 10 MG, 20 MG, 5 MG	5	PA NSO; NDS; QL (60 per 30 days)
<i>tiagabine oral tablet 12 mg, 16 mg, 2 mg, 4 mg</i> (Tiagabine HCl)	2	
<i>topiramate oral capsule, sprinkle 15 mg, 25 mg</i> (Topamax)	2	
<i>topiramate oral capsule, sprinkle 50 mg</i> (Topamax)	2	
<i>topiramate oral solution 25 mg/ml</i> (Eprontia)	2	ST
<i>topiramate oral tablet 100 mg, 200 mg, 25 mg, 50 mg</i> (Topamax)	1	
<i>valproate sodium intravenous solution 500 mg/5 ml (100 mg/ml)</i> (Valproic Acid (As Sodium Salt))	2	HI

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>valproic acid (as sodium salt) oral solution 250 mg/5 ml</i> (Valproic Acid (As Sodium Salt))	2	
<i>valproic acid oral capsule 250 mg</i> (Valproic Acid)	2	
VALTOCO NASAL SPRAY, NON-AEROSOL 10 MG/SPRAY (0.1 ML), 15 MG/2 SPRAY (7.5/0.1ML X 2), 20 MG/2 SPRAY (10MG/0.1ML X2), 5 MG/SPRAY (0.1 ML)	5	NDS; QL (10 per 30 days)
<i>vigabatrin oral powder in packet 500 mg</i> (Sabril)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigabatrin oral tablet 500 mg</i> (Sabril)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigadrone oral powder in packet 500 mg</i> (Sabril)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigadrone oral tablet 500 mg</i> (Sabril)	5	PA NSO; NDS; QL (180 per 30 days)
<i>vigpoder oral powder in packet 500 mg</i> (Sabril)	5	PA NSO; NDS; QL (180 per 30 days)
XCOPRI MAINTENANCE PACK ORAL TABLET 250MG/DAY(150 MG X1-100MG X1), 350 MG/DAY (200 MG X1-150MG X1)	5	NDS; QL (56 per 28 days)
XCOPRI ORAL TABLET 100 MG, 25 MG, 50 MG	5	NDS; QL (30 per 30 days)
XCOPRI ORAL TABLET 150 MG, 200 MG	5	NDS; QL (60 per 30 days)
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 12.5 MG (14)- 25 MG (14)	4	
XCOPRI TITRATION PACK ORAL TABLETS, DOSE PACK 150 MG (14)- 200 MG (14), 50 MG (14)- 100 MG (14)	5	NDS
ZONISADE ORAL SUSPENSION 100 MG/5 ML	4	
<i>zonisamide oral capsule 100 mg, 25 mg</i> (Zonegran)	2	
<i>zonisamide oral capsule 50 mg</i> (Zonegran)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ZTALMY ORAL SUSPENSION 50 MG/ML	5	PA NSO; NDS; QL (1080 per 30 days)
Antidepresivos		
Antidepresivos		
<i>amitriptyline oral tablet 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> (Amitriptyline HCl)	2	
<i>amoxapine oral tablet 100 mg, 150 mg, 25 mg, 50 mg</i> (Amoxapine)	2	
AUVELITY ORAL TABLET, IR AND ER, BIPHASIC 45-105 MG	5	NDS
AUVELITY ORAL TABLET,IR ER BIPHASIC,DOSEPACK 30 MG-105 MG /45 MG-105 MG	5	NDS
<i>bupropion hcl oral tablet 100 mg, 75 mg</i> (Bupropion HCl)	2	
<i>bupropion hcl oral tablet extended release 24 hr 150 mg, 300 mg</i> (Forfivo XL)	2	
<i>bupropion hcl oral tablet sustained-release 12 hr 100 mg, 150 mg, 200 mg</i> (Wellbutrin SR)	2	
<i>citalopram oral solution 10 mg/5 ml</i> (Citalopram Hydrobromide)	2	
<i>citalopram oral tablet 10 mg</i> (Celexa)	1	QL (120 per 30 days)
<i>citalopram oral tablet 20 mg, 40 mg</i> (Celexa)	1	QL (30 per 30 days)
<i>clomipramine oral capsule 25 mg, 50 mg, 75 mg</i> (Anafranil)	4	
<i>desipramine oral tablet 10 mg, 25 mg</i> (Norpramin)	4	
<i>desipramine oral tablet 100 mg, 150 mg, 50 mg, 75 mg</i> (Norpramin)	4	
<i>desvenlafaxine succinate oral tablet extended release 24 hr 100 mg, 25 mg, 50 mg</i> (Pristiq)	2	QL (30 per 30 days)
<i>doxepin oral capsule 10 mg, 100 mg, 150 mg, 25 mg, 50 mg, 75 mg</i> (Doxepin HCl)	2	
<i>doxepin oral concentrate 10 mg/ml</i> (Doxepin HCl)	2	
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 20 MG, 30 MG, 60 MG	4	ST; QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
DRIZALMA SPRINKLE ORAL CAPSULE, DELAYED REL SPRINKLE 40 MG	4	ST; QL (30 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 20 mg</i> (Cymbalta)	2	QL (120 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 30 mg</i> (Cymbalta)	2	QL (90 per 30 days)
<i>duloxetine oral capsule, delayed release(dr/ec) 60 mg</i> (Cymbalta)	2	QL (60 per 30 days)
EMSAM TRANSDERMAL PATCH 24 HOUR 12 MG/24 HR, 6 MG/24 HR, 9 MG/24 HR	5	ST; NDS; QL (30 per 30 days)
<i>escitalopram oxalate oral solution 5 mg/5 ml</i> (Escitalopram Oxalate)	2	
<i>escitalopram oxalate oral tablet 10 mg, 20 mg, 5 mg</i> (Lexapro)	1	
EXXUA ORAL TABLET EXTENDED RELEASE 24 HR 18.2 MG, 36.3 MG, 54.5 MG, 72.6 MG	5	PA NSO; NDS; QL (30 per 30 days)
EXXUA ORAL TABLET, EXT REL 24HR DOSE PACK 18.2 MG (32 TABS)	5	PA NSO; NDS
FETZIMA ORAL CAPSULE,EXT REL 24HR DOSE PACK 20 MG (2)- 40 MG (26)	4	ST
FETZIMA ORAL CAPSULE,EXTENDED RELEASE 24 HR 120 MG, 20 MG, 40 MG, 80 MG	4	ST; QL (30 per 30 days)
<i>fluoxetine oral capsule 10 mg, 20 mg</i> (Prozac)	1	
<i>fluoxetine oral capsule 40 mg</i> (Prozac)	1	
<i>fluoxetine oral solution 20 mg/5 ml (4 mg/ml)</i> (Fluoxetine HCl)	2	
<i>fluvoxamine oral tablet 100 mg, 25 mg, 50 mg</i> (Fluvoxamine Maleate)	2	
<i>imipramine hcl oral tablet 10 mg, 25 mg, 50 mg</i> (Imipramine HCl)	2	
MARPLAN ORAL TABLET 10 MG	4	
<i>mirtazapine oral tablet 15 mg, 30 mg</i> (Remeron)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>mirtazapine oral tablet 45 mg, 7.5 mg</i> (Remeron)	2	
<i>mirtazapine oral tablet, disintegrating 15 mg, 30 mg, 45 mg</i> (Remeron)	2	
<i>nefazodone oral tablet 100 mg, 150 mg, 200 mg, 250 mg, 50 mg</i> (Nefazodone HCl)	2	
<i>nortriptyline oral capsule 10 mg, 25 mg, 50 mg, 75 mg</i> (Pamelor)	1	
<i>nortriptyline oral solution 10 mg/5 ml</i> (Nortriptyline HCl)	4	
<i>paroxetine hcl oral suspension 10 mg/5 ml</i> (Paxil)	4	
<i>paroxetine hcl oral tablet 10 mg, 20 mg, 30 mg, 40 mg</i> (Paxil)	1	
<i>paroxetine hcl oral tablet extended release 24 hr 12.5 mg, 37.5 mg</i> (Paxil CR)	4	
<i>paroxetine hcl oral tablet extended release 24 hr 25 mg</i> (Paxil CR)	4	
<i>perphenazine-amitriptyline oral tablet 2-10 mg, 2-25 mg, 4-10 mg, 4-25 mg, 4-50 mg</i> (Perphenazine/Amitriptyline HCl)	2	
<i>phenelzine oral tablet 15 mg</i> (Nardil)	2	
<i>protriptyline oral tablet 10 mg, 5 mg</i> (Protriptyline HCl)	4	
RALDESY ORAL SOLUTION 10 MG/ML	5	PA NSO; NDS; QL (1200 per 30 days)
<i>sertraline oral concentrate 20 mg/ml</i> (Zoloft)	2	
<i>sertraline oral tablet 100 mg, 25 mg, 50 mg</i> (Zoloft)	1	
SPRAVATO NASAL SPRAY, NON-AEROSOL 28 MG, 56 MG (28 MG X 2), 84 MG (28 MG X 3)	5	PA NSO; NDS
<i>tranylcypromine oral tablet 10 mg</i> (Parnate)	4	
<i>trazodone oral tablet 100 mg, 150 mg, 300 mg, 50 mg</i> (Trazodone HCl)	1	
<i>trimipramine oral capsule 100 mg, 25 mg, 50 mg</i> (Trimipramine Maleate)	4	
TRINTELLIX ORAL TABLET 10 MG, 20 MG, 5 MG	3	QL (30 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>venlafaxine oral capsule, extended release 24hr 150 mg</i> (Effexor XR)	2	QL (30 per 30 days)
<i>venlafaxine oral capsule, extended release 24hr 37.5 mg, 75 mg</i> (Effexor XR)	2	QL (90 per 30 days)
<i>venlafaxine oral tablet 100 mg, 25 mg, 37.5 mg, 50 mg, 75 mg</i> (Venlafaxine HCl)	2	
<i>vilazodone oral tablet 10 mg, 20 mg, 40 mg</i> (Viibryd)	2	QL (30 per 30 days)
ZURZUVAE ORAL CAPSULE 20 MG, 25 MG	5	PA NSO; NDS; QL (28 per 14 days)
ZURZUVAE ORAL CAPSULE 30 MG	5	PA NSO; NDS; QL (14 per 14 days)
Antifúngicos		
Antifúngicos		
ABELCET INTRAVENOUS SUSPENSION 5 MG/ML	4	PA BvD
<i>amphotericin b injection recon soln 50 mg</i> (Amphotericin B)	2	PA BvD
<i>amphotericin b liposome intravenous suspension for reconstitution 50 mg</i> (Ambisome)	5	PA BvD; NDS
<i>ciclopirox topical cream 0.77 %</i> (Loprox)	2	QL (180 per 30 days)
<i>ciclopirox topical solution 8 %</i> (Ciclodan)	2	QL (19.8 per 30 days)
<i>ciclopirox topical suspension 0.77 %</i> (Loprox)	4	QL (180 per 30 days)
<i>clotrimazole mucous membrane troche 10 mg</i> (Clotrimazole)	2	
<i>clotrimazole topical cream 1 %</i> (Clotrimazole)	2	
<i>clotrimazole topical solution 1 %</i> (Clotrimazole)	2	
<i>clotrimazole-betamethasone topical cream 1-0.05 %</i> (Clotrimazole/Betamethasone Dip)	2	QL (90 per 30 days)
CRESEMBA INTRAVENOUS RECON SOLN 372 MG	5	NDS
CRESEMBA ORAL CAPSULE 186 MG, 74.5 MG	5	PA; NDS
<i>econazole nitrate topical cream 1 %</i> (Econazole Nitrate)	2	QL (170 per 30 days)
<i>fluconazole in nacl (iso-osm) intravenous piggyback 200 mg/100 ml, 400 mg/200 ml</i> (Fluconazole In Nacl, Iso-Osm)	2	HI

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>fluconazole oral suspension for reconstitution 10 mg/ml</i> (Diflucan)	2	
<i>fluconazole oral suspension for reconstitution 40 mg/ml</i> (Diflucan)	2	
<i>fluconazole oral tablet 100 mg, 150 mg, 200 mg, 50 mg</i> (Diflucan)	2	
<i>flucytosine oral capsule 250 mg, 500 mg</i> (Ancobon)	5	NDS
<i>griseofulvin microsize oral suspension 125 mg/5 ml</i> (Griseofulvin, Microsize)	2	
<i>griseofulvin microsize oral tablet 500 mg</i> (Griseofulvin, Microsize)	4	
<i>griseofulvin ultramicrosize oral tablet 125 mg, 165 mg, 250 mg</i> (Griseofulvin Ultramicrosize)	4	
<i>itraconazole oral capsule 100 mg</i> (Sporanox)	2	
<i>ketoconazole oral tablet 200 mg</i> (Ketoconazole)	2	
<i>ketoconazole topical cream 2 %</i> (Ketoconazole)	2	QL (180 per 30 days)
<i>ketoconazole topical shampoo 2 %</i> (Ketoconazole)	2	QL (360 per 30 days)
<i>micafungin intravenous recon soln 100 mg, 50 mg</i> (Mycamine)	2	HI
<i>miconazole-3 vaginal suppository 200 mg</i> (Miconazole Nitrate)	2	
<i>nyamyc topical powder 100,000 unit/gram</i> (Nystatin)	2	QL (60 per 30 days)
<i>nystatin oral suspension 100,000 unit/ml</i> (Nystatin)	2	
<i>nystatin oral tablet 500,000 unit</i> (Nystatin)	2	
<i>nystatin topical cream 100,000 unit/gram</i> (Nystatin)	2	QL (60 per 30 days)
<i>nystatin topical ointment 100,000 unit/gram</i> (Nystatin)	2	QL (60 per 30 days)
<i>nystatin topical powder 100,000 unit/gram</i> (Nystatin)	2	QL (60 per 30 days)
<i>nystatin-triamcinolone topical cream 100,000-0.1 unit/g-%</i> (Nystatin/Triamcinolone Acet)	2	
<i>nystatin-triamcinolone topical ointment 100,000-0.1 unit/gram-%</i> (Nystatin/Triamcinolone Acet)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>nystop topical powder 100,000 unit/gram</i> (Nystatin)	2	QL (60 per 30 days)
<i>posaconazole oral tablet, delayed release (dr/ec) 100 mg</i> (Noxafil)	5	PA; NDS
<i>terbinafine hcl oral tablet 250 mg</i> (Terbinafine HCl)	1	
<i>voriconazole intravenous recon soln 200 mg</i> (Vfend IV)	5	PA BvD; HI; NDS
<i>voriconazole intravenous solution 10 mg/ml</i> (Vfend IV)	5	PA BvD; HI; NDS
<i>voriconazole oral suspension for reconstitution 200 mg/5 ml (40 mg/ml)</i> (Vfend)	5	PA; NDS
<i>voriconazole oral tablet 200 mg, 50 mg</i> (Vfend)	4	
Antihistamínicos		
Antihistamínicos		
<i>hydroxyzine hcl oral tablet 10 mg, 25 mg, 50 mg</i> (Hydroxyzine HCl)	2	
<i>levocetirizine oral tablet 5 mg</i> (Levocetirizine Dihydrochloride)	1	
Antimicobacteriales		
Antimicobacteriales		
<i>dapsone oral tablet 100 mg, 25 mg</i> (Dapsone)	2	
<i>ethambutol oral tablet 100 mg, 400 mg</i> (Myambutol)	2	
<i>isoniazid oral tablet 100 mg, 300 mg</i> (Isoniazid)	1	
PRIFTIN ORAL TABLET 150 MG (rifapentine)	4	
<i>pyrazinamide oral tablet 500 mg</i> (Pyrazinamide)	2	
<i>rifabutin oral capsule 150 mg</i> (Mycobutin)	4	
<i>rifampin intravenous recon soln 600 mg</i> (Rifadin)	2	HI
<i>rifampin oral capsule 150 mg, 300 mg</i> (Rifampin)	2	
SIRTURO ORAL TABLET 100 MG, 20 MG	5	PA; NDS
TRECTOR ORAL TABLET 250 MG	4	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
Antivirales (Sitémico)		
Antirretrovirales		
<i>abacavir oral solution 20 mg/ml</i> (Ziagen)	2	
<i>abacavir oral tablet 300 mg</i> (Ziagen)	2	
<i>abacavir-lamivudine oral tablet 600-300 mg</i> (Epzicom)	2	
APTIVUS ORAL CAPSULE 250 MG	5	NDS
<i>atazanavir oral capsule 150 mg</i> (Reyataz)	2	
<i>atazanavir oral capsule 200 mg, 300 mg</i> (Reyataz)	2	
BIKTARVY ORAL TABLET 30-120-15 MG, 50-200-25 MG	5	NDS; QL (30 per 30 days)
CABENUVA INTRAMUSCULAR SUSPENSION, EXTENDED RELEASE 400 MG/2 ML- 600 MG/2 ML, 600 MG/3 ML- 900 MG/3 ML	5	NDS
<i>cabotegravir intramuscular suspension, extended release 400 mg/2 ml (200 mg/ml)</i> (Cabotegravir)	5	NDS; QL (24 per 365 days)
<i>cabotegravir intramuscular suspension, extended release 600 mg/3 ml (200 mg/ml)</i> (Cabotegravir)	5	NDS; QL (24 per 365 days)
CIMDUO ORAL TABLET 300-300 MG	5	NDS
<i>darunavir oral tablet 600 mg</i> (Prezista)	2	
<i>darunavir oral tablet 800 mg</i> (Prezista)	5	NDS
DELSTRIGO ORAL TABLET 100-300-300 MG	5	NDS
DESCOVY ORAL TABLET 120-15 MG, 200-25 MG	5	NDS
<i>didanosine oral capsule, delayed release(dr/ec) 250 mg, 400 mg</i> (Didanosine)	2	
DOVATO ORAL TABLET 50-300 MG	5	NDS
EDURANT PED ORAL TABLET FOR SUSPENSION 2.5 MG	5	NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>efavirenz oral capsule 200 mg, 50 mg</i> (Efavirenz)	2	
<i>efavirenz oral tablet 600 mg</i> (Efavirenz)	2	
<i>efavirenz-emtricitabin-tenofovir oral tablet 600-200-300 mg</i> (Atripla)	2	
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 400-300-300 mg</i> (Symfi)	5	NDS
<i>efavirenz-lamivudine-tenofovir disoproxil fumarate oral tablet 600-300-300 mg</i> (Symfi)	5	NDS
<i>emtricitabine oral capsule 200 mg</i> (Emtriva)	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 100-150 mg, 167-250 mg, 200-300 mg</i> (Truvada)	2	
<i>emtricitabine-tenofovir (tdf) oral tablet 133-200 mg</i> (Truvada)	5	NDS
<i>emtricitabine-rilpivirine-tenofovir disoproxil fumarate oral tablet 200-25-300 mg</i> (Complera)	5	NDS
EMTRIVA ORAL SOLUTION 10 MG/ML	4	
<i>etravirine oral tablet 100 mg, 200 mg</i> (Intelence)	5	NDS
EVOTAZ ORAL TABLET 300-150 MG	5	NDS
<i>fosamprenavir oral tablet 700 mg</i> (Lexiva)	5	NDS
FUZEON SUBCUTANEOUS RECON SOLN 90 MG	5	NDS
GENVOYA ORAL TABLET 150-150-200-10 MG	5	NDS
IDVYNZO ORAL TABLET 100-0.25 MG	5	NDS; QL (30 per 30 days)
INTELENCE ORAL TABLET 25 MG	4	
ISENTRESS HD ORAL TABLET 600 MG	5	NDS
ISENTRESS ORAL POWDER IN PACKET 100 MG	5	NDS
ISENTRESS ORAL TABLET 400 MG	5	NDS
ISENTRESS ORAL TABLET, CHEWABLE 100 MG	5	NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ISENTRESS ORAL TABLET,CHEWABLE 25 MG	3	
JULUCA ORAL TABLET 50-25 MG	5	NDS
KALETRA ORAL SOLUTION 400- (lopinavir-ritonavir) 100 MG/5 ML	4	QL (480 per 30 days)
<i>lamivudine oral solution 10 mg/ml</i> (Epivir)	2	
<i>lamivudine oral tablet 100 mg</i> (Epivir)	2	
<i>lamivudine oral tablet 150 mg, 300 mg</i> (Epivir)	2	
<i>lamivudine-zidovudine oral tablet 150-300 mg</i> (Combivir)	2	
LEXIVA ORAL SUSPENSION 50 MG/ML	4	
<i>lopinavir-ritonavir oral solution 400-100 mg/5 ml</i> (Kaletra)	2	QL (480 per 30 days)
<i>lopinavir-ritonavir oral tablet 100-25 mg</i> (Kaletra)	2	QL (300 per 30 days)
<i>lopinavir-ritonavir oral tablet 200-50 mg</i> (Kaletra)	2	QL (120 per 30 days)
<i>maraviroc oral tablet 150 mg, 300 mg</i> (Selzentry)	5	NDS
<i>nevirapine oral suspension 50 mg/5 ml</i> (Nevirapine)	2	QL (1200 per 30 days)
<i>nevirapine oral tablet 200 mg</i> (Nevirapine)	2	QL (60 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 100 mg</i> (Nevirapine)	2	QL (90 per 30 days)
<i>nevirapine oral tablet extended release 24 hr 400 mg</i> (Nevirapine)	2	QL (30 per 30 days)
NORVIR ORAL POWDER IN PACKET 100 MG	4	
ODEFSEY ORAL TABLET 200-25- 25 MG	5	NDS
PIFELTRO ORAL TABLET 100 MG	5	NDS
PREZCOBIX ORAL TABLET 675- 150 MG, 800-150 MG-MG	5	NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
PREZISTA ORAL SUSPENSION 100 MG/ML	5	NDS
PREZISTA ORAL TABLET 150 MG	5	NDS
PREZISTA ORAL TABLET 75 MG	4	
RETROVIR INTRAVENOUS SOLUTION 10 MG/ML	4	HI
REYATAZ ORAL POWDER IN PACKET 50 MG	5	NDS
<i>rilpivirine hcl oral tablet 25 mg</i> (Rilpivirine HCl)	5	NDS
<i>rilpivirine intramuscular suspension, extended release 600 mg/2 ml (300 mg/ml), 900 mg/3 ml (300 mg/ml)</i> (Rilpivirine)	5	NDS
<i>ritonavir oral tablet 100 mg</i> (Norvir)	2	
RUKOBIA ORAL TABLET EXTENDED RELEASE 12 HR 600 MG	5	NDS
SELZENTRY ORAL SOLUTION 20 MG/ML	5	NDS
SELZENTRY ORAL TABLET 25 MG	3	
SELZENTRY ORAL TABLET 75 MG	5	NDS
<i>stavudine oral capsule 15 mg, 20 mg</i> (Stavudine)	2	
STRIBILD ORAL TABLET 150- 150-200-300 MG	5	NDS
SUNLENCA ORAL TABLET 300 MG, 300 MG (4-TABLET PACK), 300 MG (5-TABLET PACK)	5	NDS
SUNLENCA SUBCUTANEOUS SOLUTION 309 MG/ML	5	PA BvD; NDS
SYM TUZA ORAL TABLET 800- 150-200-10 MG	5	NDS
<i>tenofovir disoproxil fumarate oral tablet 300 mg</i> (Viread)	2	
TIVICAY ORAL TABLET 10 MG	4	
TIVICAY ORAL TABLET 25 MG, 50 MG	5	NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TIVICAY PD ORAL TABLET FOR SUSPENSION 5 MG	5	NDS
TRIUMEQ ORAL TABLET 600-50-300 MG	5	NDS; QL (30 per 30 days)
TRIUMEQ PD ORAL TABLET FOR SUSPENSION 60-5-30 MG	4	
TRIZIVIR ORAL TABLET 300-150-300 MG	5	NDS
TROGARZO INTRAVENOUS SOLUTION 200 MG/1.33 ML (150 MG/ML)	5	NDS
VEMLIDY ORAL TABLET 25 MG	5	NDS; QL (30 per 30 days)
VIRACEPT ORAL TABLET 250 MG, 625 MG	5	NDS
VIREAD ORAL POWDER 40 MG/SCOOP (40 MG/GRAM)	5	NDS
VIREAD ORAL TABLET 150 MG, 200 MG, 250 MG	5	NDS
VOCABRIA ORAL TABLET 30 MG	4	
<i>zidovudine oral capsule 100 mg</i> (Retrovir)	2	
<i>zidovudine oral syrup 10 mg/ml</i> (Retrovir)	2	
<i>zidovudine oral tablet 300 mg</i> (Zidovudine)	2	
Antivirales Hcv		
EPCLUSA ORAL PELLETS IN PACKET 150-37.5 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL PELLETS IN PACKET 200-50 MG	5	PA; NDS; QL (56 per 28 days)
EPCLUSA ORAL TABLET 200-50 MG	5	PA; NDS; QL (28 per 28 days)
EPCLUSA ORAL TABLET 400-100 (sofosbuvir-velpatasvir) MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 33.75-150 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL PELLETS IN PACKET 45-200 MG	5	PA; NDS; QL (56 per 28 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
HARVONI ORAL TABLET 45-200 MG	5	PA; NDS; QL (28 per 28 days)
HARVONI ORAL TABLET 90-400 MG (ledipasvir-sofosbuvir)	5	PA; NDS; QL (28 per 28 days)
VOSEVI ORAL TABLET 400-100-100 MG	5	PA; NDS; QL (28 per 28 days)
Antivirales, Varios		
LIVTENCITY ORAL TABLET 200 MG	5	PA; NDS
<i>oseltamivir oral capsule 30 mg</i> (Tamiflu)	2	QL (84 per 180 days)
<i>oseltamivir oral capsule 45 mg</i> (Tamiflu)	2	QL (48 per 180 days)
<i>oseltamivir oral capsule 75 mg</i> (Tamiflu)	2	QL (42 per 180 days)
<i>oseltamivir oral suspension for reconstitution 6 mg/ml</i> (Tamiflu)	2	QL (540 per 180 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (10)- 100 MG (10)	2	QL (20 per 5 days)
PAXLOVID ORAL TABLETS,DOSE PACK 150 MG (6)- 100 MG (5)	2	QL (11 per 28 days)
PAXLOVID ORAL TABLETS,DOSE PACK 300 MG (150 MG X 2)-100 MG	2	QL (30 per 5 days)
PREVYMIS ORAL TABLET 240 MG, 480 MG	5	PA; NDS; QL (28 per 28 days)
RELENZA DISKHALER INHALATION BLISTER WITH DEVICE 5 MG/ACTUATION	4	QL (60 per 180 days)
Interferones		
PEGASYS SUBCUTANEOUS SOLUTION 180 MCG/ML	5	PA; NDS
PEGASYS SUBCUTANEOUS SYRINGE 180 MCG/0.5 ML	5	PA; NDS
Nucleósidos Y Nucleótidos		
<i>acyclovir oral capsule 200 mg</i> (Acyclovir)	1	
<i>acyclovir oral suspension 200 mg/5 ml</i> (Acyclovir)	4	
<i>acyclovir oral tablet 400 mg, 800 mg</i> (Acyclovir)	2	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
<i>acyclovir sodium intravenous solution 50 mg/ml</i>	(Acyclovir Sodium)	2	PA BvD
<i>adefovir oral tablet 10 mg</i>	(Hepsera)	2	
<i>entecavir oral tablet 0.5 mg, 1 mg</i>	(Baraclude)	2	
<i>famciclovir oral tablet 125 mg, 250 mg, 500 mg</i>	(Famciclovir)	2	
<i>ribavirin oral tablet 200 mg</i>	(Ribavirin)	2	
<i>valacyclovir oral tablet 1 gram, 500 mg</i>	(Valtrex)	2	
<i>valganciclovir oral recon soln 50 mg/ml</i>	(Valcyte)	5	NDS
<i>valganciclovir oral tablet 450 mg</i>	(Valcyte)	2	
Cofactores Enzimáticos/Otros			
Cofactores Enzimáticos/Otros			
MIPLYFFA ORAL CAPSULE 124 MG, 47 MG, 62 MG, 93 MG		5	PA; NDS; QL (90 per 30 days)
Dispositivos			
Dispositivos			
1ST TIER UNIFINE PENTP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 8MM 31G STRL,SINGLE-USE,SHRT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 31GX3/16 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
1ST TIER UNIFINE PNTIP 32GX5/32 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ADVOCATE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE INS SYR 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ADVOCATE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLES 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ADVOCATE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ALCOHOL PADS TOPICAL PADS, MEDICATED	(alcohol swabs)	1	PA; ST
AQINJECT PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
AQINJECT PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ASSURE ID DUO PRO NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
ASSURE ID DUO-SHIELD 30GX3/16" 30 GAUGE X 3/16"		2	PA; ST
ASSURE ID DUO-SHIELD 30GX5/16" 30 GAUGE X 5/16"		2	PA; ST
ASSURE ID INSULIN SAFETY SYRINGE 1 ML 29 GAUGE X 1/2"		2	PA; ST
ASSURE ID PEN NEEDLE 30GX5/16" 30 GAUGE X 5/16"		2	PA; ST
ASSURE ID PRO PEN NDL 30G 5MM 30 GAUGE X 3/16"		2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ASSURE ID SYR 0.5 ML 31GX15/64" 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
ASSURE ID SYR 1 ML 31GX15/64" 1 ML 31 GAUGE X 15/64"	2	PA; ST
BD AUTOSHIELD DUO NDL 5MMX30G 30 GAUGE X 3/16"	2	PA; ST
BD ECLIPSE 30GX1/2" SYRINGE (insulin syringe-needle 1 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
BD INS SYR 0.3 ML 8MMX31G(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
BD INS SYR UF 0.3 ML (insulin syringe-needle 12.7MMX30G 0.3 ML 30 GAUGE u-100) X 1/2"	2	PA; ST
BD INS SYR UF 0.5 ML (insulin syringe-needle 12.7MMX30G NOT FOR RETAIL u-100) SALE 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
BD INSULIN SYR 1 ML (insulin syringe-needle 27GX12.7MM 1 ML 27 GAUGE X u-100) 1/2"	2	PA; ST
BD INSULIN SYR 1 ML 27GX5/8" (insulin syringe-needle MICRO-FINE 1 ML 27 GAUGE X u-100) 5/8"	2	PA; ST
BD SAFETGLD INS 0.3 ML 29G 13MM 0.3 ML 29 GAUGE X 1/2"	2	PA; ST
BD SAFETYGLD INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
BD SAFETYGLD INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
BD SAFETYGLD INS 1 ML 29G 13MM 1 ML 29 GAUGE X 1/2"	2	PA; ST
BD SAFETYGLID INS 1 ML 6MMX31G 1 ML 31 GAUGE X 15/64"	2	PA; ST
BD SAFETYGLIDE SYRINGE (insulin syringe-needle 27GX5/8 1 ML 27 GAUGE X 5/8" u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
BD SAFTYGLD INS 0.3 ML 6MMX31G 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
BD SAFTYGLD INS 0.5 ML 29G 13MM 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
BD SAFTYGLD INS 0.5 ML 6MMX31G 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
BD SINGLE USE SWAB (alcohol swabs)	1	PA; ST
BD UF MICRO PEN NEEDLE (pen needle, diabetic) 6MMX32G 32 GAUGE X 1/4"	2	PA; ST
BD UF MINI PEN NEEDLE (pen needle, diabetic) 5MMX31G 31 GAUGE X 3/16"	2	PA; ST
BD UF NANO PEN NEEDLE (pen needle, diabetic) 4MMX32G 32 GAUGE X 5/32"	2	PA; ST
BD UF ORIG PEN NDL (pen needle, diabetic) 12.7MMX29G 29 GAUGE X 1/2"	2	PA; ST
BD UF SHORT PEN NEEDLE (pen needle, diabetic) 8MMX31G 31 GAUGE X 5/16"	2	PA; ST
BD VEO INS 0.3 ML 6MMX31G (1/2) 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
BD VEO INS SYRING 1 ML (insulin syringe-needle 6MMX31G 1 ML 31 GAUGE X u-100) 15/64"	2	PA; ST
BD VEO INS SYRN 0.3 ML (insulin syringe-needle 6MMX31G 0.3 ML 31 GAUGE X u-100) 15/64"	2	PA; ST
BD VEO INS SYRN 0.5 ML (insulin syringe-needle 6MMX31G 1/2 ML 31 GAUGE X u-100) 15/64"	2	PA; ST
BORDERED GAUZE 2"X2" 2 X 2 " (gauze bandage)	1	PA; ST
CAREFINE PEN NEEDLE 12.7MM (pen needle, diabetic) 29G HRI 29 GAUGE X 1/2"	2	PA; ST
CAREFINE PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	PA; ST
CAREFINE PEN NEEDLE 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	PA; ST
CAREFINE PEN NEEDLE 6MM (pen needle, diabetic) 31G HRI 31 GAUGE X 1/4"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
CAREFINE PEN NEEDLE 8MM 30G HRI 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CAREFINE PEN NEEDLES 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH ALCOHOL 70% PREP PAD	(alcohol swabs)	1	PA; ST
CARETOUCH PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
CARETOUCH PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
CARETOUCH SYR 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 28GX5/16" 1 ML 28 X 5/16"		2	PA; ST
CARETOUCH SYR 1 ML 29GX5/16" 1 ML 29 GAUGE X 5/16"		2	PA; ST
CARETOUCH SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
CARETOUCH SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
CLICKFINE PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32GX4MM, STERILE 32 GAUGE X 5/32"	2	PA; ST
CLICKFINE UNIVERSAL 31G X (pen needle, diabetic) 1/4" 6MM, STORE BRAND 31 GAUGE X 1/4"	2	PA; ST
COMFORT EZ 0.3 ML 31G 15/64" (insulin syringe-needle 0.3 ML 31 GAUGE X 15/64" u-100)	2	PA; ST
COMFORT EZ 0.5 ML 31G 15/64" (insulin syringe-needle 1/2 ML 31 GAUGE X 15/64" u-100)	2	PA; ST
COMFORT EZ INS 0.3 ML (insulin syringe-needle 30GX1/2" 0.3 ML 30 GAUGE X u-100) 1/2"	2	PA; ST
COMFORT EZ INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	PA; ST
COMFORT EZ INS 1 ML 31G (insulin syringe-needle 15/64" 1 ML 31 GAUGE X 15/64" u-100)	2	PA; ST
COMFORT EZ INS 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.3 (insulin syringe-needle ML 0.3 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
COMFORT EZ INSULIN SYR 0.5 (insulin syringe-needle ML 0.5 ML 30 GAUGE X 5/16", 0.5 u-100) ML 31 GAUGE X 5/16"	2	PA; ST
COMFORT EZ PEN NEEDLE (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 4MM 32G SINGLE USE, MICRO 32 GAUGE X 5/32"	2	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 4MM 33G 33 GAUGE X 5/32"	2	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 31G MINI 31 GAUGE X 3/16"	2	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 32G SINGLE USE,MINI,HRI 32 GAUGE X 3/16"	2	PA; ST
COMFORT EZ PEN NEEDLES (pen needle, diabetic) 5MM 33G 33 GAUGE X 3/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
COMFORT EZ PEN NEEDLES 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 32G 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 6MM 33G 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 31G SHORT 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 32G 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
COMFORT EZ PEN NEEDLES 8MM 33G 33 GAUGE X 5/16"		2	PA; ST
COMFORT EZ PRO PEN NDL 30G 8MM 30 GAUGE X 5/16"		2	PA; ST
COMFORT EZ PRO PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	2	PA; ST
COMFORT EZ PRO PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
COMFORT EZ SYR 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 27G 12.7MM 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
COMFORT EZ SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
COMFORT EZ SYR 1 ML (insulin syringe-needle 30GX5/16" 1 ML 30 GAUGE X 5/16 u-100)	2	PA; ST
COMFORT POINT PEN NDL 31GX1/3" 31 GAUGE X 1/3"	2	PA; ST
COMFORT POINT PEN NDL 31GX1/6" 31 GAUGE X 1/6"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 4MM 31 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	2	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	PA; ST
COMFORT TOUCH PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	2	PA; ST
COMFORT TOUCH PEN NDL (pen needle, diabetic) 33GX5MM 33 GAUGE X 3/16"	2	PA; ST
CURITY ALCOHOL PREPS 2 (alcohol swabs) PLY,MEDIUM	1	PA; ST
CURITY GAUZE PADS 2 X 2 " (gauze bandage)	1	PA; ST
CURITY GAUZE SPONGES (12 PLY)-200/BAG 2 X 2 "	1	PA; ST
DERMACEA 2"X2" GAUZE 12 (gauze bandage) PLY, USP TYPE VII 2 X 2 "	1	PA; ST
DERMACEA GAUZE 2"X2" SPONGE 8 PLY 2 X 2 "	1	PA; ST
DERMACEA NON-WOVEN 2"X2" SPNGE 2 X 2 "	1	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
DROPLET 0.3 ML 29G 12.7MM(1/2) OUTER 0.3 ML 29 GAUGE X 1/2"	2	PA; ST
DROPLET 0.3 ML 30G 12.7MM(1/2) OUTER 0.3 ML 30 GAUGE X 1/2"	2	PA; ST
DROPLET 0.5 ML 29GX12.5MM(1/2) 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
DROPLET 0.5 ML 30GX12.5MM(1/2) 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
DROPLET INS 0.3 ML (insulin syringe-needle 29GX12.5MM 0.3 ML 29 GAUGE u-100) X 1/2"	2	PA; ST
DROPLET INS 0.3 ML 30G 8MM(1/2) OUTER 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
DROPLET INS 0.3 ML (insulin syringe-needle 30GX12.5MM 0.3 ML 30 GAUGE u-100) X 1/2"	2	PA; ST
DROPLET INS 0.3 ML 31G 6MM(1/2) OUTER 0.3 ML 31 GAUGE X 15/64"	2	PA; ST
DROPLET INS 0.3 ML 31G 8MM(1/2) OUTER 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
DROPLET INS 0.5 ML 29G (insulin syringe-needle 12.7MM OUTER 0.5 ML 29 u-100) GAUGE X 1/2"	2	PA; ST
DROPLET INS 0.5 ML 30G (insulin syringe-needle 12.7MM OUTER 0.5 ML 30 u-100) GAUGE X 1/2"	2	PA; ST
DROPLET INS 0.5 ML 30GX6MM(1/2) 0.5ML 30 GAUGE X 15/64"	2	PA; ST
DROPLET INS 0.5 ML 30GX8MM(1/2) 0.5 ML 30 GAUGE X 5/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
DROPLET INS 0.5 ML 31GX6MM(1/2) 0.5 ML 31 GAUGE X 15/64"	2	PA; ST
DROPLET INS 0.5 ML 31GX8MM(1/2) 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
DROPLET INS SYR 0.3 ML 30GX6MM 0.3 ML 30 GAUGE X 15/64"	2	PA; ST
DROPLET INS SYR 0.3 ML (insulin syringe-needle 30GX8MM 0.3 ML 30 GAUGE X u-100) 5/16"	2	PA; ST
DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX6MM 0.3 ML 31 GAUGE X u-100) 15/64"	2	PA; ST
DROPLET INS SYR 0.3 ML (insulin syringe-needle 31GX8MM 0.3 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
DROPLET INS SYR 0.5 ML 30G (insulin syringe-needle 8MM OUTER 0.5 ML 30 GAUGE X u-100) 5/16"	2	PA; ST
DROPLET INS SYR 0.5 ML 31G (insulin syringe-needle 6MM OUTER 1/2 ML 31 GAUGE X u-100) 15/64"	2	PA; ST
DROPLET INS SYR 0.5 ML 31G (insulin syringe-needle 8MM OUTER 0.5 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
DROPLET INS SYR 1 ML 29G (insulin syringe-needle 12.7MM OUTER 1 ML 29 GAUGE u-100) X 1/2"	2	PA; ST
DROPLET INS SYR 1 ML 30G (insulin syringe-needle 12.5MM 1 ML 30 GAUGE X u-100) 1/2"	2	PA; ST
DROPLET INS SYR 1 ML 30G 6MM 1 ML 30 GAUGE X 15/64"	2	PA; ST
DROPLET INS SYR 1 ML 30G (insulin syringe-needle 8MM OUTER 1 ML 30 GAUGE X u-100) 5/16"	2	PA; ST
DROPLET INS SYR 1 ML 31G (insulin syringe-needle 6MM OUTER 1 ML 31 GAUGE X u-100) 15/64"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
DROPLET INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
DROPLET MICRON 34G X 9/64" 34 GAUGE X 9/64"		2	PA; ST
DROPLET PEN NEEDLE 29G 10MM 29 GAUGE X 3/8"		2	PA; ST
DROPLET PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
DROPLET PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
DROPSAFE ALCOHOL 70% PREP PADS	(alcohol swabs)	1	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
DROPSAFE INS SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 6MM 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
DROPSAFE INS SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"		2	PA; ST
DROPSAFE INSUL SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"		2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
DROPSAFE INSULN 1 ML 29G 12.5MM 1 ML 29 GAUGE X 1/2"	2	PA; ST
DROPSAFE PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (pen needle, diabetic, safety)	2	PA; ST
DROPSAFE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
DROPSAFE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	2	PA; ST
DROPSAFE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
EASY CMFT SFTY PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
EASY CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
EASY CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
EASY COMFORT 0.3 ML 31G 1/2" 0.3 ML 31 X 1/2"	2	PA; ST
EASY COMFORT 0.3 ML 31G 5/16" 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 0.5 ML 32GX5/16" 1/2 ML 32 GAUGE X 5/16"	2	PA; ST
EASY COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT 1 ML 32GX5/16" 1 ML 32 GAUGE X 5/16"	2	PA; ST
EASY COMFORT ALCOHOL 70% PAD (alcohol swabs)	1	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
EASY COMFORT INSULIN 1 ML SYR 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT PEN NDL 29G 4MM 29 GAUGE X 5/32"		2	PA; ST
EASY COMFORT PEN NDL 29G 5MM 29 GAUGE X 3/16"		2	PA; ST
EASY COMFORT PEN NDL 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASY COMFORT SYR 0.5 ML 29G 8MM 1/2 ML 29 X5/16 "	(insulin syringe-needle u-100)	2	PA; ST
EASY COMFORT SYR 1 ML 29G 8MM 1 ML 29 GAUGE X 5/16		2	PA; ST
EASY COMFORT SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 0.3 ML 31GX6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 0.5 ML 31GX6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE INS 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
EASY GLIDE PEN NEEDLE 4MM 33G 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
EASY TOUCH 0.3 ML 30G 8MM(1/2) 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH 0.3 ML 31G 6MM(1/2) 0.3 ML 31 GAUGE X 1/4"	(insulin syr/ndl u100 half mark)	2	PA; ST
EASY TOUCH 0.3 ML 31G 8MM(1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
EASY TOUCH 0.3 ML SYR 30GX1/2" 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 29GX1/2" 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH 0.5 ML SYR 30GX5/16 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH 1 ML SYR 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH 1 ML SYR 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	PA; ST
EASY TOUCH ALCOHOL 70% PADS GAMMA-STERILIZED	(alcohol swabs)	1	PA; ST
EASY TOUCH AUTO 0.5 ML 30G 6MM 0.5 ML 30 GAUGE X 1/4"		2	PA; ST
EASY TOUCH AUTO 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH AUTORET 1 ML 30G 6MM 1 ML 30 GAUGE X 1/4"		2	PA; ST
EASY TOUCH AUTORET 1 ML 30G 8MM 1 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH FLIPLOK 1 ML 27GX0.5 1 ML 27 GAUGE X 1/2"		2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
EASY TOUCH INS 0.3 ML 30G 8MM 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INS 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INS 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INS 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INS 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INS 1 ML 27G 1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INS 1 ML 28G 12.7MM 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INS SYR 1 ML 30G 8MM 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN 1 ML 29GX1/2 1 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULIN 1 ML 30GX1/2 1 ML 30 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULIN SYR 1 ML 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULIN SYR 1 ML RETRACTABLE 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH INSULN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULN 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"		2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH INSULN 1 ML 30GX5/16 1 ML 30 GAUGE X 5/16"		2	PA; ST
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"		2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
EASY TOUCH INSULN 1 ML 31GX5/16 1 ML 31 GAUGE X 5/16"	2	PA; ST
EASY TOUCH LUER LOK INSUL 1 ML (insulin syringe needleless)	2	PA; ST
EASY TOUCH PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 30GX5/16 30 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX3/16 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 31GX5/16 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX3/16 32 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
EASY TOUCH PEN NEEDLE 32GX5/32 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
EASY TOUCH SAF PEN NDL 29G 5MM 29 GAUGE X 3/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 29G 8MM 29 GAUGE X 5/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
EASY TOUCH SAF PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
EASY TOUCH SYR 0.5 ML 28G 12.7MM 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 0.5 ML 29G 12.7MM 0.5 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH SYR 1 ML 27G 16MM 1 ML 27 GAUGE X 5/8" (insulin syringe-needle u-100)	2	PA; ST
EASY TOUCH UNI-SLIP SYR 1 ML (insulin syringe needleless)	2	PA; ST
EASYLIFE ALCOHOL 70% PADS (alcohol swabs)	1	PA; ST
EASYLIFE INS PEN NDL 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
EASYLIFE INS PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASYLIFE INS PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASYLIFE INS PEN NDL 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASYLIFE INS PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASYLIFE INS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASYLIFE INS PEN NDL 32G 5MM 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASYLIFE INS PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASYLIFE INS PEN NDL 32G 8MM 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EASYLIFE INS PEN NDL 33G 4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EASYLIFE INS PEN NDL 33G 5MM 33 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EASYLIFE INS PEN NDL 33G 6MM 33 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EASYLIFE INS PEN NDL 33G 8MM 33 GAUGE X 5/16"		2	PA; ST
EASYLIFE INS SYR 0.5 ML 30G 8MM 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASYLIFE INS SYR 1 ML 30G 8MM 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASYLIFE INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
EASYLIFE SAFTY PEN NDL 31G 4MM 31 GAUGE X 5/32"	(pen needle, diabetic, safety)	2	PA; ST
EASYLIFE SAFTY PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
EASYLIFE SYR 1 ML 30G 12.7MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EASYTOUCH SAF PEN NDL 30G 6MM 30 GAUGE X 1/4"		2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
EMBRACE PEN NEEDLE 29G 12MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
EMBRACE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
EXEL U100 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
EXEL U100 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(Advocate Syringes)	2	PA; ST
FT STERILE PADS 2" X 2" 2 X 2 "	(gauze bandage)	1	PA; ST
GAUZE PAD TOPICAL BANDAGE 2 X 2 "	(gauze bandage)	1	PA; ST
GNP ALCOHOL SWAB STERILE, TWO PLY	(Alcohol Pads)	1	PA; ST
GNP PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(1st Tier Unifine Pentips)	2	PA; ST
GNP PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(CareFine Pen Needle)	2	PA; ST
GNP SIMPLI PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
GNP ULT C 0.3 ML 29GX1/2" (1/2) 1/2 UNIT 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
GNP ULT CMFRT 0.5 ML 29GX1/2" 1/2 ML 29	(insulin syringe-needle u-100)	2	PA; ST
GNP ULTR CMFRT 0.5 ML 30GX5/16 1/2 ML 30 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
GNP ULTRA COMFORT 1 ML SYRINGE 1 ML 30 GAUGE X 7/16"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
GNP ULTRA COMFORT 3/10 ML SYR 0.3 ML 30	(insulin syringe-needle u-100)	2	PA; ST
GS PEN NEEDLE 31G X 8MM 31 GAUGE X 5/16"	(1st Tier Unifine Pentips)	2	PA; ST
HEALTHWISE INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE INS 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
HEALTHWISE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
HEALTHWISE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
HEALTHWISE PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 5MM 31G 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 6MM 31G 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 8MM 31G 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
HEALTHY ACCENTS PENTIP 12MM 29G 29 GAUGE X 1/2"		2	PA; ST
HEB INCONTROL ALCOHOL 70% PADS	(alcohol swabs)	1	PA; ST
INCONTROL PEN NEEDLE 12MM 29G 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
INCONTROL PEN NEEDLE 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	PA; ST
INCONTROL PEN NEEDLE 5MM (pen needle, diabetic) 31G 31 GAUGE X 3/16"	2	PA; ST
INCONTROL PEN NEEDLE 6MM (pen needle, diabetic) 31G 31 GAUGE X 1/4"	2	PA; ST
INCONTROL PEN NEEDLE 8MM (pen needle, diabetic) 31G 31 GAUGE X 5/16"	2	PA; ST
INPEN (FOR HUMALOG) BLUE SUBCUTANEOUS INSULIN PEN	3	
INPEN (FOR HUMALOG) GREY SUBCUTANEOUS INSULIN PEN	3	
INPEN (FOR HUMALOG) PINK SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) BLUE SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) GREY SUBCUTANEOUS INSULIN PEN	3	
INPEN (NOVOLOG OR FIASP) PINK SUBCUTANEOUS INSULIN PEN	3	
INSULIN 1 ML SYRINGE 1 ML 29 GAUGE X 7/16", 1 ML 30 GAUGE X 7/16"	2	PA; ST
INSULIN 1/2 ML SYRINGE 1/2 ML (Ulitet Insulin Syringe) 29	2	PA; ST
INSULIN 1/2 ML SYRINGE 1/2 ML 30 GAUGE	2	PA; ST
INSULIN 3/10 ML SYRINGE 0.3 (Ultra Comfort Insulin ML 30 Syringe)	2	PA; ST
INSULIN SYR 0.3 ML (Easy Touch Ins Syr 31GX1/4(1/2) 0.3 ML 31 GAUGE X (half unit)) 1/4"	2	PA; ST
INSULIN SYRIN 0.5 ML 28GX1/2" (Comfort EZ Insulin (OTC) 1/2 ML 28 GAUGE X 1/2" Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 29GX1/2" (Comfort EZ Insulin (OTC) 0.5 ML 29 GAUGE X 1/2" Syringe)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
INSULIN SYRIN 0.5 ML 30GX1/2" (RX) 0.5 ML 30 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRIN 0.5 ML 30GX5/16" SHORT NEEDLE (OTC) 0.5 ML 30 GAUGE X 5/16" (Advocate Syringes)	2	PA; ST
INSULIN SYRINGE 0.5 ML 27G 1/2" INNER 1/2 ML 27 GAUGE X 1/2" (Easy Touch Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE (insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4" (Sure Comfort Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 0.5 ML 1/2 ML 29 (insulin syringe-needle u-100)	2	PA; ST
INSULIN SYRINGE 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4" (Easy Touch Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 1 ML 29 GAUGE	2	PA; ST
INSULIN SYRINGE 1 ML 27G 1/2" INNER 1 ML 27 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 30GX1/2" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 1/2" (BD Eclipse Luer-Lok)	2	PA; ST
INSULIN SYRINGE 1 ML 30GX5/16" SHORT NEEDLE (OTC) 1 ML 30 GAUGE X 5/16 (Advocate Syringes)	2	PA; ST
INSULIN SYRINGE 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (Easy Touch Insulin Syringe)	2	PA; ST
INSULIN SYRINGE 1 ML 31GX5/16" SHORT NEEDLE, THIN II (OTC) 1 ML 31 GAUGE X 5/16 (Advocate Syringes)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 0.3 ML 29 GAUGE (Ultilet Insulin Syringe)	2	PA; ST
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1 ML 29 GAUGE X 1/2" (Comfort EZ Insulin Syringe)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
INSULIN SYRINGE-NEEDLE U-100 SYRINGE 1/2 ML 28 GAUGE (Monoject Syringe)	2	PA; ST
INSULIN U-500 SYRINGE-NEEDLE SYRINGE 1/2 ML 31 GAUGE X 15/64"	2	PA; ST
INSUPEN PEN NEEDLE 29GX1/2" (pen needle, diabetic) 29 GAUGE X 1/2"	2	PA; ST
INSUPEN PEN NEEDLE 31G 8MM (pen needle, diabetic) 31 GAUGE X 5/16"	2	PA; ST
INSUPEN PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	PA; ST
INSUPEN PEN NEEDLE 32G 4MM (pen needle, diabetic) 32 GAUGE X 5/32"	2	PA; ST
INSUPEN PEN NEEDLE 32G 6MM (pen needle, diabetic) (RX) 32 GAUGE X 1/4"	2	PA; ST
IV ANTISEPTIC WIPES (alcohol swabs)	1	PA; ST
KENDALL ALCOHOL 70% PREP PAD (alcohol swabs)	1	PA; ST
LISCO SPONGES 100/BAG 2 X 2 "	1	PA; ST
LITE TOUCH 31GX1/4" PEN (pen needle, diabetic) NEEDLE 31 GAUGE X 1/4"	2	PA; ST
LITE TOUCH INSULIN 0.5 ML (insulin syringe-needle SYR 1/2 ML 28 GAUGE, 1/2 ML 29 u-100) , 1/2 ML 30 GAUGE	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR 1 ML 28 GAUGE, 1 ML 29 GAUGE	2	PA; ST
LITE TOUCH INSULIN 1 ML SYR (insulin syringe-needle 1 ML 30 GAUGE X 7/16" u-100)	2	PA; ST
LITE TOUCH INSULIN SYR 1 ML (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
LITE TOUCH PEN NEEDLE 29G (pen needle, diabetic) 29 GAUGE X 1/2"	2	PA; ST
LITE TOUCH PEN NEEDLE 31G (pen needle, diabetic) 31 GAUGE X 3/16", 31 GAUGE X 5/16"	2	PA; ST
LITETOUCH INS 0.3 ML 29GX1/2" (insulin syringe-needle 0.3 ML 29 GAUGE X 1/2" u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
LITETOUCH INS 0.3 ML 30GX5/16" 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH INS 0.3 ML 31GX5/16" 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYR 0.5 ML 28GX1/2" 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYR 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYR 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
LITETOUCH SYRIN 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MAGELLAN INSUL SYRINGE 0.3 ML 0.3 ML 30 X 5/16"		2	PA; ST
MAGELLAN INSUL SYRINGE 0.5 ML 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
MAGELLAN INSULIN SYR 0.3 ML 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
MAGELLAN INSULIN SYR 0.5 ML 0.5 ML 29 GAUGE X 1/2"		2	PA; ST
MAGELLAN INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16"		2	PA; ST
MAXICOMFORT II PEN NDL 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
MAXICOMFORT INS 0.5 ML 27GX1/2" 1/2 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
MAXI-COMFORT INS 0.5 ML 28G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXICOMFORT INS 1 ML 27GX1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXI-COMFORT INS 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MAXICOMFORT PEN NDL 29G X 5MM 29 GAUGE X 3/16"		2	PA; ST
MAXICOMFORT PEN NDL 29G X 8MM 29 GAUGE X 5/16"		2	PA; ST
MICRODOT PEN NEEDLE 31GX6MM 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 32GX4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT PEN NEEDLE 33GX4MM 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
MICRODOT READYGARD NDL 31G 5MM OUTER 31 GAUGE X 3/16"	(pen needle, diabetic, safety)	2	PA; ST
MINI PEN NEEDLE 32G 5MM 32 GAUGE X 3/16"	(CareFine Pen Needle)	2	PA; ST
MINI PEN NEEDLE 32G 8MM 32 GAUGE X 5/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 5MM 33 GAUGE X 3/16"	(Comfort EZ Pen Needles)	2	PA; ST
MINI PEN NEEDLE 33G 6MM 33 GAUGE X 1/4"	(Comfort EZ Pen Needles)	2	PA; ST
MINI ULTRA-THIN II PEN NDL 31G STERILE 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
MONOJECT 0.5 ML SYRN 28GX1/2" 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 27X1/2" 1 ML 27 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT 1 ML SYRN 28GX1/2" (OTC) 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 (OTC) 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
MONOJECT INSUL SYR U100 .5ML,29GX1/2" (OTC) 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 0.5 ML CONVERTS TO 29G (OTC) 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 1 ML 25 GAUGE X 5/8"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML 3'S, 29GX1/2" (OTC) 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSUL SYR U100 1 ML W/O NEEDLE (OTC)	(insulin syringes (disposable))	2	PA; ST
MONOJECT INSULIN SYR 0.3 ML (OTC) 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.3 ML 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML (OTC) 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 0.5 ML 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR 1 ML 3'S (OTC) 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT INSULIN SYR U-100 1 ML 29 GAUGE X 1/2"		2	PA; ST
MONOJECT SYRINGE 0.3 ML 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 0.5 ML 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
MONOJECT SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
NANO 2 GEN PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
NANO PEN NEEDLE 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
NOVOFINE 32G NEEDLES 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
NOVOFINE AUTOCOVER 30G NEEDLE 30 GAUGE X 1/3"	2	PA; ST
NOVOFINE PLUS PEN NDL 32GX1/6" 32 GAUGE X 1/6"	2	PA; ST
OMNIPOD 5 (LIBRE 2/3 PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 G6-G7 INTRO KT(GEN5) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD 5 G6-G7 PODS (GEN 5) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD 5 INTRO (LIBRE2/3PLUS) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD CLASSIC PODS (GEN 3) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
OMNIPOD DASH INTRO KIT (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (1 per 365 days)
OMNIPOD DASH PDM KIT (GEN 4)	3	QL (1 per 365 days)
OMNIPOD DASH PODS (GEN 4) SUBCUTANEOUS CARTRIDGE	3	QL (10 per 30 days)
PEN NEEDLE 30G 5MM OUTER (Embrace Pen Needle) 30 GAUGE X 3/16"	2	PA; ST
PEN NEEDLE 30G 8MM INNER 30 (CareFine Pen Needle) GAUGE X 5/16"	2	PA; ST
PEN NEEDLE 30G X 5/16" 30 (pen needle, diabetic) GAUGE X 5/16"	2	PA; ST
PEN NEEDLE 31G X 1/4" HRI 31 (1st Tier Unifine GAUGE X 1/4" Pentips)	2	PA; ST
PEN NEEDLE 33G 4MM 33 (Advocate Pen Needle) GAUGE X 5/32"	2	PA; ST
PEN NEEDLE, DIABETIC (1st Tier Unifine Pentips NEEDLE 29 GAUGE X 1/2" Plus)	2	PA; ST
PEN NEEDLES 12MM 29G (pen needle, diabetic) 29GX12MM,STRL 29 GAUGE X 1/2"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
PEN NEEDLES 4MM 32G 32 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
PEN NEEDLES 5MM 31G (pen needle, diabetic) 31GX5MM,STRL,MINI (OTC) 31 GAUGE X 3/16"	2	PA; ST
PEN NEEDLES 8MM 31G (pen needle, diabetic) 31GX8MM,STRL,SHORT (OTC) 31 GAUGE X 5/16"	2	PA; ST
PENTIPS PEN NEEDLE 29G 1/2" (pen needle, diabetic) 29 GAUGE X 1/2"	2	PA; ST
PENTIPS PEN NEEDLE 31G 1/4" (pen needle, diabetic) 31 GAUGE X 1/4"	2	PA; ST
PENTIPS PEN NEEDLE 31GX3/16" (pen needle, diabetic) MINI, 5MM 31 GAUGE X 3/16"	2	PA; ST
PENTIPS PEN NEEDLE 31GX5/16" (pen needle, diabetic) SHORT, 8MM 31 GAUGE X 5/16"	2	PA; ST
PENTIPS PEN NEEDLE 32G 1/4" (pen needle, diabetic) 32 GAUGE X 1/4"	2	PA; ST
PENTIPS PEN NEEDLE 32GX5/32" (pen needle, diabetic) 32 GAUGE X 5/32"	2	PA; ST
PIP PEN NEEDLE 31G X 5MM 31 (pen needle, diabetic) GAUGE X 3/16"	2	PA; ST
PIP PEN NEEDLE 32G X 4MM 32 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
PREVENT PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	2	PA; ST
PREVENT PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
PRO COMFORT 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
PRO COMFORT 0.5 ML 30GX5/16" (insulin syringe-needle 0.5 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
PRO COMFORT 0.5 ML 31GX5/16" (insulin syringe-needle 0.5 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX1/2" 1 (insulin syringe-needle ML 30 GAUGE X 1/2" u-100)	2	PA; ST
PRO COMFORT 1 ML 30GX5/16" 1 (insulin syringe-needle ML 30 GAUGE X 5/16 u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
PRO COMFORT 1 ML 31GX5/16" 1 (insulin syringe-needle ML 31 GAUGE X 5/16 u-100)	2	PA; ST
PRO COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
PRO COMFORT PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	2	PA; ST
PRO COMFORT PEN NDL 32G X (pen needle, diabetic) 1/4" 32 GAUGE X 1/4"	2	PA; ST
PRO COMFORT PEN NDL 4MM (pen needle, diabetic) 32G 32 GAUGE X 5/32"	2	PA; ST
PRO COMFORT PEN NDL 5MM (pen needle, diabetic) 32G 32 GAUGE X 3/16"	2	PA; ST
PRO-COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
PRODIGY INS SYR 1 ML (insulin syringe-needle 28GX1/2" 1 ML 28 GAUGE X 1/2" u-100)	2	PA; ST
PRODIGY SYRNG 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
PRODIGY SYRNGE 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
PURE CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	PA; ST
PURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
PURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
PURE COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
PURE COMFORT PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
PURE COMFORT PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	PA; ST
PURE COMFORT PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
PURE COMFORT PEN NDL 32G (pen needle, diabetic) 8MM 32 GAUGE X 5/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
RA ISOPROPYL ALCOHOL 70% (alcohol swabs) WIPES	1	PA; ST
RA STERILE PADS 2"X 2" 2 X 2 " (Bordered Gauze)	1	PA; ST
RAYA SURE PEN NEEDLE 29G 12MM 29 GAUGE X 15/32"	2	PA; ST
RAYA SURE PEN NEEDLE 31G (Comfort Touch Pen 4MM 31 GAUGE X 5/32" Needle)	2	PA; ST
RAYA SURE PEN NEEDLE 31G 5MM 31 GAUGE X 13/64"	2	PA; ST
RAYA SURE PEN NEEDLE 31G (True-Comfort Pro Pen 6MM 31 GAUGE X 15/64" Needle)	2	PA; ST
RELION INS SYR 0.3 ML (Comfort EZ Insulin 31GX6MM 0.3 ML 31 GAUGE X Syringe) 15/64"	2	PA; ST
RELION INS SYR 0.5 ML (Comfort EZ Insulin 31GX6MM 1/2 ML 31 GAUGE X Syringe) 15/64"	2	PA; ST
RELION INS SYR 1 ML (Comfort EZ Insulin 31GX15/64" 1 ML 31 GAUGE X Syringe) 15/64"	2	PA; ST
RELION PEN NEEDLE 32GX5/32" (1st Tier Unifine 32 GAUGE X 5/32" Pentips)	2	PA; ST
RELION SYRING 0.3 ML (Advocate Syringes) 31GX5/16" INNER 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
RELION SYRING 0.5 ML (Advocate Syringes) 31GX5/16" INNER (OTC) 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
SAFESNAP INS SYR UNITS-100 0.3 ML 30GX5/16",10X10 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 29GX1/2",10X10 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
SAFESNAP INS SYR UNITS-100 0.5 ML 30GX5/16",10X10 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
SAFESNAP INS SYR UNITS-100 1 ML 28GX1/2",10X10 1 ML 28 GAUGE X 1/2"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
SAFESNAP INS SYR UNITS-100 1 ML 29GX1/2",10X10 1 ML 29 GAUGE X 1/2"	2	PA; ST
SAFETY PEN NEEDLE 31G 4MM 31 GAUGE X 5/32" (Comfort EZ PRO Safety Pen Ndl)	2	PA; ST
SAFETY PEN NEEDLE 5MM X 31G 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
SAFETY SYRINGE 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
SECURESAFE PEN NDL 30GX5/16" OUTER 30 GAUGE X 5/16"	2	PA; ST
SECURESAFE PEN NEEDLE 31G 5MM OUTER 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
SECURESAFE SYR 0.5 ML 29G 1/2" OUTER 0.5 ML 29 GAUGE X 1/2"	2	PA; ST
SECURESAFE SYRNG 1 ML 29G 1/2" OUTER 1 ML 29 GAUGE X 1/2"	2	PA; ST
SKY SAFETY PEN NEEDLE 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
SKY SAFETY PEN NEEDLE 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
SURE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
SURE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
NEEDLES, INSULIN DISP., SAFETY (insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 1 ML SYRINGE 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
SURE COMFORT 3/10 ML SYRINGE 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 3/10 ML SYRINGE INSULIN SYRINGE 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT 30G PEN NEEDLE 30 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
SURE COMFORT INS 0.3 ML 31GX1/4 0.3 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 0.5 ML 31GX1/4 1/2 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4"	(insulin syringe-needle u-100)	2	PA; ST
SURE COMFORT PEN NDL 29GX1/2" 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
SURE COMFORT PEN NDL 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
SURE-FINE PEN NEEDLES 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
SURE-JECT INSU SYR U100 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
SURE-JECT INSU SYR U100 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSU SYR U100 1 ML 1 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSUL SYR U100 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
SURE-JECT INSULIN SYRINGE 1 ML 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
SURE-PREP ALCOHOL PREP PADS	(alcohol swabs)	1	PA; ST
TECHLITE 0.3 ML 29GX12MM (1/2) 0.3 ML 29 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.3 ML 30GX8MM (1/2) 0.3 ML 30 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.3 ML 31GX6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
TECHLITE 0.3 ML 31GX8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.5 ML 30GX12MM (1/2) 0.5 ML 30 GAUGE X 1/2"		2	PA; ST
TECHLITE 0.5 ML 30GX8MM (1/2) 0.5 ML 30 GAUGE X 5/16"		2	PA; ST
TECHLITE 0.5 ML 31GX6MM (1/2) 0.5 ML 31 GAUGE X 15/64"		2	PA; ST
TECHLITE 0.5 ML 31GX8MM (1/2) 0.5 ML 31 GAUGE X 5/16"		2	PA; ST
TECHLITE INS SYR 1 ML 29GX12MM 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 30GX12MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE INS SYR 1 ML 31GX6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
TECHLITE INS SYR 1 ML 31GX8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
TECHLITE PEN NEEDLE 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 29GX3/8" 29 GAUGE X 3/8"		2	PA; ST
TECHLITE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX5/16" 32 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
TECHLITE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TECHLITE PLUS PEN NDL 32G 4MM 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 27 GAUGE X 1/2", 1 ML 28 GAUGE X 1/2", 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRINGE U100-1 ML 1 ML 30 GAUGE X 3/8"	(Thinpro Insulin Syringe)	2	PA; ST
TERUMO INS SYRINGE U100-1/2 ML 1/2 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRINGE U100-1/3 ML 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST
TERUMO INS SYRNG U100-1/2 ML 0.5 ML 29 GAUGE X 1/2", 1/2 ML 27 GAUGE X 1/2", 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 X 3/8"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
THINPRO INS SYRIN U100-0.3 ML 0.3 ML 31 X 3/8"	2	PA; ST
THINPRO INS SYRIN U100-0.5 (insulin syringe-needle ML 0.5 ML 29 GAUGE X 1/2", 1/2 u-100) ML 28 GAUGE X 1/2", 1/2 ML 30 X 3/8"	2	PA; ST
THINPRO INS SYRIN U100-0.5 ML 0.5 ML 31 X 3/8"	2	PA; ST
THINPRO INS SYRIN U100-1 ML (insulin syringe-needle 1 ML 28 GAUGE X 1/2", 1 ML 29 u-100) GAUGE X 1/2", 1 ML 30 GAUGE X 3/8"	2	PA; ST
THINPRO INS SYRIN U100-1 ML 1 ML 31 X 3/8"	2	PA; ST
TOPFINE INSULN PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
TRUE CMFRT PRO 0.5 ML 30G (insulin syringe-needle 5/16" 0.5 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
TRUE CMFRT PRO 0.5 ML 31G (insulin syringe-needle 5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
TRUE CMFRT PRO 0.5 ML 32G 5/16" 1/2 ML 32 GAUGE X 5/16"	2	PA; ST
TRUE CMFT SFTY PEN NDL 31G (pen needle, diabetic, 5MM 31 GAUGE X 3/16" safety)	2	PA; ST
TRUE CMFT SFTY PEN NDL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
TRUE CMFT SFTY PEN NDL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
TRUE COMFORT 0.5 ML 30G 1/2" 0.5 ML 30 GAUGE X 1/2"	2	PA; ST
TRUE COMFORT 0.5 ML 30G 5/16" 0.5 ML 30 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT 0.5 ML 31G 5/16" 0.5 ML 31 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
TRUE COMFORT 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TRUE COMFORT ALCOHOL 70% (alcohol swabs) PADS	1	PA; ST
TRUE COMFORT PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT PEN NDL (pen needle, diabetic) 31GX5MM 31 GAUGE X 3/16"	2	PA; ST
TRUE COMFORT PEN NDL (pen needle, diabetic) 31GX6MM 31 GAUGE X 1/4"	2	PA; ST
TRUE COMFORT PEN NDL 32G (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	PA; ST
TRUE COMFORT PEN NDL 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
TRUE COMFORT PEN NDL (pen needle, diabetic) 32GX4MM 32 GAUGE X 5/32"	2	PA; ST
TRUE COMFORT PEN NDL 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	PA; ST
TRUE COMFORT PEN NDL 33G (pen needle, diabetic) 5MM 33 GAUGE X 3/16"	2	PA; ST
TRUE COMFORT PEN NDL 33G (pen needle, diabetic) 6MM 33 GAUGE X 1/4"	2	PA; ST
TRUE COMFORT PRO 1 ML 30G (insulin syringe-needle 1/2" 1 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 30G (insulin syringe-needle 5/16" 1 ML 30 GAUGE X 5/16 u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 31G (insulin syringe-needle 5/16" 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
TRUE COMFORT PRO 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	PA; ST
TRUE COMFORT PRO ALCOHOL (alcohol swabs) PADS	1	PA; ST
TRUE COMFORT SFTY 1 ML 30G 1/2" 1 ML 30 GAUGE X 1/2"	2	PA; ST
TRUE COMFRT PRO 0.5 ML 30G (insulin syringe-needle 1/2" 0.5 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
TRUE COMFRT SFTY 1 ML 30G 5/16" 1 ML 30 GAUGE X 5/16"	2	PA; ST
TRUE COMFRT SFTY 1 ML 31G 5/16" 1 ML 31 GAUGE X 5/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TRUE COMFRT SFTY 1 ML 32G 5/16" 1 ML 32 GAUGE X 5/16"	2	PA; ST
TRUE-CMFRT PRO PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
TRUE-CMFRT PRO PEN NDL 31G (pen needle, diabetic) 6MM 31 GAUGE X 15/64"	2	PA; ST
TRUE-CMFRT PRO PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
TRUE-CMFRT PRO PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
TRUEPLUS PEN NEEDLE (pen needle, diabetic) 29GX1/2" 29 GAUGE X 1/2"	2	PA; ST
TRUEPLUS PEN NEEDLE 31G X (pen needle, diabetic) 1/4" 31 GAUGE X 1/4"	2	PA; ST
TRUEPLUS PEN NEEDLE (pen needle, diabetic) 31GX3/16" 31 GAUGE X 3/16"	2	PA; ST
TRUEPLUS PEN NEEDLE (pen needle, diabetic) 31GX5/16" 31 GAUGE X 5/16"	2	PA; ST
TRUEPLUS PEN NEEDLE (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	PA; ST
TRUEPLUS SYR 0.3 ML 29GX1/2" (insulin syringe-needle 0.3 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
TRUEPLUS SYR 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	PA; ST
TRUEPLUS SYR 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	PA; ST
TRUEPLUS SYR 0.5 ML 28GX1/2" (insulin syringe-needle 1/2 ML 28 GAUGE X 1/2" u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML 29GX1/2" (insulin syringe-needle 0.5 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
TRUEPLUS SYR 0.5 ML (insulin syringe-needle 30GX5/16" 0.5 ML 30 GAUGE X u-100) 5/16"	2	PA; ST
TRUEPLUS SYR 0.5 ML (insulin syringe-needle 31GX5/16" 0.5 ML 31 GAUGE X u-100) 5/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
TRUEPLUS SYR 1 ML 28GX1/2" 1 ML 28 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
TRUEPLUS SYR 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16 (insulin syringe-needle u-100)	2	PA; ST
ULT CFT 0.3 ML 31GX5/16" (1/2) 1/2 UNIT 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
ULTICAR INS 0.3 ML 31GX1/4(1/2) 0.3 ML 31 GAUGE X 1/4" (insulin syr/ndl u100 half mark)	2	PA; ST
ULTICARE INS 0.3 ML 31GX1/4" 0.3 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS 0.5 ML 31GX1/4" 1/2 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS 1 ML 31GX1/4" 1 ML 31 GAUGE X 1/4" (insulin syringe-needle u-100)	2	PA; ST
ULTICARE INS SYR 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
ULTICARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 6MM 31G 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLE 8MM 31G 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 12MM 29G 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 4MM 32G MICRO, 32GX4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
ULTICARE PEN NEEDLES 6MM 32G 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
ULTICARE SAFE PEN NDL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
ULTICARE SAFE PEN NDL 5MM 30G 30 GAUGE X 3/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ULTICARE SYR 0.3 ML 30GX1/2" (insulin syringe-needle 0.3 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
ULTICARE SYR 0.3 ML 31GX5/16" SHORT NDL 0.3 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 0.5 ML 30GX1/2" (insulin syringe-needle 0.5 ML 30 GAUGE X 1/2" u-100)	2	PA; ST
ULTICARE SYR 0.5 ML 31GX5/16" SHORT NDL 0.5 ML 31 GAUGE X 5/16" (insulin syringe-needle u-100)	2	PA; ST
ULTICARE SYR 1 ML 31GX5/16" (insulin syringe-needle 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
ULTIGUARD SAFE 1 ML 30G 12.7MM 1 ML 30 X 1/2"	2	PA; ST
ULTIGUARD SAFE0.3 ML 30G 12.7MM 0.3 ML 30 X 1/2"	2	PA; ST
ULTIGUARD SAFE0.5 ML 30G 12.7MM 1/2 ML 30 X 1/2"	2	PA; ST
ULTIGUARD SAFEPACK 1 ML 31G 8MM 1 ML 31 X 5/16"	2	PA; ST
ULTIGUARD SAFEPACK 29G 12.7MM 29 GAUGE X 1/2"	2	PA; ST
ULTIGUARD SAFEPACK 31G 5MM 31 GAUGE X 3/16"	2	PA; ST
ULTIGUARD SAFEPACK 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
ULTIGUARD SAFEPACK 31G 8MM 31 GAUGE X 5/16"	2	PA; ST
ULTIGUARD SAFEPACK 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
ULTIGUARD SAFEPACK 32G 6MM 32 GAUGE X 1/4"	2	PA; ST
ULTIGUARD SAFEPK 0.3 ML 31G 8MM 0.3 ML 31 X 5/16"	2	PA; ST
ULTIGUARD SAFEPK 0.5 ML 31G 8MM 1/2 ML 31 X 5/16"	2	PA; ST
ULTILET ALCOHOL STERL SWAB (alcohol swabs)	1	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ULTILET INSULIN SYRINGE 0.3 ML 0.3 ML 29 GAUGE X 1/2", 0.3 ML 30 GAUGE X 5/16", 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTILET INSULIN SYRINGE 0.5 ML 0.5 ML 29 GAUGE X 1/2", 0.5 ML 30 GAUGE X 5/16", 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTILET INSULIN SYRINGE 1 ML 1 ML 29 GAUGE X 1/2", 1 ML 30 GAUGE X 5/16, 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTILET PEN NEEDLE 29 GAUGE		2	PA; ST
ULTILET PEN NEEDLE 4MM 32G 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA COMFORT 0.3 ML 29GX1/2" 0.3 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.3 ML SYRINGE 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 28GX1/2" CONVERTS TO 29G 1/2 ML 28 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 29GX1/2" 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML SYRINGE 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 0.5 ML SYRINGE 1/2 ML 28 GAUGE	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 1 ML 29GX1/2" 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA COMFORT 1 ML 30GX5/16" 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ULTRA COMFORT 1 ML (insulin syringe-needle 31GX5/16" 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
ULTRA COMFORT 1 ML (insulin syringe-needle SYRINGE 1 ML 28 GAUGE X 1/2" u-100)	2	PA; ST
ULTRA FLO 0.3 ML 30G 1/2" (1/2) 0.3 ML 30 GAUGE X 1/2"	2	PA; ST
ULTRA FLO 0.3 ML 30G 5/16"(1/2) 0.3 ML 30 GAUGE X 5/16"	2	PA; ST
ULTRA FLO 0.3 ML 31G 5/16"(1/2) 0.3 ML 31 GAUGE X 5/16"	2	PA; ST
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
ULTRA FLO PEN NEEDLE 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
ULTRA FLO PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
ULTRA FLO PEN NEEDLE 33G (pen needle, diabetic) 4MM 33 GAUGE X 5/32"	2	PA; ST
ULTRA FLO PEN NEEDLES (pen needle, diabetic) 12MM 29G 29 GAUGE X 1/2"	2	PA; ST
ULTRA FLO SYR 0.3 ML (insulin syringe-needle 29GX1/2" 0.3 ML 29 GAUGE X u-100) 1/2"	2	PA; ST
ULTRA FLO SYR 0.3 ML 30G (insulin syringe-needle 5/16" 0.3 ML 30 GAUGE X 5/16" u-100)	2	PA; ST
ULTRA FLO SYR 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
ULTRA FLO SYR 0.5 ML 29G 1/2" (insulin syringe-needle 0.5 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
ULTRA THIN PEN NDL 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
ULTRACARE INS 0.3 ML (insulin syringe-needle 30GX5/16" 0.3 ML 30 GAUGE X u-100) 5/16"	2	PA; ST
ULTRACARE INS 0.3 ML (insulin syringe-needle 31GX5/16" 0.3 ML 31 GAUGE X u-100) 5/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ULTRACARE INS 0.5 ML 30GX1/2" 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 30GX5/16" 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 0.5 ML 31GX5/16" 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30G X 5/16" 1 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 30GX1/2" 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE INS 1 ML 31G X 5/16" 1 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX1/4" 31 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX3/16" 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 31GX5/16" 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX1/4" 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX3/16" 32 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 32GX5/32" 32 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRACARE PEN NEEDLE 33GX5/32" 33 GAUGE X 5/32"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE 0.3 ML 30G 12.7MM 0.3 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE 0.3 ML 31G 6MM (1/2) 0.3 ML 31 GAUGE X 15/64"		2	PA; ST
ULTRA-FINE 0.3 ML 31G 8MM (1/2) 0.3 ML 31 GAUGE X 5/16"		2	PA; ST
ULTRA-FINE 0.5 ML 30G 12.7MM 0.5 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE INS SYR 1 ML 31G 6MM 1 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento		Nivel del Medicamento	Requerimientos/ Límites
ULTRA-FINE INS SYR 1 ML 31G 8MM 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE PEN NDL 29G 12.7MM 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE PEN NEEDLE 31G 5MM 31 GAUGE X 3/16"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE PEN NEEDLE 31G 8MM 31 GAUGE X 5/16"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE PEN NEEDLE 32G 6MM 32 GAUGE X 1/4"	(pen needle, diabetic)	2	PA; ST
ULTRA-FINE SYR 0.3 ML 31G 6MM 0.3 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE SYR 0.3 ML 31G 8MM 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE SYR 0.5 ML 31G 6MM 1/2 ML 31 GAUGE X 15/64"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE SYR 0.5 ML 31G 8MM 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-FINE SYR 1 ML 30G 12.7MM 1 ML 30 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II 1 ML 31GX5/16" 1 ML 31 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 30G 0.3 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.3 ML 31G 0.3 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 29G 0.5 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 30G 0.5 ML 30 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS 0.5 ML 31G 0.5 ML 31 GAUGE X 5/16"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML 29G 1 ML 29 GAUGE X 1/2"	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II INS SYR 1 ML 30G 1 ML 30 GAUGE X 5/16	(insulin syringe-needle u-100)	2	PA; ST
ULTRA-THIN II PEN NDL 29GX1/2" 29 GAUGE X 1/2"	(pen needle, diabetic)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ULTRA-THIN II PEN NDL (pen needle, diabetic) 31GX5/16 31 GAUGE X 5/16"	2	PA; ST
UNIFINE OTC PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
UNIFINE OTC PEN NEEDLE 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
UNIFINE PENTIPS 12MM 29G (pen needle, diabetic) 29GX12MM, STRL 29 GAUGE X 1/2"	2	PA; ST
UNIFINE PENTIPS 31GX3/16" (pen needle, diabetic) 31GX5MM,STRL,MINI 31 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS 32G 4MM 32 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
UNIFINE PENTIPS 32GX1/4" 32 (pen needle, diabetic) GAUGE X 1/4"	2	PA; ST
UNIFINE PENTIPS 33GX5/32" 33 (pen needle, diabetic) GAUGE X 5/32"	2	PA; ST
UNIFINE PENTIPS 6MM 31G 31 (pen needle, diabetic) GAUGE X 1/4"	2	PA; ST
UNIFINE PENTIPS 8MM 31G (pen needle, diabetic) 31GX8MM, SHORT, STRL 31 GAUGE X 5/16"	2	PA; ST
UNIFINE PENTIPS MAX (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 29GX1/2" 12MM 29 GAUGE X 1/2"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 30GX3/16" 30 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS PLUS 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 31GX1/4" ULTRA SHORT, 6MM 31 GAUGE X 1/4"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 32GX5/32" 32 GAUGE X 5/32"	2	PA; ST
UNIFINE PENTIPS PLUS (pen needle, diabetic) 33GX5/32" 33 GAUGE X 5/32"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
UNIFINE PROTECT 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
UNIFINE PROTECT 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
UNIFINE PROTECT 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
UNIFINE SAFECONTROL 30G 5MM 30 GAUGE X 3/16"	2	PA; ST
UNIFINE SAFECONTROL 30G 8MM 30 GAUGE X 5/16"	2	PA; ST
UNIFINE SAFECONTROL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic, safety)	2	PA; ST
UNIFINE SAFECONTROL 31G 6MM 31 GAUGE X 1/4"	2	PA; ST
UNIFINE SAFECONTROL 31G 8MM 31 GAUGE X 5/16"	2	PA; ST
UNIFINE SAFECONTROL 32G 4MM 32 GAUGE X 5/32"	2	PA; ST
UNIFINE ULTR PEN NDL 34G 3.5MM 34 GAUGE X 9/64"	2	PA; ST
UNIFINE ULTRA PEN NDL 29G 12MM 29 GAUGE X 1/2" (pen needle, diabetic)	2	PA; ST
UNIFINE ULTRA PEN NDL 31G 5MM 31 GAUGE X 3/16" (pen needle, diabetic)	2	PA; ST
UNIFINE ULTRA PEN NDL 31G 6MM 31 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
UNIFINE ULTRA PEN NDL 31G 8MM 31 GAUGE X 5/16" (pen needle, diabetic)	2	PA; ST
UNIFINE ULTRA PEN NDL 32G 4MM 32 GAUGE X 5/32" (pen needle, diabetic)	2	PA; ST
UNIFINE ULTRA PEN NDL 32G 6MM 32 GAUGE X 1/4" (pen needle, diabetic)	2	PA; ST
VANISHPOINT 0.5 ML 30GX1/2" SY OUTER 0.5 ML 30 GAUGE X 1/2" (insulin syringe-needle u-100)	2	PA; ST
VANISHPOINT INS 0.5 ML 30G 8MM OUTER 0.5 ML 30 GAUGE X 5/16"	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
VANISHPOINT INS 1 ML 30GX3/16" 1 ML 30 GAUGE X 3/16"	2	PA; ST
VANISHPOINT U-100 29X1/2 SYR (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
VERIFINE INS SYR 1 ML 29G 1/2" (insulin syringe-needle 1 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
VERIFINE PEN NEEDLE 29G (pen needle, diabetic) 12MM 29 GAUGE X 1/2"	2	PA; ST
VERIFINE PEN NEEDLE 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 6MM 31 GAUGE X 1/4"	2	PA; ST
VERIFINE PEN NEEDLE 31G X (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
VERIFINE PEN NEEDLE 32G (pen needle, diabetic) 6MM 32 GAUGE X 1/4"	2	PA; ST
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
VERIFINE PEN NEEDLE 32G X (pen needle, diabetic) 5MM 32 GAUGE X 3/16"	2	PA; ST
VERIFINE PLUS PEN NDL 31G (pen needle, diabetic) 5MM 31 GAUGE X 3/16"	2	PA; ST
VERIFINE PLUS PEN NDL 31G (pen needle, diabetic) 8MM 31 GAUGE X 5/16"	2	PA; ST
VERIFINE PLUS PEN NDL 32G (pen needle, diabetic) 4MM 32 GAUGE X 5/32"	2	PA; ST
VERIFINE PLUS PEN NDL 32G 4MM-SHARPS CONTAINER 32 GAUGE X 5/32"	2	PA; ST
VERIFINE SYRING 0.5 ML 29G (insulin syringe-needle 1/2" 0.5 ML 29 GAUGE X 1/2" u-100)	2	PA; ST
VERIFINE SYRING 1 ML 31G (insulin syringe-needle 5/16" 1 ML 31 GAUGE X 5/16 u-100)	2	PA; ST
VERIFINE SYRNG 0.3 ML 31G (insulin syringe-needle 5/16" 0.3 ML 31 GAUGE X 5/16" u-100)	2	PA; ST
VERIFINE SYRNG 0.5 ML 31G (insulin syringe-needle 5/16" 0.5 ML 31 GAUGE X 5/16" u-100)	2	PA; ST

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
VERSALON ALL PURPOSE SPONGE 25'S,N-STERILE,3PLY 2 X 2 "	1	PA; ST
V-GO 20 DEVICE	3	QL (30 per 30 days)
V-GO 30 DEVICE	3	QL (30 per 30 days)
V-GO 40 DEVICE	3	QL (30 per 30 days)
WEBCOL ALCOHOL PREPS (alcohol swabs) 20'S,LARGE	1	PA; ST
WM UNIFINE PENTIP PLUS 8MM (pen needle, diabetic) 31G W/ SAFETY CLICK 31 GAUGE X 5/16"	2	PA; ST
Preparaciones De Reemplazo		
Preparaciones De Reemplazo		
<i>d5 % (d-glucose)-0.9 % sodchlr intravenous parenteral solution</i> (Dextrose 5 % and 0.9 % NaCl)	2	
<i>d5 % and 0.9 % sodium chloride intravenous parenteral solution</i> (Dextrose 5 % and 0.9 % NaCl)	2	HI
<i>d5 %-0.45 % sodium chloride intravenous parenteral solution</i> (Dextrose 5 %-0.45 % Sod Chlord)	2	HI
<i>dextrose 5%-0.9% nacl iv soln single use</i> (Dextrose 5 % and 0.9 % NaCl)	2	
<i>klor-con m10 oral tablet,er particles/crystals 10 meq</i> (Potassium Chloride)	2	
<i>klor-con m15 oral tablet,er particles/crystals 15 meq</i> (Potassium Chloride)	2	
<i>klor-con m20 oral tablet,er particles/crystals 20 meq</i> (Potassium Chloride)	2	
<i>magnesium sulfate injection solution 500 mg/ml (50 %)</i> (Magnesium Sulfate)	4	HI
<i>magnesium sulfate injection syringe 500 mg/ml (50 %)</i> (Magnesium Sulfate)	2	HI
<i>potassium chloride intravenous solution 2 meq/ml</i> (Potassium Chloride)	2	HI
<i>potassium chloride oral capsule, extended release 10 meq, 8 meq</i> (Potassium Chloride)	2	
<i>potassium chloride oral liquid 20 meq/15 ml, 40 meq/15 ml</i> (Potassium Chloride)	4	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>potassium chloride oral tablet extended release 10 meq</i> (Klor-Con 8)	2	
<i>potassium chloride oral tablet extended release 15 meq, 20 meq</i> (Klor-Con 8)	2	
<i>potassium chloride oral tablet extended release 8 meq</i> (Klor-Con 8)	2	
<i>potassium chloride oral tablet,er particles/crystals 10 meq</i> (Potassium Chloride)	2	
<i>potassium chloride oral tablet,er particles/crystals 15 meq</i> (Potassium Chloride)	2	
<i>potassium chloride oral tablet,er particles/crystals 20 meq</i> (Potassium Chloride)	2	
<i>potassium citrate oral tablet extended release 10 meq (1,080 mg)</i> (Urocit-K)	2	
<i>potassium citrate oral tablet extended release 15 meq</i> (Urocit-K)	2	
<i>potassium citrate oral tablet extended release 5 meq (540 mg)</i> (Urocit-K)	2	
<i>sodium chloride 0.45 % intravenous parenteral solution 0.45 %</i> (Sodium Chloride 0.45 %)	2	HI
<i>sodium chloride 0.9 % intravenous parenteral solution</i>	2	HI
<i>sodium chloride 0.9% solution mini-bag, single use</i>	2	HI

Productos Sanguíneos/Modificadores/Expansores De Volumen

Agentes Hematológicos, Varios

<i>anagrelide oral capsule 0.5 mg</i> (Agrylin)	2	
<i>anagrelide oral capsule 1 mg</i> (Agrylin)	2	
<i>tranexamic acid oral tablet 650 mg</i> (Tranexamic Acid)	2	

Anticoagulantes

<i>dabigatran etexilate oral capsule 110 mg, 150 mg, 75 mg</i> (Pradaxa)	3	QL (60 per 30 days)
ELIQUIS DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 5 MG (74 TABS)	3	
ELIQUIS ORAL TABLET 2.5 MG	3	QL (60 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
ELIQUIS ORAL TABLET 5 MG	3	QL (74 per 30 days)
ELIQUIS ORAL TABLET FOR SUSPENSION 0.5 MG, 1.5 MG (0.5 MG X 3), 2 MG (0.5 MG X 4)	3	QL (960 per 30 days)
ELIQUIS SPRINKLE ORAL CAPSULE, SPRINKLE 0.15 MG	3	QL (120 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) <i>100 mg/ml, 150 mg/ml</i>	2	QL (60 per 30 days)
<i>enoxaparin subcutaneous syringe</i> (Lovenox) <i>120 mg/0.8 ml, 80 mg/0.8 ml</i>	2	QL (48 per 30 days)
<i>enoxaparin subcutaneous syringe 30</i> (Lovenox) <i>mg/0.3 ml</i>	2	QL (18 per 30 days)
<i>enoxaparin subcutaneous syringe 40</i> (Lovenox) <i>mg/0.4 ml</i>	2	QL (24 per 30 days)
<i>enoxaparin subcutaneous syringe 60</i> (Lovenox) <i>mg/0.6 ml</i>	2	QL (36 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) <i>10 mg/0.8 ml</i>	5	NDS; QL (24 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) <i>2.5 mg/0.5 ml</i>	2	QL (15 per 30 days)
<i>fondaparinux subcutaneous syringe 5</i> (Arixtra) <i>mg/0.4 ml</i>	5	NDS; QL (12 per 30 days)
<i>fondaparinux subcutaneous syringe</i> (Arixtra) <i>7.5 mg/0.6 ml</i>	5	NDS; QL (18 per 30 days)
<i>heparin (porcine) injection solution</i> (Heparin <i>1,000 unit/ml, 10,000 unit/ml, 20,000</i> <i>unit/ml, 5,000 unit/ml</i> Sodium,Porcine)	2	HI
<i>jantoven oral tablet 1 mg, 10 mg, 2</i> (Warfarin Sodium) <i>mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg,</i> <i>7.5 mg</i>	1	
<i>rivaroxaban oral suspension for</i> (Xarelto) <i>reconstitution 1 mg/ml</i>	2	QL (600 per 30 days)
<i>rivaroxaban oral tablet 2.5 mg</i> (Xarelto)	2	QL (60 per 30 days)
<i>warfarin oral tablet 1 mg, 10 mg, 2</i> (Warfarin Sodium) <i>mg, 2.5 mg, 3 mg, 4 mg, 5 mg, 6 mg,</i> <i>7.5 mg</i>	1	
XARELTO DVT-PE TREAT 30D START ORAL TABLETS,DOSE PACK 15 MG (42)- 20 MG (9)	3	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
XARELTO ORAL SUSPENSION (rivaroxaban) FOR RECONSTITUTION 1 MG/ML	3	QL (600 per 30 days)
XARELTO ORAL TABLET 10 MG, (rivaroxaban) 20 MG	3	QL (30 per 30 days)
XARELTO ORAL TABLET 15 MG (rivaroxaban)	3	QL (60 per 30 days)
XARELTO ORAL TABLET 2.5 MG (rivaroxaban)	3	ST; QL (60 per 30 days)
Inhibidores De Agregación De Plaquetas		
<i>aspirin-dipyridamole oral capsule, er</i> (Aspirin/Dipyridamole) <i>multiphase 12 hr 25-200 mg</i>	2	
<i>cilostazol oral tablet 100 mg, 50 mg</i> (Cilostazol)	2	
<i>clopidogrel oral tablet 75 mg</i> (Plavix)	1	
<i>dipyridamole oral tablet 25 mg, 50</i> (Dipyridamole) <i>mg, 75 mg</i>	2	
<i>pentoxifylline oral tablet extended</i> (Pentoxifylline) <i>release 400 mg</i>	2	
<i>prasugrel hcl oral tablet 10 mg, 5 mg</i> (Effient)	2	
<i>ticagrelor oral tablet 60 mg, 90 mg</i> (Brilinta)	2	
Modificadores De Formación De Sangre		
ALVAIZ ORAL TABLET 18 MG, 36 MG, 54 MG, 9 MG	5	PA; NDS; QL (60 per 30 days)
<i>eltrombopag olamine oral powder in</i> (Promacta) <i>packet 12.5 mg</i>	5	PA; NDS; QL (90 per 30 days)
<i>eltrombopag olamine oral powder in</i> (Promacta) <i>packet 25 mg</i>	5	PA; NDS; QL (180 per 30 days)
<i>eltrombopag olamine oral tablet 12.5</i> (Promacta) <i>mg</i>	5	PA; NDS; QL (90 per 30 days)
<i>eltrombopag olamine oral tablet 25</i> (Promacta) <i>mg</i>	5	PA; NDS; QL (30 per 30 days)
<i>eltrombopag olamine oral tablet 50</i> (Promacta) <i>mg, 75 mg</i>	5	PA; NDS; QL (60 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 2,000 UNIT	5	PA; NDS; QL (30 per 30 days)
HAEGARDA SUBCUTANEOUS RECON SOLN 3,000 UNIT	5	PA; NDS; QL (20 per 30 days)

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
NIVESTYM INJECTION SOLUTION 300 MCG/ML, 480 MCG/1.6 ML	5	PA; NDS
NIVESTYM SUBCUTANEOUS SYRINGE 300 MCG/0.5 ML, 480 MCG/0.8 ML	5	PA; NDS
NYVEPRIA SUBCUTANEOUS SYRINGE 6 MG/0.6 ML	5	PA; NDS
RETACRIT INJECTION SOLUTION 10,000 UNIT/ML, 2,000 UNIT/ML, 20,000 UNIT/2 ML, 20,000 UNIT/ML, 3,000 UNIT/ML, 4,000 UNIT/ML	3	PA; QL (12 per 28 days)
RETACRIT INJECTION SOLUTION 40,000 UNIT/ML	3	PA; QL (4 per 28 days)
UDENYCA ONBODY SUBCUTANEOUS SYRINGE, W/ WEARABLE INJECTOR 6 MG/0.6 ML	5	PA; NDS
Reemplazo/Modificadores De Enzima		
Reemplazo/Modificadores De Enzima		
CREON ORAL CAPSULE,DELAYED RELEASE(DR/EC) 12,000-38,000 - 60,000 UNIT, 24,000-76,000 - 120,000 UNIT, 3,000-9,500- 15,000 UNIT, 36,000-114,000- 180,000 UNIT, 6,000-19,000 -30,000 UNIT	3	
<i>javygtor oral tablet,soluble 100 mg</i> (Kuvan)	5	PA; NDS
<i>nitisinone oral capsule 10 mg, 2 mg, 20 mg, 5 mg</i> (Nitisinone)	5	PA; NDS
ORFADIN ORAL SUSPENSION 4 MG/ML	5	PA; NDS
PULMOZYME INHALATION SOLUTION 1 MG/ML	5	PA BvD; NDS
REVCovi INTRAMUSCULAR SOLUTION 2.4 MG/1.5 ML (1.6 MG/ML)	5	PA; NDS

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>sapropterin oral tablet, soluble 100 mg</i> (Kuvan)	5	PA; NDS
STRENSIQ SUBCUTANEOUS SOLUTION 18 MG/0.45 ML, 28 MG/0.7 ML, 40 MG/ML, 80 MG/0.8 ML	5	PA; LA; NDS
ZENPEP ORAL CAPSULE, DELAYED RELEASE (DR/EC) 10,000-32,000 - 42,000 UNIT, 15,000-47,000 - 63,000 UNIT, 20,000-63,000 - 84,000 UNIT, 25,000-79,000 - 105,000 UNIT, 3,000-10,000 - 14,000-UNIT, 40,000-126,000 - 168,000 UNIT, 5,000-17,000 - 24,000 UNIT, 60,000-189,600 - 252,600 UNIT	3	
Relajantes Musculares Esqueléticos		
Relajantes Musculares Esqueléticos		
<i>baclofen oral tablet 10 mg, 20 mg, 5 mg</i> (Baclofen)	2	
<i>cyclobenzaprine oral tablet 10 mg, 5 mg</i> (Fexmid)	1	
<i>dantrolene oral capsule 100 mg, 50 mg</i> (Dantrium)	4	
<i>dantrolene oral capsule 25 mg</i> (Dantrium)	4	
<i>methocarbamol oral tablet 500 mg, 750 mg</i> (Methocarbamol)	2	
<i>tizanidine oral tablet 2 mg</i> (Zanaflex)	2	
<i>tizanidine oral tablet 4 mg</i> (Zanaflex)	2	
Vitaminas Y Minerales		
Vitaminas Y Minerales		
<i>bal-care dha combo pack 27-1-430 mg</i> (Pnv, Calcium 72/Iron/Folic Acid)	1	
<i>bal-care dha essential pack 27 mg iron-1 mg -374 mg</i> (Pnv, Calcium 72/Iron/Folic Acid)	1	
<i>c-nate dha softgel 28 mg iron-1 mg - 200 mg</i> (Pnv, Calcium 72/Iron/Folic Acid)	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>completenate tablet chew 29 mg iron-1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>folivane-ob capsule 85-1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>kosher prenatal plus iron tab 30 mg iron- 1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>marnatal-f capsule 60 mg iron-1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>m-natal plus tablet 27 mg iron- 1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>mynatal advance oral tablet 90-1-50 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>mynatal capsule 65 mg iron- 1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>mynatal oral tablet 90-1-50 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>mynatal plus captab 65 mg iron- 1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>mynatal-z captab 65 mg iron- 1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>mynate 90 plus oral tablet extended release 90 mg iron-1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>newgen tablet 32-1,000 mg-mcg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>obstetrix dha combo pack 29 mg iron- 1,700 mcg dfe</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>obstetrix dha oral combo pack,tablet and cap,dr 29 mg iron-1 mg -50 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>pnv prenatal plus multivit tab gluten-free (rx) 27 mg iron- 1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>pnv-dha + docusate oral capsule 27-1.25-55-300 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>pnv-omega softgel 28-1-300 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>pr natal 400 combo pack 29-1-400 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>pr natal 400 ec combo pack 29-1-400 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>pr natal 430 combo pack 29 mg iron- 1 mg -430 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>pr natal 430 ec combo pack 29-1-430 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>prenaisance oral capsule 29-1.25-55-325 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>prenaisance plus oral capsule 28-1-50-250 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>prenatabs fa tablet 29-1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>prenatal 19 (with docusate) oral tablet 29 mg iron- 1 mg-25 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>prenatal 19 chewable tablet 29 mg iron- 1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>prenatal plus iron tablet (rx) 29 mg iron- 1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>prenatal vitamin plus low iron oral tablet 27 mg iron- 1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>prenatal-u capsule 106.5-1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>r-natal ob softgel 20 mg iron- 1 mg-320 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>select-ob chewable caplet 29 mg iron- 1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>se-natal 19 chewable tablet 29 mg iron- 1 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>taron-c dha capsule 35-1-200 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>taron-prex prenatal-dha oral capsule 30 mg iron-1.2 mg-55 mg-265 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>virt-pn dha softgel (rx) 27 mg iron-1 mg -300 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>vitafol gummies 3.33 mg iron- 0.33 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>vitafol-ob+dha combo pack 65-1-250 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

Nombre del Medicamento	Nivel del Medicamento	Requerimientos/ Límites
<i>vp-ch-pnv oral capsule 30 mg iron-1 mg -50 mg-260 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>zatean-pn dha capsule 27 mg iron-1 mg -300 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>zatean-pn plus softgel 28-1-300 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	
<i>zingiber tablet 1.2 mg-40 mg- 124.1 mg-100 mg</i> (Pnv,Calcium 72/Iron/Folic Acid)	1	

Puede encontrar información sobre qué significan los símbolos y abreviaturas en esta tabla refiriéndose a las páginas de introducción de este documento

ÍNDICE

1		
1ST TIER UNIFINE PENTIPS		
.....	131	
1ST TIER UNIFINE PENTIPS PLUS	131	
A		
<i>abacavir</i>	125	
<i>abacavir-lamivudine</i>	125	
ABELCET.....	122	
<i>abigale</i>	71	
<i>abigale lo</i>	71	
ABILIFY ASIMTUFII.....	34, 35	
ABILIFY MAINTENA.....	35	
<i>abiraterone</i>	3	
<i>abiraterone, submicronized</i>	3	
<i>abirtega</i>	3	
ABRYSVO (PF).....	82	
<i>acamprosate</i>	22	
<i>acarbose</i>	24	
<i>acebutolol</i>	43	
<i>acetaminophen-codeine</i>	95, 96	
<i>acetazolamide</i>	87	
<i>acetazolamide sodium</i>	87	
<i>acetic acid</i>	88	
<i>acetylcysteine</i>	57	
<i>acitretin</i>	65	
ACTHIB (PF).....	82	
ACTIMMUNE.....	92	
<i>acyclovir</i>	65, 130	
<i>acyclovir sodium</i>	131	
ADACEL(TDAP		
ADOLESN/ADULT)(PF) ..	82	
<i>adalimumab-aaty</i>	75	
<i>adalimumab-aaty(cf) ai crohns</i>		
.....	75	
<i>adapalene</i>	66	
<i>adefovir</i>	131	
ADEMPAS.....	93	
<i>adrucil</i>	3	
ADVAIR HFA.....	59	
ADVOCATE PEN NEEDLE		
.....	132	
ADVOCATE SYRINGES..	131,	
132		
<i>afirmelle</i>	106	
AIMOVIG AUTOINJECTOR		
.....	30	
AIRSUPRA.....	60	
AKEEGA.....	3	
<i>ala-cort</i>	62	
<i>albendazole</i>	32	
<i>albuterol sulfate</i>	60, 61	
ALCOHOL PADS.....	132	
ALCOHOL PREP PADS ...	152	
ALCOHOL SWABS.....	148	
ALCOHOL WIPES.....	159	
ALECENSA.....	3	
<i>alendronate</i>	53	
<i>alfuzosin</i>	69	
<i>aliskiren</i>	51	
<i>allopurinol</i>	30	
<i>alosetron</i>	52	
<i>alprazolam</i>	22, 23	
<i>altavera (28)</i>	106	
ALTRENO.....	66	
ALUNBRIG.....	3	
ALVAIZ.....	179	
<i>alyacen 1/35 (28)</i>	106	
<i>alyacen 7/7/7 (28)</i>	106	
ALYFTREK.....	57	
<i>alyq</i>	94	
<i>amantadine hcl</i>	33	
<i>amethyst (28)</i>	106	
<i>amikacin</i>	99	
<i>amiloride</i>	49	
<i>amiloride-hydrochlorothiazide</i>		
.....	49	
<i>amiodarone</i>	43	
<i>amitriptyline</i>	119	
<i>amlodipine</i>	47	
<i>amlodipine-atorvastatin</i> ...	47, 48	
<i>amlodipine-benazepril</i>	47	
<i>amlodipine-olmesartan</i>	47	
<i>amlodipine-valsartan</i>	47	
<i>amlodipine-valsartan-hcthiacid</i>		
.....	47	
<i>ammonium lactate</i>	65	
<i>amoxapine</i>	119	
<i>amoxicil-clarithromy-lansopraz</i>		
.....	66	
<i>amoxicillin</i>	103	
<i>amoxicillin-pot clavulanate</i> .	103	
<i>amphotericin b</i>	122	
<i>amphotericin b liposome</i>	122	
<i>ampicillin</i>	103	
<i>ampicillin sodium</i>	103	
<i>ampicillin-sulbactam</i>	104	
<i>anagrelide</i>	177	
<i>anastrozole</i>	3	
ANKTIVA.....	3	
ANORO ELLIPTA.....	61	
<i>aprepitant</i>	31	
<i>apri</i>	106	
APTIVUS.....	125	
AQINJECT PEN NEEDLE .	132	
ARCALYST.....	75	
AREXVY (PF).....	82	
ARIKAYCE.....	99	
<i>aripiprazole</i>	35	
ARISTADA.....	35	
ARISTADA INITIO.....	35	

<i>armodafinil</i>	54	<i>azathioprine sodium</i>	75	BELSOMRA.....	54
ARNUITY ELLIPTA.....	59	<i>azelastine</i>	92	<i>benazepril</i>	50
<i>asenapine maleate</i>	35	<i>azithromycin</i>	102	<i>benazepril-hydrochlorothiazide</i>	50, 51
<i>aspirin-dipyridamole</i>	179	<i>aztreonam</i>	100	<i>bendamustine</i>	4
ASSURE ID DUO PRO SFTY PEN NDL	132	<i>azurette (28)</i>	107	BENDAMUSTINE	4
ASSURE ID DUO-SHIELD	132	B		BENDEKA	4
ASSURE ID INSULIN SAFETY.....	132, 133	<i>bacitracin</i>	89	BENLYSTA.....	75
ASSURE ID PEN NEEDLE	132	<i>bacitracin-polymyxin b</i>	89	<i>benztropine</i>	33
ASSURE ID PRO PEN NEEDLE	132	<i>baclofen</i>	181	BESREMI	75
<i>atazanavir</i>	125	<i>bal-care dha</i>	181	BESREMI PEN.....	4
<i>atenolol</i>	43	<i>bal-care dha essential</i>	181	<i>betaine</i>	92
<i>atenolol-chlorthalidone</i>	43	<i>balsalazide</i>	52	<i>betamethasone dipropionate</i> .62, 63	
<i>atomoxetine</i>	54	BALVERSA	4	<i>betamethasone valerate</i>	63
<i>atorvastatin</i>	48	BAQSIMI	92	<i>betamethasone, augmented</i>	63
<i>atovaquone</i>	32	BCG VACCINE, LIVE (PF). 82		BETASERON	55
<i>atovaquone-proguanil</i>	32	BD ALCOHOL SWABS.....	134	<i>betaxolol</i>	87
<i>atropine</i>	92	BD AUTOSHIELD DUO PEN NEEDLE.....	133	<i>bethanechol chloride</i>	69
ATTRUBY	45	BD ECLIPSE LUER-LOK..	133	<i>bexarotene</i>	4
<i>aubra eq</i>	106	BD INSULIN SYRINGE	133	BEXSERO	82
AUGTYRO	3	BD INSULIN SYRINGE (HALF UNIT).....	133	<i>bicalutamide</i>	4
<i>aurovela 1.5/30 (21)</i>	106	BD INSULIN SYRINGE ULTRA-FINE.....	133	BICILLIN L-A.....	104
<i>aurovela 1/20 (21)</i>	106	BD SAFETYGLIDE INSULIN SYRINGE.....	133, 134	BIKTARVY	125
<i>aurovela 24 fe</i>	106	BD SAFETYGLIDE SYRINGE	133	<i>bisoprolol fumarate</i>	43
<i>aurovela fe 1.5/30 (28)</i>	106	BD ULTRA-FINE MICRO PEN NEEDLE	134	<i>bisoprolol-hydrochlorothiazide</i>	43
<i>aurovela fe 1-20 (28)</i>	107	BD ULTRA-FINE MINI PEN NEEDLE.....	134	BIZENGRI.....	4
AUSTEDO	54	BD ULTRA-FINE NANO PEN NEEDLE.....	134	<i>bleomycin</i>	4
AUSTEDO XR.....	54	BD ULTRA-FINE ORIG PEN NEEDLE.....	134	<i>blisovi 24 fe</i>	107
AUSTEDO XR TITRATION KT(WK1-4).....	55	BD ULTRA-FINE SHORT PEN NEEDLE	134	<i>blisovi fe 1.5/30 (28)</i>	107
AUVELITY.....	119	BD VEO INSULIN SYR (HALF UNIT).....	134	<i>blisovi fe 1/20 (28)</i>	107
<i>aviane</i>	107	BD VEO INSULIN SYRINGE UF	134	BOOSTRIX TDAP	82
AVMAPKI	3			BORDERED GAUZE	134
AVMAPKI-FAKZYNJA	3			<i>bortezomib</i>	4
AVONEX.....	55			BORUZU	4
AXTLE.....	3			<i>bosentan</i>	94
<i>ayuna</i>	107			BOSULIF	4, 5
AYVAKIT.....	4			<i>bosutinib</i>	5
<i>azacitidine</i>	4			BRAFTOVI.....	5
<i>azathioprine</i>	75			BREO ELLIPTA.....	59
				<i>breynga</i>	59

BREZTRI AEROSPHERE	61	CAMCEVI (6 MONTH)	5	<i>chlordiazepoxide hcl</i>	23
<i>brimonidine</i>	87	<i>camila</i>	107	<i>chlorhexidine gluconate</i>	62
<i>brimonidine-timolol</i>	88	CAMZYOS	45	<i>chloroquine phosphate</i>	32
<i>brinzolamide</i>	88	<i>candesartan</i>	46	<i>chlorpromazine</i>	36
<i>brivaracetam</i>	113	<i>candesartan-hydrochlorothiazid</i>		<i>chlorthalidone</i>	49
BRIVIACT	113		46	<i>cholestyramine (with sugar)</i> ..	48
<i>bromfenac</i>	90	CAPLYTA	36	<i>cholestyramine light</i>	48
<i>bromocriptine</i>	33	CAPRELSA	5	<i>ciclopirox</i>	122
BRONCHITOL	57	<i>captopril</i>	51	<i>cilostazol</i>	179
BRUKINSA	5	<i>carbamazepine</i>	114	CIMDUO	125
<i>budesonide</i>	52, 60	<i>carbidopa-levodopa</i>	33, 34	<i>cimetidine hcl</i>	66
<i>budesonide-formoterol</i>	60	CAREFINE PEN NEEDLE 134,		CIMZIA	75
<i>bumetanide</i>	49	135		CIMZIA POWDER FOR	
<i>buprenorphine</i>	96	CARETOUCH ALCOHOL		RECONST	75
<i>buprenorphine hcl</i>	22	PREP PAD	135	CIMZIA STARTER KIT	75
<i>buprenorphine-naloxone</i>	22	CARETOUCH INSULIN		<i>cinacalcet</i>	53
<i>bupropion hcl</i>	119	SYRINGE	135	<i>ciprofloxacin hcl</i>	89, 104
<i>bupropion hcl (smoking deter)</i>		CARETOUCH PEN NEEDLE		<i>ciprofloxacin in 5 % dextrose</i>	
.....	22		135		104
<i>buspirone</i>	92	<i>carglumic acid</i>	67	<i>ciprofloxacin-dexamethasone</i>	89
<i>butalbital-acetaminop-caf-cod</i>		<i>carteolol</i>	88	<i>citalopram</i>	119
.....	96	<i>cartia xt</i>	44	<i>cladribine(multiple sclerosis)</i>	55
<i>butalbital-acetaminophen-caff</i>	96	<i>carvedilol</i>	43	<i>clarithromycin</i>	102
BYSANTI	35	CAYSTON	101	CLICKFINE PEN NEEDLE	136
BYSANTI TITRATION PACK		<i>cefaclor</i>	101	<i>clindamycin hcl</i>	99
A	36	<i>cefadroxil</i>	101	<i>clindamycin phosphate</i>	65, 99,
BYSANTI TITRATION PACK		<i>cefazolin</i>	101	100	
B	36	<i>cefdinir</i>	101	<i>clindamycin-benzoyl peroxide</i>	65
BYSANTI TITRATION PACK		<i>cefepime</i>	101	CLINIMIX 6%-D5W	
C	36	<i>cefexime</i>	101	(SULFITE-FREE)	42
C		<i>cefoxitin</i>	101	CLINIMIX 8%-	
CABENUVA	125	<i>cefpodoxime</i>	101	D10W(SULFITE-FREE) ...	42
<i>cabergoline</i>	33	<i>cefprozil</i>	101	CLINIMIX 8%-	
CABOMETYX	5	<i>ceftaroline fosamil</i>	102	D14W(SULFITE-FREE) ...	42
<i>cabotegravir</i>	125	<i>ceftazidime</i>	102	CLINIMIX E 8%-D10W	
<i>calcipotriene</i>	65	<i>ceftriaxone</i>	102	SULFITEFREE	42
<i>calcitonin (salmon)</i>	53	<i>cefuroxime axetil</i>	102	CLINIMIX E 8%-D14W	
<i>calcitriol</i>	53	<i>cefuroxime sodium</i>	102	SULFITEFREE	42
<i>calcium acetate(phosphat bind)</i>		<i>celecoxib</i>	94	<i>clobazam</i>	114
.....	68	<i>cephalexin</i>	102	<i>clobetasol</i>	63
CALQUENCE		<i>cevimeline</i>	62	<i>clobetasol-emollient</i>	63
(ACALABRUTINIB MAL).5		<i>chateal eq (28)</i>	107	<i>clomipramine</i>	119

<i>clonazepam</i>	23	<i>cromolyn</i>	58, 67, 92	<i>decitabine</i>	6
<i>clonidine</i>	42	<i>cryselle (28)</i>	107	<i>deferasirox</i>	98
<i>clonidine hcl</i>	42	CURITY ALCOHOL SWABS		DELSTRIGO.....	125
<i>clopidogrel</i>	179		138	<i>demeclocycline</i>	105
<i>clorazepate dipotassium</i>	23	CURITY GAUZE.....	138	DENG VAXIA (PF).....	83
<i>clotrimazole</i>	122	<i>cyclobenzaprine</i>	181	<i>denta 5000 plus</i>	62
<i>clotrimazole-betamethasone</i>	122	<i>cyclophosphamide</i>	5, 6	<i>dentagel</i>	62
<i>clozapine</i>	36	<i>cyclosporine</i>	76, 91	DEPO-SUBQ PROVERA	104
<i>c-nate dha</i>	181	<i>cyclosporine modified</i>	76		74
COARTEM.....	32	CYLTEZO(CF).....	76	DERMACEA.....	138
COBENFY.....	36	CYLTEZO(CF) PEN.....	76	DERMACEA NON-WOVEN	
COBENFY STARTER PACK		CYLTEZO(CF) PEN			138
.....	36	CROHN'S-UC-HS.....	76	<i>dermacinrx lidocan</i>	98
<i>colchicine</i>	30	CYLTEZO(CF) PEN		DESCOVY.....	125
<i>colesevelam</i>	48	PSORIASIS-UV.....	76	<i>desipramine</i>	119
<i>colestipol</i>	48	<i>cyred eq.</i>	107	<i>desmopressin</i>	73
<i>colistin (colistimethate na)</i> ...	100	D		<i>desog-e.estradiol/e.estradiol</i>	107
COMBIVENT RESPIMAT ...	61	<i>d5 % (d-glucose)-0.9 % sodchlr</i>		<i>desvenlafaxine succinate</i>	119
COMETRIQ.....	5		176	<i>dexamethasone</i>	72
COMFORT EZ INSULIN		<i>d5 % and 0.9 % sodium chloride</i>		<i>dexamethasone sodium</i>	
SYRINGE.....	136, 137, 138		176	<i>phosphate</i>	72, 91
COMFORT EZ PEN NEEDLES		<i>d5 %-0.45 % sodium chloride</i>		<i>dextroamphetamine-</i>	
.....	136, 137		176	<i>amphetamine</i>	55
COMFORT EZ PRO SAFETY		<i>dabigatran etexilate</i>	177	<i>dextrose 5 % in water (d5w)</i> ..	42
PEN NDL.....	137	<i>dalfampridine</i>	55	DIACOMIT.....	114
COMFORT TOUCH PEN		<i>danazol</i>	70	<i>diazepam</i>	23, 114
NEEDLE.....	138	<i>dantrolene</i>	181	<i>diazepam intensol</i>	23
<i>completenate</i>	182	DANYELZA.....	6	<i>diazoxide</i>	92
<i>compro</i>	31	DANZITEN.....	6	<i>diclofenac epolamine</i>	94
<i>conjugated estrogens</i>	71	<i>dapagliflozin</i>	24	<i>diclofenac potassium</i>	94
<i>constulose</i>	67	<i>dapagliflozin-metformin</i>	24	<i>diclofenac sodium</i>	91, 94, 95
COPIKTRA.....	5	<i>dapsone</i>	124	<i>diclofenac-misoprostol</i>	95
CORLANOR.....	45	DAPTACEL (DTAP		<i>dicloxacillin</i>	104
CORTROPHIN GEL.....	73	PEDIATRIC) (PF).....	83	<i>dicyclomine</i>	67
COSENTYX.....	76	<i>daptomycin</i>	100	<i>didanosine</i>	125
COSENTYX (2 SYRINGES)	76	<i>darunavir</i>	125	<i>difluprednate</i>	91
COSENTYX PEN (2 PENS) ..	76	<i>dasatinib</i>	6	<i>digoxin</i>	45
COSENTYX UNOREADY		<i>dasetta 1/35 (28)</i>	107	<i>dihydroergotamine</i>	30
PEN.....	76	<i>dasetta 7/7/7 (28)</i>	107	DILANTIN.....	114
COTELLIC.....	5	DATROWAY.....	6	<i>diltiazem hcl</i>	44
CREON.....	180	DAURISMO.....	6	<i>dilt-xr</i>	44
CRESEMBA.....	122	<i>deblitane</i>	107	<i>dimethyl fumarate</i>	55

diphenoxylate-atropine.....67
dipyridamole.....179
disulfiram22
divalproex.....114
dofetilide.....43
dolishale107
donepezil.....24
dorzolamide.....88
dorzolamide-timolol88
dotti.....71
DOVATO125
doxazosin42
doxepin54, 119
doxorubicin, peg-liposomal.....6
doxy-100105
doxycycline hyclate105
doxycycline monohydrate105,
106
DRIZALMA SPRINKLE....119,
120
dronabinol32
DROPLET INSULIN
SYR(HALF UNIT) ..139, 140
DROPLET INSULIN
SYRINGE.....139, 140, 141
DROPLET MICRON PEN
NEEDLE141
DROPLET PEN NEEDLE...141
DROPSAFE ALCOHOL PREP
PADS.....141
DROPSAFE INSULIN
SYRINGE.....141, 142
DROPSAFE PEN NEEDLE 142
droxidopa42
duloxetine120
DUPIXENT PEN76
DUPIXENT SYRINGE.....77
dutasteride.....69
E
EASY COMFORT ALCOHOL
PAD142

EASY COMFORT INSULIN
SYRINGE 142, 143
EASY COMFORT PEN
NEEDLES 143
EASY COMFORT SAFETY
PEN NEEDLE 142
EASY GLIDE INSULIN
SYRINGE 143
EASY GLIDE PEN NEEDLE
..... 143
EASY TOUCH 146
EASY TOUCH ALCOHOL
PREP PADS 144
EASY TOUCH
AUTORETRACT SYRINGE
..... 144
EASY TOUCH FLIPLOCK
INSULIN 145
EASY TOUCH FLIPLOCK
SYRINGE 144
EASY TOUCH INS SYR
(HALF UNIT)..... 144
EASY TOUCH INSULIN
SAFETY SYR 144
EASY TOUCH INSULIN
SYRINGE..... 144, 145, 146
EASY TOUCH LUER LOCK
INSULIN 146
EASY TOUCH PEN NEEDLE
..... 146
EASY TOUCH SAFETY PEN
NEEDLE..... 146, 147
EASY TOUCH
SHEATHLOCK INSULIN
..... 145, 146
EASY TOUCH UNI-SLIP .. 146
EASYLIFE ALCOHOL PADS
..... 146
EASYLIFE INSULIN PEN
NEEDLE..... 146, 147
EASYLIFE INSULIN
SYRINGE 147

EASYLIFE SAFETY PEN
NEEDLE 147
econazole nitrate 122
EDURANT PED 125
efavirenz 126
efavirenz-emtricitabin-tenofov
..... 126
efavirenz-lamivu-tenofov disop
..... 126
ELAHERE 6
ELEPSIA XR 114
ELIGARD 6
ELIGARD (3 MONTH).....6
ELIGARD (4 MONTH).....6
ELIGARD (6 MONTH).....6
elinest 107
ELIQUIS 177, 178
ELIQUIS DVT-PE TREAT 30D
START 177
ELIQUIS SPRINKLE 178
ELREXFIO 7
eltrombopag olamine 179
eluryng 107
EMBRACE PEN NEEDLE . 148
EMCYT..... 7
EMGALITY PEN 30
EMGALITY SYRINGE 30
EMRELIS 7
EMSAM 120
emtricitabine 126
emtricitabine-tenofovir (tdf). 126
emtricitabine-rilpivirine-tenof df 126
EMTRIVA 126
emzahh 107
enalapril maleate 51
*enalapril-hydrochlorothiazide*51
ENBREL 77
ENBREL MINI..... 77
ENBREL SURECLICK..... 77
endocet 96
ENERGIX-B (PF) 83

ENGERIX-B PEDIATRIC (PF)	etonogestrel-ethinyl estradiol	FETZIMA
.....83	 108	 120
enilloring.....107	ETOPHOS..... 7	FIASP FLEXTOUCH U-100
enoxaparin.....178	etoposide..... 7	INSULIN.....27
enpresse.....108	etravirine..... 126	FIASP PENFILL U-100
ENSACOVE.....7	EUCRISA..... 63	INSULIN.....27
enskyce.....108	EULEXIN..... 7	FIASP PUMPCART.....27
entacapone.....34	everolimus (antineoplastic) . 7, 8	FIASP U-100 INSULIN.....27
entecavir.....131	everolimus	fidaxomicin..... 103
ENTRESTO.....46	(immunosuppressive)..... 77	finasteride..... 69
ENTRESTO SPRINKLE.....46	EVOTAZ..... 126	fungolimod..... 55
enulose.....67	EXEL INSULIN..... 148	FINTEPLA..... 115
EPCLUSA.....129	exemestane..... 8	FIRMAGON KIT W DILUENT
EPIDIOLEX.....115	EXTENCILLINE..... 104	SYRINGE..... 8
epinastine.....92	EXXUA..... 120	flavoxate..... 70
epinephrine.....45	EYSUVIS..... 91	flecainide..... 43
epitol.....115	ezetimibe..... 48	floxuridine..... 8
EPKINLY.....7	ezetimibe-simvastatin..... 48	fluconazole..... 123
eplerenone.....51	F	fluconazole in nacl (iso-osm)122
ERBITUX.....7	FAKZYNJA..... 8	flucytosine..... 123
ergoloid.....24	falmina (28)..... 108	fludrocortisone..... 72
ERIVEDGE.....7	famciclovir..... 131	flunisolide.....91
ERLEADA.....7	famotidine..... 67	fluocinolone..... 63
erlotinib.....7	FANAPT..... 37	fluocinolone acetone oil.....91
errin.....108	FANAPT TITRATION PACK	fluocinonide..... 63
ertapenem.....101	A..... 37	fluoride (sodium)..... 62
erythromycin.....89, 103	FANAPT TITRATION PACK	fluorometholone..... 91
erythromycin ethylsuccinate.103	B..... 37	fluorouracil..... 8, 65
erythromycin with ethanol.....66	FANAPT TITRATION PACK	flouxetine..... 120
ERZOFRI.....36, 37	C..... 37	fluphenazine decanoate.....37
escitalopram oxalate.....120	FASENRA..... 58	fluphenazine hcl..... 37
eslicarbazepine.....115	FASENRA PEN..... 58	flurbiprofen.....95
esomeprazole magnesium.66, 67	febuxostat..... 30	flurbiprofen sodium.....91
estarylla.....108	feirza..... 108	fluticasone propionate 60, 63, 91
estradiol.....71	felbamate..... 115	fluticasone propion-salmeterol
estradiol-norethindrone acet..71	felodipine..... 47	 60
eszopiclone.....54	fenofibrate..... 48	fluvastatin..... 48
ethambutol.....124	fenofibrate micronized..... 48	fluvoxamine..... 120
ethosuximide.....115	fenofibrate nanocrystallized .. 48	folivane-ob..... 182
ethynodiol diac-eth estradiol108	fentanyl..... 96	fondaparinux..... 178
etodolac.....95	fentanyl citrate..... 96	fosamprenavir..... 126
	fesoterodine..... 69	fosfomycin tromethamine..... 100
		fosinopril..... 51

<i>fosinopril-hydrochlorothiazide</i>	51
<i>fosphenytoin</i>	115
FOTIVDA	8
FRUZAQLA	8
<i>fulvestrant</i>	8
<i>furosemide</i>	50
FUZEON	126
FYARRO	8
G	
<i>gabapentin</i>	115
<i>galantamine</i>	24
<i>gallifrey</i>	74
GAMUNEX-C	77
GARDASIL 9 (PF)	83
GAUZE BANDAGE	159
GAUZE PAD	148
<i>gavilyte-c</i>	69
<i>gavilyte-g</i>	69
<i>gavilyte-n</i>	69
GAVRETO	8
<i>gefitinib</i>	8
<i>gemfibrozil</i>	48
<i>generlac</i>	67
<i>gengraf</i>	77
<i>gentamicin</i>	66, 89, 99
<i>gentamicin sulfate (ped) (pf)</i>	99
GENVOYA	126
GILOTRIF	8
<i>glatiramer</i>	56
<i>glatopa</i>	56
<i>glimepiride</i>	29
<i>glipizide</i>	29
<i>glipizide-metformin</i>	29
<i>glucagon emergency kit (human)</i>	93
<i>glutamine (sickle cell)</i>	93
<i>glyburide</i>	30
<i>glyburide micronized</i>	30
<i>glyburide-metformin</i>	30
<i>glycopyrrolate</i>	67
<i>glydo</i>	98

GLYXAMBI	24
GOMEKLI	8, 9
<i>griseofulvin microsize</i>	123
<i>griseofulvin ultramicrosize</i>	123
<i>guanfacine</i>	42, 56
GVOKE	93
GVOKE HYOPEN 2-PACK	93
GVOKE PFS 1-PACK SYRINGE	93

H	
HADLIMA	77
HADLIMA PUSH TOUCH	77
HADLIMA(CF)	77
HADLIMA(CF) PUSH TOUCH	77
HAEGARDA	179
<i>hailey 24 fe</i>	108
<i>hailey fe 1.5/30 (28)</i>	108
<i>hailey fe 1/20 (28)</i>	108
<i>halobetasol propionate</i>	64
<i>haloette</i>	108
<i>haloperidol</i>	37
<i>haloperidol decanoate</i>	37
<i>haloperidol lactate</i>	37
HARVONI	129, 130
HAVRIX (PF)	83
HEALTHWISE INSULIN SYRINGE	149
HEALTHWISE PEN NEEDLE	149
HEALTHY ACCENTS UNIFINE PENTIP	149
<i>heather</i>	108
<i>heparin (porcine)</i>	178
HEPLISAV-B (PF)	83
HERCEPTIN HYLECTA	9
HERNEXEOS	9
HIBERIX (PF)	83
HUMIRA	77
HUMIRA PEN	77
HUMIRA(CF)	78

HUMIRA(CF) PEDI CROHNS STARTER	78
HUMIRA(CF) PEN	78
HUMIRA(CF) PEN CROHNS-UC-HS	78
HUMIRA(CF) PEN PEDIATRIC UC	78
HUMIRA(CF) PEN PSOR-UV-ADOL HS	78
HUMULIN R U-500 (CONC) INSULIN	27
HUMULIN R U-500 (CONC) KWIKPEN	27
<i>hydralazine</i>	45
<i>hydrochlorothiazide</i>	50
<i>hydrocodone-acetaminophen</i>	96
<i>hydrocortisone</i>	52, 64, 72
<i>hydrocortisone valerate</i>	64
<i>hydrocortisone-acetic acid</i>	89
<i>hydromorphone</i>	97
<i>hydroxychloroquine</i>	33
<i>hydroxyurea</i>	9
<i>hydroxyzine hcl</i>	124
<i>hydroxyzine pamoate</i>	93
HYRNUO	9
I	
<i>ibandronate</i>	53
IBRANCE	9
IBTROZI	9
<i>ibu</i>	95
<i>ibuprofen</i>	95
<i>icatibant</i>	45
<i>iclevia</i>	108
ICLUSIG	9
<i>icosapent ethyl</i>	48
IDHIFA	9
IDVYN SO	126
<i>ifosfamide</i>	9
ILEVRO	91
<i>imatinib</i>	9
IMBRUVICA	9
IMDELLTRA	10

<i>imipenem-cilastatin</i>	101	<i>insulin lispro</i>	28	JASCAYD.....	58
<i>imipramine hcl</i>	120	INSULIN SYR/NDL U100		<i>javygtor</i>	180
<i>imiquimod</i>	65	HALF MARK.....	150	JAYPIRCA	10
IMJUDO.....	10	INSULIN SYRINGE		JEMPERLI.....	10
IMKELDI.....	10	MICROFINE	133	<i>jencycla</i>	108
IMOVAX RABIES VACCINE		INSULIN SYRINGE-NEEDLE		JENTADUETO.....	25
(PF).....	83	U-100.....	148, 150, 151, 152,	JENTADUETO XR	25
IMPAVIDO	33	159, 163		<i>jolessa</i>	108
<i>incassia</i>	108	INSULIN U-500 SYRINGE-		<i>juleber</i>	108
INCONTROL ALCOHOL		NEEDLE.....	152	JULUCA	127
PADS.....	149	INSUPEN PEN NEEDLE ..	152	<i>junel 1.5/30 (21)</i>	109
INCONTROL PEN NEEDLE		INTELENCE	126	<i>junel 1/20 (21)</i>	109
.....	149, 150	<i>introvale</i>	108	<i>junel fe 1.5/30 (28)</i>	109
INCRELEX	73	INVEGA HAFYERA	38	<i>junel fe 1/20 (28)</i>	109
<i>indapamide</i>	50	INVEGA SUSTENNA	38	<i>junel fe 24</i>	109
<i>indomethacin</i>	95	INVEGA TRINZA	38	JYLAMVO	10
INFANRIX (DTAP) (PF).....	83	INVELTYS.....	91	JYNARQUE	50
<i>infliximab</i>	78	IPOL	83	JYNNEOS (PF).....	84
INGREZZA	56	<i>ipratropium bromide</i>	61, 92	K	
INGREZZA INITIATION		<i>ipratropium-albuterol</i>	61	KALETRA.....	127
PK(TARDIV).....	56	<i>irbesartan</i>	46	KALYDECO.....	58
INGREZZA SPRINKLE.....	56	<i>irbesartan-hydrochlorothiazide</i>		<i>kariva (28)</i>	109
INLEXZO.....	10		46	<i>kelnor 1/35 (28)</i>	109
INLURIYO.....	10	ISENTRESS	126, 127	<i>kelnor 1/50 (28)</i>	109
INLYTA.....	10	ISENTRESS HD.....	126	KERENDIA	52
INPEN (FOR HUMALOG)		<i>isibloom</i>	108	KESIMPTA PEN	56
BLUE	150	<i>isoniazid</i>	124	<i>ketoconazole</i>	123
INPEN (FOR HUMALOG)		<i>isosorbide dinitrate</i>	52	<i>ketorolac</i>	91, 95
GREY.....	150	<i>isosorbide mononitrate</i>	52	KEYTRUDA.....	10
INPEN (FOR HUMALOG)		ITOVEBI	10	KEYTRUDA QLEX.....	11
PINK.....	150	<i>itraconazole</i>	123	KIMMTRAK	11
INPEN (NOVOLOG OR		IV PREP WIPES	152	KINERET	78
FIASP) BLUE	150	<i>ivabradine</i>	45	KINRIX (PF)	84
INPEN (NOVOLOG OR		<i>ivermectin</i>	33	<i>kionex</i>	67
FIASP) GREY.....	150	IWILFIN.....	10	KISQALI.....	11
INPEN (NOVOLOG OR		IXIARO (PF)	84	KISQALI FEMARA CO-PACK	
FIASP) PINK	150	J			11
INQOVI.....	10	JAKAFI	10	KLISYRI (250 MG).....	65
INREBIC.....	10	JAKAFI XR.....	10	<i>klor-con m10</i>	176
<i>insulin asp prt-insulin aspart</i>	27	<i>jantoven</i>	178	<i>klor-con m15</i>	176
<i>insulin aspart u-100</i>	27	JANUMET XR.....	24, 25	<i>klor-con m20</i>	176
<i>insulin glargine-yfgn</i>	28	JARDIANCE	25	KLOXXADO	22

KOMZIFTI.....	11	levonest (28)	109	LOTEMAX.....	91
KOSELUGO	11	levonorgest-eth.estradiol-iron		LOTEMAX SM	91
kosher prenatal plus iron	182		109	loteprednol etabonate	91
KRAZATI	11	levonorgestrel-ethinyl estrad		lovastatin.....	48
kurvelo (28)	109		109, 110	low-ogestrel (28).....	110
KYLEENA.....	109	levonorg-eth estrad triphasic	110	loxapine succinate.....	38
L		levora-28.....	110	lubiprostone	68
labetalol.....	43	levothyroxine	70	luizza	110
lacosamide.....	115	LEXIVA	127	LUMAKRAS	13
lactulose	67	LIBERVANT.....	116	LUMIGAN.....	88
lamivudine	127	lidocaine	98	LUNSUMIO	13
lamivudine-zidovudine	127	lidocaine hcl	98	LUNSUMIO VELO.....	13
lamotrigine	115	lidocaine-prilocaine.....	98	LUPRON DEPOT.....	13, 73
lanreotide	73	lidocan iii	98	LUPRON DEPOT (3 MONTH)	
lansoprazole	67	LIFYORLI.....	12		13, 73
LANTUS SOLOSTAR U-100		LILETTA.....	110	LUPRON DEPOT (4 MONTH)	
INSULIN.....	28	linezolid	100		13
LANTUS U-100 INSULIN....	28	linezolid in dextrose 5%	100	LUPRON DEPOT (6 MONTH)	
lapatinib	11	LINZESS	68		13
larin 1.5/30 (21)	109	liomny	70	LUPRON DEPOT-PED.....	73
larin 1/20 (21)	109	liothyronine.....	70	LUPRON DEPOT-PED (3	
larin 24 fe	109	LISCO.....	152	MONTH).....	73
larin fe 1.5/30 (28)	109	lisinopril.....	51	lurasidone	38
larin fe 1/20 (28)	109	lisinopril-hydrochlorothiazide	51	lutera (28)	110
latanoprost	88	LITE TOUCH INSULIN PEN		LUTRATE DEPOT (3	
LAZCLUZE	11, 12	NEEDLES	152	MONTH).....	13
leflunomide	78	LITE TOUCH INSULIN		LYBALVI.....	39
lenalidomide	12	SYRINGE.....	152, 153	lyleq.....	110
LENTOCILIN S (WITH		lithium carbonate.....	56	LYNOZYFIC.....	13
LIDOCAINE).....	104	lithium citrate	56	LYNPARZA	13
LENVIMA	12	LIVTENCITY	130	LYSODREN	13
lessina.....	109	LOKELMA.....	68	LYTGOBI.....	13
letrozole.....	12	lomustine.....	12	lyza	110
leucovorin calcium	93	LONSURF	12	M	
LEUKERAN	12	loperamide	68	macitentan.....	94
leuprolide	12	lopinavir-ritonavir	127	MAGELLAN INSULIN	
leuprolide acetate (3 month) ..	12	LOQTORZI	12	SAFETY SYRNG.....	153
levetiracetam	115, 116	lorazepam	23	MAGELLAN SYRINGE....	153
levobunolol	88	lorazepam intensol.....	23	magnesium sulfate.....	176
levocetirizine	124	LORBRENA.....	12, 13	malathion	66
levofloxacin	105	losartan.....	46	maraviroc.....	127
levofloxacin in d5w.....	105	losartan-hydrochlorothiazide	46	MARGENZA	14

<i>marlissa (28)</i>	110	<i>methotrexate sodium</i>	14	<i>modafinil</i>	54
<i>marnatal-f</i>	182	<i>methotrexate sodium (pf)</i>	14	MODEYSO.....	14
MARPLAN	120	<i>methoxsalen</i>	65	<i>moexipril</i>	51
MATULANE	14	<i>methsuximide</i>	116	<i>molindone</i>	39
MAXICOMFORT II PEN		<i>methylphenidate hcl</i>	57	<i>mometasone</i>	64, 91
NEEDLE	153	<i>methylprednisolone</i>	72	MONOJECT INSULIN	
MAXICOMFORT INSULIN		<i>methylprednisolone acetate</i> ...	72	SAFETY SYRING.....	155
SYRINGE.....	153, 154	<i>metoclopramide hcl</i>	68	MONOJECT INSULIN	
MAXI-COMFORT INSULIN		<i>metolazone</i>	50	SYRINGE	154, 155
SYRINGE.....	154	<i>metoprolol succinate</i>	43	MONOJECT SYRINGE.....	154
MAXI-COMFORT INSULIN		<i>metoprolol ta-hydrochlorothiaz</i>		MONOJECT ULTRA	
SYRINGE.....	154		43	COMFORT INSULIN	169
MAXICOMFORT SAFETY		<i>metoprolol tartrate</i>	44	<i>mono-lynyah</i>	110
PEN NEEDLE.....	154	<i>metronidazole</i>	66, 99, 100	<i>montelukast</i>	60
MAYZENT	56	<i>metronidazole in nacl (iso-os)</i>		<i>morphine</i>	97
MAYZENT STARTER(FOR			100	MORPHINE.....	97
1MG MAINT).....	56	<i>metyrosine</i>	45	<i>morphine concentrate</i>	97
MAYZENT STARTER(FOR		<i>micafungin</i>	123	MOUNJARO	25
2MG MAINT).....	57	<i>miconazole-3</i>	123	MOVANTIK.....	68
<i>meclizine</i>	32	MICRODOT INSULIN PEN		<i>moxifloxacin</i>	89, 105
<i>medroxyprogesterone</i>	74	NEEDLE.....	154	<i>moxifloxacin-sod.ace,sul-water</i>	
<i>mefloquine</i>	33	MICRODOT READYGARD			105
<i>megestrol</i>	14, 75	PEN NEEDLE	154	<i>moxifloxacin-sod.chloride(iso)</i>	
MEKINIST.....	14	<i>microgestin 1.5/30 (21)</i>	110		105
MEKTOVI	14	<i>microgestin 1/20 (21)</i>	110	MRESVIA (PF)	84
<i>meleya</i>	110	<i>microgestin fe 1.5/30 (28)</i>	110	MULTAQ	43
<i>meloxicam</i>	95	<i>microgestin fe 1/20 (28)</i>	110	<i>mupirocin</i>	66
<i>memantine</i>	24	<i>midodrine</i>	42	<i>mycophenolate mofetil</i>	78
MENACTRA (PF)	84	MIEBO (PF)	92	<i>mycophenolate mofetil (hcl)</i> ...	78
MENQUADFI (PF).....	84	<i>mifepristone</i>	25	<i>mycophenolate sodium</i>	78
MENVEO A-C-Y-W-135-DIP		<i>mili</i>	110	<i>mynatal</i>	182
(PF).....	84	<i>mimvey</i>	72	<i>mynatal advance</i>	182
<i>mercaptopurine</i>	14	MINI ULTRA-THIN II	154	<i>mynatal plus</i>	182
<i>meropenem</i>	101	<i>minocycline</i>	106	<i>mynatal-z</i>	182
<i>mesalamine</i>	52	<i>minoxidil</i>	52	<i>mynate 90 plus</i>	182
<i>mesna</i>	93	MIPLYFFA	131	MYRBETRIQ.....	70
<i>metformin</i>	25	MIRENA	110	N	
<i>methadone</i>	97	<i>mirtazapine</i>	120, 121	<i>nabumetone</i>	95
<i>methazolamide</i>	88	<i>misoprostol</i>	67	<i>nafcillin</i>	104
<i>methenamine hippurate</i>	100	<i>mitoxantrone</i>	14	<i>naloxone</i>	22
<i>methimazole</i>	70	M-M-R II (PF)	84	<i>naltrexone</i>	22
<i>methocarbamol</i>	181	<i>m-natal plus</i>	182		

NANO 2ND GEN PEN		NURTEC ODT	31
NEEDLE	155	nyamyc	123
NANO PEN NEEDLE	155	nylia 1/35 (28).....	111
naproxen	95	nylia 7/7/7 (28).....	111
naratriptan	30	nymyo	111
NATACYN	89	nystatin.....	123
nateglinide	25	nystatin-triamcinolone	123
NAYZILAM.....	116	nystop	124
nebivolol	44	NYVEPRIA	180
nefazodone.....	121	O	
neomycin.....	99	obstetrix dha.....	182
neomycin-bacitracin-poly-hc ..	89	obstetrix dha prenatal duo ..	182
neomycin-bacitracin-polymyxin		octreotide acetate.....	74
.....	89	ODEFSEY.....	127
neomycin-polymyxin b-		ODOMZO	15
dexameth.....	89	ofloxacin.....	90
neomycin-polymyxin-gramicidin		OGIVRI.....	15
.....	89	OGSIVEO	15
neomycin-polymyxin-hc.....	89	OJEMDA	15
neo-polycin	90	OJJAARA	15
neo-polycin hc	90	olanzapine	39
NERLYNX.....	14	olmesartan.....	46
nevirapine.....	127	olmesartan-amlodipin-hcthiacid	
newgen.....	182		46
NEXLETOL	49	olmesartan-hydrochlorothiazide	
NEXLIZET.....	49		46
NEXPLANON	111	olopatadine	92
niacin.....	49	omega-3 acid ethyl esters.....	49
NICOTROL NS.....	22	omeprazole.....	67
nifedipine.....	47	OMNIPOD 5 (LIBRE 2/3	
NIKTIMVO.....	78	PLUS)	156
nilotinib hcl	14	OMNIPOD 5 G6-G7 INTRO	
nilutamide.....	14	KT(GEN5)	156
NINLARO	14	OMNIPOD 5 G6-G7 PODS	
nintedanib.....	58	(GEN 5).....	156
nitazoxanide	33	OMNIPOD 5 INTRO	
nitisinone	180	(LIBRE2/3PLUS)	156
nitrofurantoin macrocrystal .	100	OMNIPOD CLASSIC PODS	
nitrofurantoin monohyd/m-cryst		(GEN 3).....	156
.....	100	OMNIPOD DASH INTRO KIT	
nitroglycerin	52, 93	(GEN 4).....	156
NIVESTYM	180		
NORDITROPIN FLEXPEN .	73		
norelgestromin-ethin.estradiol			
.....	111		
norethindrone (contraceptive)			
.....	111		
norethindrone acetate.....	75		
norethindrone-e.estradiol-iron			
.....	111		
norgestimate-ethinyl estradiol			
.....	111		
nortrel 1/35 (21)	111		
nortrel 1/35 (28)	111		
nortrel 7/7/7 (28)	111		
nortriptyline	121		
NORVIR.....	127		
NOVOFINE 32.....	155		
NOVOFINE AUTOCOVER	156		
NOVOFINE PLUS	156		
NOVOLIN 70/30 U-100			
INSULIN	28		
NOVOLIN 70-30 FLEXPEN U-			
100	28		
NOVOLIN N FLEXPEN.....	28		
NOVOLIN N NPH U-100			
INSULIN	28		
NOVOLIN R FLEXPEN.....	28		
NOVOLIN R REGULAR U100			
INSULIN	28		
NOVOLOG FLEXPEN U-100			
INSULIN	28		
NOVOLOG MIX 70-30 U-100			
INSULN.....	29		
NOVOLOG MIX 70-			
30FLEXPEN U-100	29		
NOVOLOG PENFILL U-100			
INSULIN	29		
NOVOLOG U-100 INSULIN			
ASPART	29		
NUBEQA.....	15		
NUCALA.....	58		
NULOJIX	79		
NUPLAZID	39		

OMNIPOD DASH PDM KIT (GEN 4).....	156	<i>pazopanib</i>	15, 16	<i>phenytoin</i>	116
OMNIPOD DASH PODS (GEN 4).....	156	PEDIARIX (PF)	84	<i>phenytoin sodium</i>	117
ONAPGO	34	PEDVAX HIB (PF)	84	<i>phenytoin sodium extended</i> ..	116
<i>ondansetron</i>	32	<i>peg 3350-electrolytes</i>	69	PIFELTRO.....	127
<i>ondansetron hcl</i>	32	PEGASYS	130	<i>pilocarpine hcl</i>	62, 88
ONUREG	15	<i>peg-electrolyte soln</i>	69	<i>pimecrolimus</i>	64
OPDIVO.....	15	PEMAZYRE.....	16	<i>pimozide</i>	39
OPDIVO QVANTIG.....	15	<i>pemetrexed disodium</i>	16	<i>pimtrea (28)</i>	111
OPDUALAG.....	15	PEMRYDI RTU	16	<i>pioglitazone</i>	25
OPIPZA	39	PEN NEEDLE	156, 157	<i>pioglitazone-metformin</i>	26
ORENCIA	79	PEN NEEDLE, DIABETIC 138,		PIP PEN NEEDLE.....	157
ORENCIA (WITH MALTOSE)	79	148, 149, 154, 156, 159		<i>piperacillin-tazobactam</i>	104
ORENCIA CLICKJECT	79	PEN NEEDLE, DIABETIC, SAFETY	160	PIQRAY.....	16
ORFADIN	180	PENBRAYA (PF).....	84	<i>pirfenidone</i>	58
ORGOVYX.....	74	PENBRAYA MENACWY COMPONENT(PF)	84	<i>pitavastatin calcium</i>	49
ORILISSA	74	PENBRAYA MENB COMPONENT (PF)	84	PLEGRIDY.....	57
ORKAMBI.....	58	<i>penicillamine</i>	98	<i>pnv-dha + docusate</i>	182
<i>orquidea</i>	111	<i>penicillin g potassium</i>	104	<i>pnv-omega</i>	182
ORSERDU	15	<i>penicillin v potassium</i>	104	<i>podofilox</i>	65
<i>oseltamivir</i>	130	PENMENVY MEN A-B-C-W- Y (PF)	85	<i>polycin</i>	90
OSENVELT	53	PENMENVY MENACWY COMPONENT(PF)	85	<i>polymyxin b sulf-trimethoprim</i> 90	
OTEZLA	79	PENMENVY MENB COMPONENT (PF)	85	<i>pomalidomide</i>	16
OTEZLA STARTER.....	79	PENTACEL (PF).....	85	POMALYST	16
OTEZLA XR.....	79	<i>pentamidine</i>	33	<i>portia 28</i>	111
OTEZLA XR INITIATION ..	79	PENTIPS PEN NEEDLE	157	<i>posaconazole</i>	124
<i>oxcarbazepine</i>	116	<i>pentoxifylline</i>	179	<i>potassium chloride</i>	176, 177
<i>oxybutynin chloride</i>	70	<i>perampanel</i>	116	<i>potassium citrate</i>	177
<i>oxycodone</i>	97	<i>perindopril erbumine</i>	51	<i>pr natal 400</i>	182
<i>oxycodone-acetaminophen</i>	97	<i>periogard</i>	62	<i>pr natal 400 ec</i>	182
OZEMPIC	25	<i>permethrin</i>	66	<i>pr natal 430</i>	183
P		<i>perphenazine</i>	39	<i>pr natal 430 ec</i>	183
<i>pacerone</i>	43	<i>perphenazine-amitriptyline</i> ..	121	<i>pramipexole</i>	34
<i>paclitaxel protein-bound</i>	15	PERSERIS	39	<i>prasugrel hcl</i>	179
<i>paliperidone</i>	39	<i>phenelzine</i>	121	<i>pravastatin</i>	49
PANRETIN	65	<i>phenobarbital</i>	116	<i>praziquantel</i>	33
<i>pantoprazole</i>	67	<i>phenytek</i>	116	<i>prazosin</i>	42
<i>paricalcitol</i>	53			<i>prednisolone</i>	72
<i>paroxetine hcl</i>	121			<i>prednisolone acetate</i>	92
PAXLOVID	130			<i>prednisolone sodium phosphate</i>	72
				<i>prednisone</i>	73
				<i>pregabalin</i>	117

PREMARIN	72	PROGRAF	79	REPATHA PUSHTRONEX..	49
PREMPHASE	72	PROLASTIN-C	58	REPATHA SURECLICK.....	49
PREMPRO	72	<i>promethazine</i>	32	REPATHA SYRINGE.....	49
<i>prenaissance</i>	183	<i>promethegan</i>	32	RETACRIT	180
<i>prenaissance plus</i>	183	<i>propafenone</i>	43	RETEVMO	16
<i>prenatabs fa</i>	183	<i>propranolol</i>	44	RETROVIR.....	128
<i>prenatal 19</i>	183	<i>propylthiouracil</i>	70	REVCovi.....	180
<i>prenatal 19 (with docusate)</i> ..	183	PROQUAD (PF).....	85	REVUFORJ	16
<i>prenatal plus</i>	183	<i>protriptyline</i>	121	REXULTI	40
<i>prenatal plus (calcium carb)</i>	182	PULMOZYME.....	180	REYATAZ.....	128
<i>prenatal vitamin plus low iron</i>	183	PURE COMFORT ALCOHOL		REZDIFFRA.....	70
.....		PADS	158	REZLIDHIA	16
<i>prenatal-u</i>	183	PURE COMFORT PEN		REZUROCK.....	79
<i>prevalite</i>	49	NEEDLE.....	158	RHOPRESSA	88
PREVENT DROPSAFE PEN		PURE COMFORT SAFETY		<i>ribavirin</i>	131
NEEDLE	157	PEN NEEDLE	158	<i>rifabutin</i>	124
PREVYMIS.....	130	<i>pyrazinamide</i>	124	<i>rifampin</i>	124
PREZCOBIX.....	127	<i>pyridostigmine bromide</i>	93	<i>rilpivirine</i>	128
PREZISTA	128	<i>pyrimethamine</i>	33	<i>rilpivirine hcl</i>	128
PRIFTIN.....	124	Q		<i>riluzole</i>	57
PRIMAQUINE.....	33	QINLOCK	16	RINVOQ	80
<i>primidone</i>	117	QUADRACEL (PF)	85	RINVOQ LQ.....	79
PRIORIX (PF).....	85	<i>quetiapine</i>	39	<i>risperidone</i>	40
PRO COMFORT ALCOHOL		<i>quinapril</i>	51	<i>risperidone microspheres</i>	40
PADS.....	158	<i>quinapril-hydrochlorothiazide</i>	51	<i>ritonavir</i>	128
PRO COMFORT INSULIN		<i>quinidine sulfate</i>	43	RITUXAN HYCELA	17
SYRINGE.....	157, 158	<i>quinine sulfate</i>	33	<i>rivaroxaban</i>	178
PRO COMFORT PEN		QULIPTA	31	<i>rivastigmine</i>	24
NEEDLE	158	R		<i>rivastigmine tartrate</i>	24
<i>probenecid</i>	30	RABAVERT (PF)	85	<i>rizatriptan</i>	31
<i>probenecid-colchicine</i>	30	<i>rabeprazole</i>	67	<i>r-natal ob</i>	183
<i>prochlorperazine</i>	32	RALDESY.....	121	ROCKLATAN.....	88
<i>prochlorperazine edisylate</i>	32	<i>raloxifene</i>	72	<i>roflumilast</i>	58
<i>prochlorperazine maleate</i>	32	<i>ramipril</i>	51	ROMVIMZA	17
PRO-COMFORT ALCOHOL		<i>ranolazine</i>	45	<i>ropinirole</i>	34
PADS.....	158	<i>rasagiline</i>	34	<i>rosadan</i>	66
<i>procto-med hc</i>	64	RASUVO (PF).....	79	<i>rosuvastatin</i>	49
<i>proctosol hc</i>	64	RAYALDEE.....	53	ROTARIX.....	86
<i>proctozone-hc</i>	64	<i>reclipsen (28)</i>	111	ROTATEQ VACCINE	86
PRODIGY INSULIN		RECOMBIVAX HB (PF).....	85	ROZLYTREK.....	17
SYRINGE.....	158	RELENZA DISKHALER ..	130	RUBRACA	17
<i>progesterone micronized</i>	75	<i>repaglinide</i>	26	<i>rufinamide</i>	117

RUKOBIA.....	128	SIMBRINZA	88	STOBOCLO	53
RYBELSUS	26	<i>simliya (28)</i>	112	STRENSIQ	181
RYBREVANT	17	SIMPLI PEN NEEDLE	148	<i>streptomycin</i>	99
RYBREVANT FASPRO	17	<i>simvastatin</i>	49	STRIBILD.....	128
RYDAPT	17	<i>sirolimus</i>	80	STRIVERDI RESPIMAT.....	61
RYKINDO	40	SIRTURO	124	<i>subvenite</i>	117
RYTELO	17	<i>sitagliptin phos-metformin</i>	26	SUBVENITE	117
S		<i>sitagliptin phosphate</i>	26	<i>sucralfate</i>	67
<i>sacubitril-valsartan</i>	46	SKY SAFETY PEN NEEDLE	160	<i>sulfacetamide sodium</i>	90
SAFESNAP INSULIN				<i>sulfacetamide-prednisolone</i> ...	90
SYRINGE.....	159, 160	SKYLA.....	112	<i>sulfadiazine</i>	105
SAFETY PEN NEEDLE.....	160	SKYRIZI	65, 80	<i>sulfamethoxazole-trimethoprim</i>	
SANTYL	65	<i>sodium chloride 0.45 %</i>	177		105
<i>sapropterin</i>	181	<i>sodium chloride 0.9 %</i>	177	<i>sulfasalazine</i>	52, 53
SCEMBLIX.....	17	<i>sodium fluoride-pot nitrate</i>	62	<i>sulindac</i>	95
<i>scopolamine base</i>	32	<i>sodium oxybate</i>	54	<i>sumatriptan</i>	31
SECUADO	40	<i>sodium polystyrene sulfonate</i> . 68		<i>sumatriptan succinate</i>	31
SECURESAFE INSULIN		<i>sodium,potassium,mag sulfates</i>		<i>sunitinib malate</i>	18
SYRINGE.....	160		69	SUNLENCA	128
SECURESAFE PEN NEEDLE		<i>solifenacin</i>	70	SURE COMFORT ALCOHOL	
.....	160	SOLQUA 100/33	29	PREP PADS.....	161
SELARSDI.....	80	SOLTAMOX	17	SURE COMFORT INS. SYR.	
<i>select-ob</i>	183	SOMATULINE DEPOT	74	U-100	160
<i>select-ob (folic acid)</i>	183	SOMAVERT	74	SURE COMFORT INSULIN	
<i>selegiline hcl</i>	34	<i>sorafenib</i>	17	SYRINGE	160, 161
<i>selenium sulfide</i>	66	<i>sorine</i>	44	SURE COMFORT PEN	
SELZENTRY	128	<i>sotalol</i>	44	NEEDLE	161
<i>se-natal 19 chewable</i>	183	<i>sotalol af</i>	44	SURE COMFORT SAFETY	
SEREVENT DISKUS	61	SPIRIVA RESPIMAT.....	61	PEN NEEDLE	160
SEROSTIM	74	<i>spironolactone</i>	50	SURE-FINE PEN NEEDLES	
<i>sertraline</i>	121	<i>spironolacton-hydrochlorothiaz</i>			161
<i>setlakin</i>	112		50	SURE-JECT INSULIN	
<i>sevelamer carbonate</i>	68, 69	SPRAVATO	121	SYRINGE	161, 162
<i>sevelamer hcl</i>	69	<i>sprintec (28)</i>	112	SURE-PREP ALCOHOL PREP	
SEZABY	117	SPRITAM.....	117	PADS	162
<i>sf 5000 plus</i>	62	<i>sps (with sorbitol)</i>	68	SYMPAZAN.....	117
<i>sharobel</i>	112	<i>sronyx</i>	112	SYMTUZA	128
SHINGRIX (PF).....	86	<i>ssd</i>	66	SYNJARDY.....	26
SIGNIFOR	74	<i>stavudine</i>	128	SYNJARDY XR	26
<i>sildenafil</i>	94	STERILE PADS	148	SYNRIBO	18
<i>sildenafil (pulm.hypertension)</i> 94		STIOLTO RESPIMAT	61	SYRINGE WITH NEEDLE,	
<i>silver sulfadiazine</i>	66	STIVARGA	17	SAFETY	160

T		
TABLOID	18	
TABRECTA.....	18	
tacrolimus.....	64, 80	
tadalafil.....	94	
TAFINLAR.....	18	
TAGRISSO.....	18	
TALVEY.....	18	
TALZENNA.....	18	
tamoxifen.....	18	
tamsulosin.....	69	
tarina 24 fe.....	112	
tarina fe 1-20 eq (28)	112	
taron-c dha.....	183	
taron-prex prenatal-dha.....	183	
TAVNEOS.....	80	
tazarotene.....	66	
tazicef.....	102	
taztia xt.....	45	
TDVAX.....	86	
TECHLITE INSULIN		
SYRINGE.....	162, 163	
TECHLITE INSULN		
SYR(HALF UNIT)	162	
TECHLITE PEN NEEDLE..	163	
TECHLITE PLUS PEN		
NEEDLE	163	
TECVAYLI.....	18	
telmisartan.....	46	
telmisartan-hydrochlorothiazid		
.....	47	
temazepam.....	23	
TENIVAC (PF)	86	
tenofovir disoproxil fumarate		
.....	128	
TEPMETKO.....	18	
terazosin.....	69	
terbinafine hcl	124	
terconazole.....	99	
teriparatide.....	53	
TERUMO INSULIN SYRINGE		
.....	163	
testosterone.....	71	
testosterone cypionate	70	
testosterone enanthate	71	
tetrabenazine	57	
tetracycline	106	
TEVIMBRA	18	
THALOMID.....	93	
theophylline	61, 62	
THINPRO INSULIN SYRINGE		
.....	163, 164	
thioridazine.....	40	
thiothixene	40	
tiadylt er.....	45	
tiagabine.....	117	
TIBSOVO.....	18	
ticagrelor.....	179	
TICE BCG.....	18	
TICOVAC.....	86	
tigecycline.....	106	
tilia fe.....	112	
timolol.....	88	
timolol maleate	44, 88	
tinidazole	33	
tiotropium bromide	62	
TIVDAK.....	18	
TIVICAY.....	128	
TIVICAY PD.....	129	
tizanidine	181	
TOBI PODHALER	99	
tobramycin.....	90	
tobramycin in 0.225 % nacl... 99		
tobramycin sulfate	99	
tobramycin-dexamethasone ... 90		
tobramycin-lotepred	90	
tofacitinib.....	80	
tolterodine.....	70	
tolvaptan (polycys kidney dis) 50		
TOPFINE INSULIN PEN		
NEEDLE.....	164	
topiramate.....	117	
toremifene	18	
torpenz	18	
torsemide.....	50	
TOUJEO MAX U-300		
SOLOSTAR.....	29	
TOUJEO SOLOSTAR U-300		
INSULIN.....	29	
TRADJENTA	26	
tramadol.....	98	
tramadol-acetaminophen	98	
trandolapril.....	51	
tranexamic acid.....	177	
tranylcypromine	121	
travoprost.....	88	
trazodone.....	121	
TRECATOR	124	
TRELEGY ELLIPTA	62	
TRELSTAR	19	
TREMFYA	81	
TREMFYA ONE-PRESS	81	
TREMFYA PEN.....	81	
TREMFYA PEN INDUCTION		
PK(2PEN)	81	
tretinoin.....	66	
tretinoin (antineoplastic)	19	
triamcinol ac (pf) in 0.9%nacl64		
triamcinolone acetonide.. 62, 64,		
73		
triamterene-hydrochlorothiazid		
.....	50	
tridacaine iii.....	98	
trientine	98	
tri-estarylla	112	
trifluoperazine.....	40	
trifluridine	90	
trihexyphenidyl.....	34	
TRIJARDY XR.....	26	
TRIKAFTA.....	59	
tri-legest fe	112	
tri-linyah	112	
tri-lo-estarylla	112	
tri-lo-marzia	112	
tri-lo-mili.....	112	
tri-lo-sprintec	112	

<i>trimethoprim</i>	100	<i>tyblume</i>	113	ULTRA-FINE INS SYR (HALF UNIT).....	171
<i>tri-mili</i>	112	TYBOST.....	93	ULTRA-FINE INSULIN SYRINGE	171, 172
<i>trimipramine</i>	121	TYENNE	81	ULTRA-FINE PEN NEEDLE	172
TRINTELLIX.....	121	TYENNE AUTOINJECTOR	81	ULTRA-THIN II (SHORT) INS SYR.....	172
<i>tri-nymyo</i>	112	TYMLOS.....	53	ULTRA-THIN II (SHORT) PEN NDL.....	173
<i>tri-sprintec (28)</i>	112	TYPHIM VI.....	86	ULTRA-THIN II INS PEN NEEDLES.....	172
TRIUMEQ.....	129	U		ULTRA-THIN II INSULIN SYRINGE	172
TRIUMEQ PD.....	129	UBRELVY	31	UNIFINE OTC PEN NEEDLE	173
<i>trivora (28)</i>	113	UDENYCA ONBODY	180	UNIFINE PENTIPS.....	173
<i>tri-vylibra</i>	113	ULTICARE	167, 168	UNIFINE PENTIPS MAXFLOW	173
<i>tri-vylibra lo</i>	113	ULTICARE INSULIN SYRINGE.....	167	UNIFINE PENTIPS PLUS	173, 176
TRIZIVIR.....	129	ULTICARE INSULN SYR(HALF UNIT).....	167	UNIFINE PENTIPS PLUS MAXFLOW	173
TROGARZO	129	ULTICARE PEN NEEDLE	167	UNIFINE PROTECT.....	174
<i>trosipium</i>	70	ULTICARE SAFETY PEN NEEDLE.....	167	UNIFINE SAFECONTROL PEN NEEDLE	174
TRUE COMFORT ALCOHOL PADS.....	165	ULTIGUARD SAFEPACK-INSULIN SYR	168	UNIFINE ULTRA PEN NEEDLE	174
TRUE COMFORT INSULIN SYRINGE.....	164	ULTIGUARD SAFEPACK-PEN NEEDLE	168	UPTRAVI	94
TRUE COMFORT PEN NEEDLE	165	ULTILET ALCOHOL SWAB	168	<i>ursodiol</i>	68
TRUE COMFORT PRO ALCOHOL PADS.....	165	ULTILET INSULIN SYRINGE	151, 169	<i>ustekinumab-aauz</i>	81
TRUE COMFORT PRO INS SYRINGE.....	164, 165	ULTILET PEN NEEDLE....	169	UZEDY	40, 41
TRUE COMFORT SAFE INSULIN SYRG	164, 165, 166	ULTRA CMFT INS SYR (HALF UNIT).....	148, 167	V	
TRUE COMFORT SAFETY PEN NEEDLE.....	164	ULTRA COMFORT INSULIN SYRINGE	148, 149, 169, 170	<i>valacyclovir</i>	131
TRUE-COMFORT PRO PEN NEEDLE	166	ULTRA FLO INSUL SYR(HALF UNIT).....	170	VALCHLOR.....	65
TRUEPLUS INSULIN.....	166, 167	ULTRA FLO INSULIN SYRINGE.....	170	<i>valganciclovir</i>	131
TRUEPLUS PEN NEEDLE.....	166	ULTRA FLO PEN NEEDLE	170	<i>valproate sodium</i>	117
TRULANCE.....	68	ULTRA THIN PEN NEEDLE	170	<i>valproic acid</i>	118
TRULICITY.....	26	ULTRACARE INSULIN SYRINGE.....	170, 171	<i>valproic acid (as sodium salt)</i>	118
TRUMENBA	86	ULTRACARE PEN NEEDLE	171	<i>valsartan</i>	47
TRUQAP	19				
TRUXIMA	19				
TUKYSA.....	19				
TURALIO	19				
<i>turqoz (28)</i>	113				
TWINRIX (PF)	86				

<i>valsartan-hydrochlorothiazide</i>	47	<i>vinorelbine</i>	19	XCOPRI MAINTENANCE	
VALTOCO	118	<i>viorele (28)</i>	113	PACK	118
<i>valtya</i>	113	VIRACEPT	129	XCOPRI TITRATION PACK	
<i>vancomycin</i>	100	VIREAD	129		118
VANFLYTA	19	<i>virt-pn dha</i>	183	XDEMVEY	90
VANISHPOINT INSULIN		<i>vitafol gummies</i>	183	XERMELO	68
SYRINGE	174, 175	<i>vitafol-ob+dha</i>	183	XIFAXAN	100
VANISHPOINT SYRINGE	174,	VITRAKVI	19	XIGDUO XR	26, 27
175		VIVIMUSTA	19	XIIDRA	92
VAQTA (PF)	86, 87	VIVOTIF	87	XOLAIR	59
<i>varenicline tartrate</i>	22	VIZIMPRO	20	XOSPATA	20
VARIVAX (PF)	87	VOCABRIA	129	XPOVIO	20
VAXCHORA VACCINE	87	<i>volnea (28)</i>	113	XTANDI	20, 21
VELTASSA	68	VONJO	20	<i>xulane</i>	113
VEMLIDY	129	VOQUEZNA	67	XULTOPHY 100/3.6	29
VENCLEXTA	19	VORANIGO	20	Y	
VENCLEXTA STARTING		<i>voriconazole</i>	124	YERVOY	21
PACK	19	VOSEVI	130	YESINTEK	81
<i>venlafaxine</i>	122	VOWST	93	YF-VAX (PF)	87
VEOZAH	93	<i>vp-ch-pnv</i>	184	YONSA	21
<i>verapamil</i>	45	VRAYLAR	41	YUFLYMA(CF)	82
VERIFINE INSULIN		VUMERITY	57	YUFLYMA(CF) AI CROHN'S-	
SYRINGE	175	VYALEV	34	UC-HS	81
VERIFINE PEN NEEDLE ..	175	<i>vylibra</i>	113	YUFLYMA(CF)	
VERIFINE PLUS PEN		VYLOY	20	AUTOINJECTOR	82
NEEDLE	175	VYNDAMAX	46	<i>yulithira</i>	21
VERIFINE PLUS PEN		VYZULTA	88	YUTREPIA	94
NEEDLE-SHARP	175	W		<i>yuvafem</i>	72
VERQUVO	46	<i>warfarin</i>	178	Z	
VERSACLOZ	41	WEBCOL	176	<i>zafemy</i>	113
VERSALON	176	WELIREG	20	<i>zafirlukast</i>	60
VERZENIO	19	WINREVAIR	59	<i>zaleplon</i>	54
V-GO 20	176	<i>wixela inhub</i>	60	<i>zatean-pn dha</i>	184
V-GO 30	176	X		<i>zatean-pn plus</i>	184
V-GO 40	176	XALKORI	20	ZEJULA	21
<i>vienna</i>	113	<i>xarah fe</i>	113	ZELBORAF	21
<i>vigabatrin</i>	118	XARELTO	179	<i>zenatane</i>	65
<i>vigadrone</i>	118	XARELTO DVT-PE TREAT		ZENPEP	181
<i>vigpoder</i>	118	30D START	178	<i>zidovudine</i>	129
<i>vilazodone</i>	122	XATMEP	20	ZIIHERA	21
VIMKUNYA	87	XCOPRI	118	<i>zingiber</i>	184
				<i>ziprasidone hcl</i>	41

<i>ziprasidone mesylate</i>	41	ZONISADE	118	ZYDELIG	21
ZIRABEV	21	<i>zonisamide</i>	118	ZYKADIA	21
ZIRGAN.....	90	<i>zovia 1-35 (28)</i>	113	ZYNLONTA.....	21
ZOLADEX	21	ZTALMY.....	119	ZYNYZ	21
ZOLINZA.....	21	ZTLIDO.....	98	ZYPREXA RELPREVV	41
<i>zolpidem</i>	54	ZURZUVAE.....	122		

Notice of Availability of Language Assistance and Auxiliary Aids and Services

ATTENTION: Free language assistance services are available to you. Appropriate auxiliary aids and services to provide information in accessible formats are also available free of charge. Call 1-833-627-8252 (TTY: 1-800-735-2929) or speak to your provider.

ATENCIÓN: Si habla español, tiene a su disposición servicios gratuitos de asistencia lingüística. También están disponibles de forma gratuita ayuda y servicios auxiliares apropiados para proporcionar información en formatos accesibles. Llame al 1-833-627-8252 (TTY: 1-800-735-2929) o hable con su proveedor (Spanish).

注意：如果您说[中文]，我们将免费为您提供语言协助服务。我们还免费提供适当的辅助工具和服务，以无障碍格式提供信息。致电 1-833-627-8252（文本电话：1-800-735-2929）或咨询您的服务提供商 (Chinese).

LƯU Ý: Nếu bạn nói tiếng Việt, chúng tôi cung cấp miễn phí các dịch vụ hỗ trợ ngôn ngữ. Các hỗ trợ dịch vụ phù hợp để cung cấp thông tin theo các định dạng dễ tiếp cận cũng được cung cấp miễn phí. Vui lòng gọi theo số 1-833-627-8252 (Người khuyết tật: 1-800-735-2929) hoặc trao đổi với người cung cấp dịch vụ của bạn (Vietnamese).

PAALALA: Kung nagsasalita ka ng Tagalog, magagamit mo ang mga libreng serbisyong tulong sa wika. Magagamit din nang libre ang mga naaangkop na auxiliary na tulong at serbisyo upang magbigay ng impormasyon sa mga naa-access na format. Tumawag sa 1-833-627-8252 (TTY: 1-800-735-2929) o makipag-usap sa iyong provider (Tagalog).

주의: [한국어]를 사용하시는 경우 무료 언어 지원 서비스를 이용하실 수 있습니다. 이용 가능한 형식으로 정보를 제공하는 적절한 보조 기구 및 서비스도 무료로 제공됩니다. 1-833-627-8252 (TTY: 1-800-735-2929)번으로 전화하거나 서비스 제공업체에 문의하십시오 (Korean).

ՈՒՇԱԴՐՈՒԹՅՈՒՆ. Եթե խոսում եք հայերեն, Դուք կարող եք օգտվել լեզվական աջակցության անվճար ծառայություններից: Մատչելի ձևաչափերով տեղեկատվություն տրամադրելու համապատասխան օժանդակ միջոցներն ու ծառայությունները նույնպես տրամադրվում են անվճար: Չանգահարեք 1-833-627-8252 հեռախոսահամարով (TTY՝ 1-800-735-2929) կամ խոսեք Ձեր մատակարարի հետ (Armenian):

توجه: اگر [وارد کردن زبان] صحبت می کنید، خدمات پشتیبانی زبانی رایگان در دسترس شما قرار دارد. همچنین کمک ها و خدمات پشتیبانی مناسب برای ارائه اطلاعات در قالب های قابل دسترس، به طور رایگان موجود می باشند. با شماره 1-833-627-8252 (تله تایپ: 1-800-735-2929) تماس بگیرید یا با ارائه دهنده خود صحبت کنید. (Persian).

ВНИМАНИЕ: Если вы говорите на русский, вам доступны бесплатные услуги языковой поддержки. Соответствующие вспомогательные средства и услуги по предоставлению информации в доступных форматах также предоставляются бесплатно. Позвоните по телефону 1-833-627-8252 (TTY: 1-800-735-2929) или обратитесь к своему поставщику услуг (Russian).

注：日本語を話される場合、無料の言語支援サービスをご利用いただけます。アクセシブル（誰もが利用できるよう配慮された）な形式で情報を提供するための適切な補助支援やサービスも無料でご利用い

ただけます。1-833-627-8252 (TTY : 1-800-735-2929) までお電話ください。または、ご利用の事業者にご相談ください (Japanese)。

تنبيه: إذا كنت تتحدث اللغة العربية، فستتوفر لك خدمات المساعدة اللغوية المجانية. كما تتوفر وسائل مساعدة وخدمات مناسبة لتوفير المعلومات بتنسيقات يمكن الوصول إليها مجانًا. اتصل على الرقم 1-833-627-8252 (TTY: 1-800-735-2929) أو تحدث إلى مقدم الخدمة. (Arabic)

ਪਿਆਨ ਦਿਓ: ਜੇ ਤੁਸੀਂ ਪੰਜਾਬੀ ਬੋਲਦੇ ਹੋ, ਤਾਂ ਤੁਹਾਡੇ ਲਈ ਮੁਫਤ ਭਾਸ਼ਾ ਸਹਾਇਤਾ ਸੇਵਾਵਾਂ ਉਪਲਬਧ ਹੁੰਦੀਆਂ ਹਨ। ਪਹੁੰਚਯੋਗ ਫਾਰਮੈਟਾਂ ਵਿੱਚ ਜਾਣਕਾਰੀ ਪ੍ਰਦਾਨ ਕਰਨ ਲਈ ਚੁਕਦੇ ਪੂਰਕ ਸਹਾਇਕ ਸਾਧਨ ਅਤੇ ਸੇਵਾਵਾਂ ਵੀ ਮੁਫਤ ਵਿੱਚ ਉਪਲਬਧ ਹੁੰਦੀਆਂ ਹਨ। 1-833-627-8252 (TTY: 1-800-735-2929) 'ਤੇ ਕਾਲ ਕਰੋ ਜਾਂ ਆਪਣੇ ਪ੍ਰਦਾਤਾ ਨਾਲ ਗੱਲ ਕਰੋ। (Punjabi)

សូមយកចិត្តទុកដាក់: ប្រសិនបើអ្នកនិយាយ ភាសាខ្មែរសេវាកម្មជំនួយភាសា ឥតគិតថ្លៃគឺមានសម្រាប់អ្នក។ ជំនួយ និងសេវាកម្មដែលជាការជួយដ៏សមរម្យ ក្នុងការផ្តល់ព័ត៌មានតាមទម្រង់ដែលអាចចូលប្រើប្រាស់បាន ក៏អាចរកបាន ដោយឥតគិតថ្លៃផងដែរ។ ហៅទូរសព្ទទៅ 1-833-627-8252 (TTY: 1-800-735-2929) ឬនិយាយទៅកាន់អ្នកផ្តល់សេវារបស់អ្នក។ (Khmer)

LUS CEEV TSHWJ XEEB: Yog hais tias koj hais Lus Hmoob muaj cov kev pab cuam txhais lus pub dawb rau koj. Cov kev pab thiab cov kev pab cuam ntxiv uas tsim nyog txhawm rau muab lus qhia paub ua cov hom ntaub ntawv uas tuaj yeem nkag cuag tau rau los kuj yeej tseem muaj pab dawb tsis xam tus nqi dab tsi ib yam nkaus. Hu rau 1-833-627-8252 (TTY: 1-800-735-2929) los sis sib tham nrog koj tus kws muab kev saib xyuas kho mob (Hmong).

ध्यान दें: यदि आप हिंदी बोलते हैं, तो आपके लिए निःशुल्क भाषा सहायता सेवाएं उपलब्ध होती हैं। सुलभ प्रारूपों में जानकारी प्रदान करने के लिए उपयुक्त सहायक साधन और सेवाएँ भी निःशुल्क उपलब्ध हैं। 1-833-627-8252 (TTY: 1-800-735-2929) पर कॉल करें या अपने प्रदाता से बात करें। (Hindi)

หมายเหตุ: หากคุณใช้ภาษา ไทย เรามีบริการความช่วยเหลือด้านภาษาฟรี นอกจากนี้ ยังมีเครื่องมือและบริการช่วยเหลือเพื่อให้ข้อมูลในรูปแบบที่เข้าถึงได้โดยไม่เสียค่าใช้จ่าย โปรดโทรติดต่อ 1-833-627-8252 (TTY: 1-800-735-2929) หรือปรึกษาผู้ให้บริการของคุณ (Thai)

Este formulario fue actualizado el 09/01/2026.

Para obtener información más reciente y otras preguntas, comuníquese con los Servicios para Miembros del Plan Medicare Advantage de UCLA Health al 1-833-627-8252 (los usuarios de TTY deben llamar al 711), Horas de Operación: Del 1 de abril al 30 de septiembre, puede llamar de 8:00 a.m. a 8:00 p.m., de lunes a viernes. Del 1 de octubre al 31 de marzo, puede llamar de 8:00 a.m. a 8:00 p.m., los siete días de la semana, o visite UCLAHealthMedicareAdvantage.org.